THIS INSTRUMENT PREPARED BY AND AFTER RECORDING RETURN TO:

Sara Solomon, a staff employee in the course of duty with the Real Estate Management Division of Orange County, Florida P.O. Box 1393 Orlando, Florida 32802-1393

Property Appraiser's Parcel Identification Number:

a portion of 07-23-31-0000-00-004

Project: Oasis Reserve Access and License Agreement

NOTICE OF RESERVATION

ORANGE COUNTY, A CHARTER COUNTY AND POLITICAL SUBDIVISION OF THE STATE OF FLORIDA, HEREBY reserves an easement for drainage purposes in perpetuity on the following property:

SEE ATTACHED EXHIBIT "A"

ORANGE COUNTY shall retain its easement interest	despite any transfer of fee title.
Dated at Orlando, Florida this	<u> </u>
IN WITNESS WHEREOF, the said COUNTY has cau acting by the County Mayor, the day and year aforesaid.	sed these presents to be executed in its name by its Board,
	"COUNTY" ORANGE COUNTY, FLORIDA By: Board of County Commissioners
	By: Jerry L. Demings Orange County Mayor
	Date:
ATTEST: Phil Diamond, CPA, County Comptroller As Clerk of the Board of County Commissioners	
By: Deputy Clerk	
Printed Name	

SKETCH OF DESCRIPTION PROJECT: ORANGE COUNTY EASTERN WATER FACILITY

Exhibit A

SPACE ABOVE RESERVED FOR RECORDING INFORMATION

SURVEYORS NOTES:

- 1. THIS DESCRIPTION WAS PREPARED WITHOUT THE BENEFIT OF A TITLE COMMITMENT, AND IS SUBJECT TO ANY RIGHT-OF-WAY, EASEMENTS, OR OTHER MATTERS THAT A TITLE SEARCH MIGHT DISCLOSE.
- 2. PUBLIC RECORDS INDICATED HEREON ARE OF ORANGE COUNTY, UNLESS OTHERWISE NOTED.
- 3. NOT A BOUNDARY SURVEY.
- 4. PARCEL IDENTIFICATION NUMBER 07-23-31-0000-00-004.
- THE PURPOSE OF THIS SKETCH AND DESCRIPTION IS A DRAINAGE AND MAINTENANCE EASEMENT.
- BEARINGS ARE BASED ON THE NORTH LINE OF THE NORTHWEST 1/4 OF SECTION 7, TOWNSHIP 23 SOUTH, RANGE 31 EAST, BEARING BEING N89°45'44"E (ASSUMED).

LEGEND:

CB = Chord Bearing

CH= Chord Distance

CCR #= Certified Corner Record

DE = Drainage Easement

L = Arc Distance

ORB = Official Record Book

PC = Point of Curvature

PT = Point of Tangency

POC =Point of Commencement

POB =Point of Beginning

PB = Plat Book

PG(S) = Page/Pages

R = Radius

R/W = Right of Way

RGE = Range

TWP = Township

(NR) = Non Radial

NT = Non-Tangent

SEC = Section

△ = Delta Angle

= Change of Direction (no point set)

DANIEL L. WHITTAKER, REGISTERED LAND SURVEYOR AND MAPPER

STATE OF FLORIDA LICENSE NO. 5648 DATE: 07/10/2024

I HEREBY AFFIRM THAT THIS SKETCH REPRESENTED HEREON IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF. THIS SURVEY HAS BEEN PREPARED IN ACCORDANCE WITH THE STANDARDS SET FORTH IN CHAPTER 5J-17, F.A.C., PURSUANT TO CHAPTER 472 OF THE FLORIDA STATUTES. NOT VALID UNLESS IT BEARS THE SIGNATURE AND THE ORIGINAL RAISED SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER.

NOT VALID WITHOUT SHEETS 2 THROUGH 4 OF 4

FIELD DATE: 05/25/2023		SECTION: 7
DRAWN BY: C.WHITE	07/24/2023	TOWNSHIP: 23S
CHECKED BY: D.WHITTAKER	REVISIONS: 11/07/2023;	RANGE: 31E
APPROVED BY: D.WHITTAKER	07/10/2024	SHEET 1 OF 4

PUBLIC WORKS
ENGINEERING DIVISION
SURVEY SECTION
200 SOUTH JOHN YOUNG PARKWAY
ORLANDO, FLORIDA 32839-9205
(407) 838-7951



PREPARED FOR: Orange county

DRAWING SCALE: N/A COUNTY PROJECT

DEVELOPMENT ENGINEERING

COUNTY PROJECT NUMBER 9089

SKETCH OF DESCRIPTION PROJECT: ORANGE COUNTY EASTERN WATER FACILITY

SPACE ABOVE RESERVED FOR RECORDING INFORMATION

LEGAL DESCRIPTION:

A PARCEL OF LAND LYING WITHIN THE NORTHWEST 1/4 SECTION 7, TOWNSHIP 23 SOUTH, RANGE 31 EAST, ORANGE COUNTY FLORIDA;

COMMENCE AT THE NORTHWEST CORNER OF SAID NORTHWEST 1/4 SECTION 7; THENCE RUN S00°04'15"W ALONG THE WEST LINE OF SAID NORTHWEST 1/4, FOR A DISTANCE OF 70.00 FEET TO A POINT ON THE SOUTH RIGHT-OF-WAY LINE OF CURRY FORD ROAD, ACCORDING TO THE ORANGE COUNTY RIGHT OF WAY MAP FOR CURRY FORD ROAD, COUNTY PROJECT NUMBER Y2-810. PREPARED BY LOCHRANE ENGINEERING AND OFFICIAL RECORD BOOK 6091 PAGE 878. RECORDED IN THE PUBLIC RECORDS OF ORANGE COUNTY FLORIDA; THENCE DEPARTING SAID WEST LINE RUN ALONG SAID SOUTH RIGHT OF WAY LINE THE FOLLOWING THREE (3) COURSES AND DISTANCES: N89°45'44"E 403.01 FEET; THENCE S00°15'10"E 20.00 FEET; THENCE N89°45'44"E 28.62 FEET FOR A POINT OF BEGINNING; THENCE CONTINUING ALONG SAID SOUTH RIGHT-OF-WAY LINE RUN THE FOLLOWING FIVE (5) COURSES AND DISTANCES: N89°45'44"E A DISTANCE OF 28.03 FEET; THENCE S38°36'22"E A DISTANCE OF 19.13 FEET; THENCE N89°45'44"E A DISTANCE OF 45.97 FEET; THENCE N00°14'16"W A DISTANCE OF 32.00 FEET; THENCE N89°45'44"E A DISTANCE OF 26.01 FEET; THENCE DEPARTING SAID SOUTH RIGHT OF WAY LINE RUN S00°06'43"E A DISTANCE OF 164.34 FEET; THENCE RUN S20°59'40"W A DISTANCE OF 299.85 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 500.00 FEET; THENCE FROM A CHORD BEARING OF S07°41'46"W AND A CHORD DISTANCE OF 230.02 FEET, RUN SOUTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 26°35'47", FOR AN ARC DISTANCE OF 232.10 FEET TO A POINT OF NON TANGENCY; THENCE RUN S05°40'54"E A DISTANCE OF 61.81 FEET TO A POINT ON A NON-TANGENT CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 279.00 FEET; THENCE FROM A CHORD BEARING OF S22°19'40"E AND A CHORD DISTANCE OF 159.93 FEET, RUN SOUTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 33°18'39", FOR AN ARC DISTANCE OF 162.21 FEET TO THE POINT OF TANGENCY; THENCE RUN S38°58'59"E

LEGAL DESCRIPTION CONTINUED:

A DISTANCE OF 73.78 FEET: THENCE RUN S50°21'47"E A DISTANCE OF 183.24 FEET; THENCE RUN S88°12'17"E A DISTANCE OF 53.96 FEET; THENCE RUN S00°12'24"W A DISTANCE OF 85.54 FEET; THENCE RUN S89°43'20"W A DISTANCE OF 15.24 FEET; THENCE RUN N68°26'37"W A DISTANCE OF 81.36 FEET; THENCE RUN N50°21'47"W A DISTANCE OF 215.57 FEET; THENCE RUN N73°28'25"W A DISTANCE OF 15.28 FEET; THENCE RUN S85°41'11"W A DISTANCE OF 44.97 FEET; THENCE RUN N15°42'57"W A DISTANCE OF 35.85 FEET; THENCE RUN N63°40'55"E A DISTANCE OF 35.83 FEET TO A POINT ON A NON-TANGENT CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 347.00 FEET; THENCE FROM A CHORD BEARING OF N22°19'40"W AND A CHORD DISTANCE OF 198.91 FEET, RUN NORTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 33°18'39", FOR AN ARC DISTANCE OF 201.74 FEET TO A POINT OF NON TANGENCY; THENCE RUN N05°40'54"W A DISTANCE OF 61.89 FEET TO A NON-TANGENT CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 568.00 FEET; THENCE FROM A CHORD BEARING OF N07°41'46"E AND A CHORD DISTANCE OF 261.30 FEET, RUN NORTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 26°35'47", FOR AN ARC DISTANCE OF 263.66 FEET TO THE POINT OF TANGENCY; THENCE RUN N20°59'40"E A DISTANCE OF 248.08 FEET; THENCE RUN N00°06'43"W A DISTANCE OF 137.63 FEET: THENCE RUN N82°03'21"W A DISTANCE OF 10.48 FEET; THENCE RUN N34°58'37"W A DISTANCE OF 33.94 FEET: THENCE RUN N00°06'00"W A DISTANCE OF 3.95 FEET TO THE POINT OF BEGINNING:

CONTAINING 2.102 ACRES (91,546 SQUARE FEET) MORE OR LESS.

NOT VALID WITHOUT SHEETS 1, 3 AND 4 OF 4

PREPARED FOR: ORANGE COUNTY DEVELOPMENT ENGINEERING

FIELD DATE: 05/25/2023	DATE:	SECTION: 7	PUBLIC WORKS ORANGE	DRAWING SCALE:
DRAWN BY: C.WHITE	07/24/2023	TOWNSHIP: 23S	LINGINELINING DIVISION	N/A
CHECKED BY: D.WHITTAKER	REVISIONS: 11/07/2023;	RANGE: 31E	SURVEY SECTION 4200 SOUTH JOHN YOUNG PARKWAY COUNTY	COUNTY PROJECT NUMBER
APPROVED BY: D.WHITTAKER	07/10/2024	SHEET 2 OF 4	ORLANDO, FLORIDA 32839-9205 GOVERNMENT (407) 836-7951 TLORIDA	9089



