SECOND AMENDMENT TO REEDY CREEK IMPROVEMENT DISTRICT/ORANGE COUNTY AMENDED AND RESTATED WATER, WASTEWATER, AND RECLAIMED WATER SERVICE TERRITORIAL AGREEMENT

THIS SECOND AMENDMENT TO THE REEDY CREEK **IMPROVEMENT DISTRICT/ORANGE COUNTY AMENDED AND RESTATED** WATER, WASTEWATER, AND RECLAIMED WATER SERVICE TERRITORIAL AGREEMENT (this "Second Amendment"), is made and entered into on the date of later execution below (the "Effective Date"), by and between CENTRAL FLORIDA TOURISM OVERSIGHT DISTRICT, an independent special district created pursuant to Chapter 2023-5, Laws of Florida ("CFTOD"), whose address is P.O. Box 10170, Lake Buena Vista, Florida 32830, and ORANGE COUNTY, a charter county and political subdivision of the State of Florida (hereinafter called the "County"), whose address is 201 South Rosalind Avenue, Orlando, Florida 32801.

RECITALS

WHEREAS, the Reedy Creek Improvement District ("RCID") and the County entered into that certain Reedy Creek Improvement District/Orange County Amended and Restated Water, Wastewater, and Reclaimed Water Service Territorial Agreement dated September 30, 2008 (the "Original Agreement"), as amended by that certain First Amendment to Reedy Creek Improvement District/Orange County Amended and Restated Water, Wastewater, and Reclaimed Water Service Territorial Agreement dated November 14, 2018 (the "First Amendment," and together with the Original Agreement, the "Territorial Agreement"); and

WHEREAS, the Territorial Agreement defines the potable water, wastewater, and reclaimed water service territorial boundary between RCID and the County and describes the areas referred to therein as "RCID's Territorial Area" and the "Adjacent Territorial Area;" and

WHEREAS, Section 5 of the Territorial Agreement provides that RCID and the County may alter the Territorial Boundary by mutual consent; and

WHEREAS, RCID's Territorial Area was altered by that certain Territorial Boundary Adjustment Agreement dated December 6, 2022 (the "Adjustment Agreement,"); and

WHEREAS, RCID was renamed the Central Florida Tourism Oversight District by Chapter 2023-5, Laws of Florida; and

WHEREAS, CFTOD and the County desire to modify and alter RCID's Territorial Area, as that term is defined in the Territorial Agreement, in accordance with the provisions set forth herein; and

WHEREAS, this Second Amendment fulfills the requirements set forth in Section 5 of the Original Agreement; and

WHEREAS, CFTOD and the County have determined that it is appropriate to use the Second Amendment to change the name of the Territorial Agreement from "REEDY CREEK IMPROVEMENT DISTRICT/ORANGE COUNTY AMENDED AND RESTATED WATER, WASTEWATER, AND RECLAIMED WATER SERVICE TERRITORIAL AGREEMENT" to "AMENDED AND RESTATED WATER, WASTEWATER, AND RECLAIMED WATER SERVICE TERRITORIAL AGREEMENT".

NOW, THEREFORE, in consideration of the foregoing premises, and for other good and valuable consideration, the parties agree as follows:

1. The recitals set forth above are true and correct and by this reference are incorporated into this Second Amendment.

2. The name of the Territorial Agreement is changed from "REEDY CREEK IMPROVEMENT DISTRICT/ORANGE COUNTY AMENDED AND RESTATED WATER, WASTEWATER, AND RECLAIMED WATER SERVICE TERRITORIAL AGREEMENT" to "AMENDED AND RESTATED WATER, WASTEWATER, AND RECLAIMED WATER SERVICE TERRITORIAL AGREEMENT".

3. CFTOD and County desire to remove the area more particularly described on Exhibit "B" from RCID's Territorial Area. Accordingly, Exhibit "A2" to the Adjustment Agreement is hereby replaced with Exhibit "A3," which is attached to this Second Amendment and incorporated by this reference into the Territorial Agreement. From and after the Effective Date of this Second Amendment, RCID's Territorial Area means all lands lying within and encompassed by the Territorial Boundary described in Exhibit "A3."

4. CFTOD shall be substituted for RCID in all places in the Territorial Agreement and Adjustment Agreement unless the context requires otherwise. Other than the substitution of CFTOD for RCID in the Territorial Agreement and Adjustment Agreement and the alteration of RCID's Territorial Area, the terms and conditions of the Territorial Agreement and Adjustment Agreement shall remain the same.

5. Except as modified by this Second Amendment, the terms and provisions of the Territorial Agreement shall remain unchanged and in full force and effect.

[SIGNATURES APPEAR ON THE FOLLOWING PAGES]

IN WITNESS WHEREOF, CFTOD and the County have caused this Second Amendment to be executed by their duly designated representatives as of the date and year indicated below.

"CFTOD"

CENTRAL FLORIDA TOURISM OVERSIGHT DISTRICT Martin Garcia **Board Chairman** Date Approved by the CFTOD Board of Supervisors on January 24th, 2024. STATE OF COUNTY OF

The foregoing instrument was acknowledged before me by means of [] physical presence or [] online notarization, this 24^{++} day of \sqrt{anuan} , 2024, by Martin Charcia as Brack Charmon of the Central Florida Tourism Oversight District, an independent special district created pursuant to Chapter 2023-5, Laws of Florida, on behalf of CFTOD, who [] is personally known to me or [] has produced as identification.

(SEAL)

ALYCIA MONEA MILLS Notary Public - State of Florida Commission # HH 398026 My Comm. Expires May 15, 2027 Bonded through National Notary Assn.

Notary Public

Alycic M. Mills Name Printed or Stamped

My Commission Expires: May 15, 2027

"COUNTY"

ORANGE COUNTY, FLORIDA By: Board of County Commissioners

By: ______ Jerry L. Demings Orange County Mayor

Date: _____

ATTEST: Phil Diamond, CPA, Orange County Comptroller as Clerk of the Board of County Commissioners

By: _____ Deputy Clerk

Exhibit "B"

to

Second Amendment to Reedy Creek Improvement District/Orange County Amended and Restated Water, Wastewater and Reclaimed Water Service Territorial Agreement [See attached sketch of description totaling 2 pages]

DESCRIPTION

A parcel of land lying in Section 8, Township 24 South, Range 27 East, Orange County, Florida, and being more particularly described as follows:

Commence at the Southwest corner of said Section 8, run along the South line of the Southwest 1/4 of said Section 8, N 89'39'31" E, 1330.51 feet to the Southwest corner of the Southeast 1/4 of the Southwest 1/4 of said Section and the Point of Beginning; thence run along the West line of the Southeast 1/4 of the Southwest 1/4 of said Section, N 00'24'44" E, 242.11 feet to a point on the Easterly right of way line of County Road 545 as shown on Orange County right of way map, Project number 12167.001 dated November 14, 2014 and a point on a non-tangent curve concave Westerly having a radius of 2826.01 feet, and a central angle of 19'14'15"; thence from a tangent bearing of N 18'34'50" E run Northerly along the arc of said curve and right of way line, 948.86 feet; thence run along said right of way line, N 00'39'25" W, 141.86 feet; thence departing said right of way line run along the North line of the Southeast 1/4 of the Southwest 1/4 of said Section, N 89'41'27" E, 1188.92 feet to the Northeast corner thereof; thence run along the West line of the Northwest 1/4 of the Southeast 1/4 of said Section, N 00°15'09" E, 1265.33 feet to a point on the Hartzog Road right of way line as described in Official Records Book 9735, Page 8005 of the Public Records of Orange County Florida; thence run along said right of way line the following four courses; N 89'43'24" E, 207.16 feet to a point on a non-tangent curve concave Southwesterly having a radius of 802.00 feet, and a central angle of 65'19'49"; from a tangent bearing of N 89'43'09" E run Southeasterly along the arc of said curve, 914.46 feet; S 24'57'02" E, 499.49 feet; S 23'48'17" E, 1807.61 feet to a point on the South line of said Section 8; thence departing said right of way line run along said South line, S 89'39'31" W, 3220.30 feet to the Point of Beginning. Containing 114.298 Acres, more or less.

DS ORES DocuSigned by: eff Green CORID F97A464D3A7549F 11/20/2023 **GENERAL NOTES:** 1. BEARINGS ARE BASED ON THE LINE, SW 1/4, SEC. 8-24S-27E AS BEING This document has been electronically signed using a N 89'39'31" E digital signature in compliance with F.A.C. 2. THIS SKETCH IS NOT A SURVEY, 5J-17.602(3). Printed copies of this document are THIS SKETCH MAY HAVE BEEN REDUCED IN SIZE BY REPRODUCTION. THIS 3. not considered signed and the e-signature must be MUST BE CONSIDERED WHEN OBTAINING SCALED DATA. verified on any electronic copy. The seal appearing THIS SKETCH AND DESCRIPTION MEETS THE APPLICABLE "STANDARDS OF 4. on this document was authorized by Jeff L. Green PRACTICE" AS SET FORTH BY THE FLORIDA BOARD OF PROFESSIONAL SURVEYORS AND MAPPERS IN RULE 5J-17.050-.052, FLORIDA P.S.M. 5357. Reedy Creek Energy Services, LB 7714 ADMINISTRATIVE CODE. 5300 Center Drive, Bay Lake, Florida 32830-1000 REVISED: 11/20/23 DATE WDW DISNEY OVERALL 9/20/23 SCALE P.O.B. 10000 LAND REMOVED FROM CFTOD SERVICE AREA LAKE BUENA VISTA FL 32830-1000 PHONE 407-824-585 DRAWN BY: SKETCH OF DESCRIPTION RETT FRENAY SERVICES JLG LENAME EXHIBIT B. SHEET 1 OF 2 10JG23024




Exhibit "A3"

to

Second Amendment to Reedy Creek Improvement District/Orange County Amended and Restated Water, Wastewater and Reclaimed Water Service Territorial Agreement [See attached sketch of description totaling 29 pages] DESCRIPTION OF CENTRAL FLORIDA TOURISM OVERSIGHT DISTRICT WATER, WASTEWATER AND RECLAIMED WATER TERRITORIAL AREA

Begin at the Southwest corner of the Northwest 1/4 of the Southwest 1/4 of Section 6, Township 24 South, Range 28 East run N 00'00'22" E, 1327.43 feet along the West line of Section 6 to the West 1/4 corner thereof; thence N 89'27'45" E, 1997.50 feet along the North line of the South half of Section 6, to the Southwest corner of the East 1/2 of the Southeast 1/4 of the Northwest 1/4 of Section 6, thence N 00'20'35" W, 1154.75 feet along the West line of the East 1/2 of the Southeast 1/4 of the Northwest 1/4 of Section 6; thence N 89'38'50" E, 663.64 feet along a line that is 165.00 feet South of and parallel to the North line of the Southeast 1/4 of the Northwest 1/4 of Section 6; thence N 89'11'34" E, 148.62 feet +/- along a line parallel to and 165.00 feet South of the North line of the Southwest 1/4 of the Northeast 1/4 of Section 6 to a point on the Westerly shore line of Lake Mable; thence meander the shore line of Lake Mable in a Southerly direction, to a point on the South line of Section 6 and the North line of Section 7, Township 24 South, Range 28 East, said point being S 16'20'10" W, 3981.97 feet more or less from the previously described point, and also lying N 89'31'17" E, 1683.05 feet from the Southwest corner of Section 6; thence continue along the shore line of Lake Mable in a Southeasterly and Northeasterly direction across the North 1/4 of Section 7, to the North line of Section 7 and the South line of Section 6, Township 24 South, Range 28 East, said point being N 89'31'17" E, along the North section line of Section 7, 1381.64 feet from the previously described point and lying S 89'31'17" W, 2304.35 feet from the Northeast corner of Section 7; thence continue to meander the shore line of Lake Mable in a Northeasterly direction across the Southeast 1/4 of Section 6, Township 24 South, Range 28 East to a point on said shoreline which is intersected by the North line of the South half of the Southeast 1/4 of Section 6, said point being N 25'14'10" E, 1475.82 feet from the previously described point; thence N 89'29'30" E, along said North line of the South half of the Southeast 1/4 of Section 6, 1679.89 feet to the East section line thereof; thence S 00'12'20" W, 1330.62 feet along the East line of Section 6 to the Southeast corner of Section 6 and the Northwest corner of Section 8, Township 24 South, Range 28 East; thence N 89'21'03" E along the North line of Section 8, 191.58 feet more or less to a point on the West shore line of South Lake; thence meander the shore line of South Lake in a Southwesterly, Southeasterly and Northeasterly direction to a point where the shore line of South Lake intersects the East line of the West half of the West half of Section 8; said point being S 25'17'13" E, 2679.01 feet more or less from the previously described point; thence S 00'13'59" W, 221.07 feet to the Northeast corner of the Northwest 1/4 of the Southwest 1/4 of Section 8; thence S 00'06'21" E along the East line of the West half of the Southwest 1/4 of Section 8, 1334.85 feet to the Southeast corner of the Northwest 1/4 of the Southwest 1/4 of Section 8; thence S 88'48'04" W, 1111.09 feet to a point of curvature of a curve concave Southeasterly having a radius of 545.08 feet, and a central angle of 81'15'08"; thence run Southwesterly along the arc of said curve, 772.99 feet; to a point of reverse curvature of a curve concave Northerly having a radius of 80.00 feet, and a central angle of 128'43'50"; thence run Westerly along the arc of said curve, 179.74 feet; thence S 43'40'59" E, 16.92 feet; thence S 34'38'41" E, 8.13 feet; thence S 25'16'40" E, 86.79 feet; thence S 28'57'56" E, 106.03 feet; thence S 58'01'53" E, 87.73 feet; thence N 85'59'29" E, 134.58 feet to a point of curvature of a curve concave Southerly having a radius of 425.00 feet, and a central angle of 23'29'59"; thence run Easterly along the arc of said curve, 174.31 feet; to a point of compound curvature of a curve concave Southwesterly having a radius of 15.00 feet, and a central angle of 46'20'48"; thence run Southeasterly along the arc of said curve, 12.13 feet; to a point of compound curvature of a curve concave Westerly having a radius of 425.00 feet, and a central angle of 16'33'54"; thence run Southerly along the arc of said curve, 122.87 feet; to a point of compound curvature of a curve concave Westerly having a radius of 25.00 feet, and a central angle of 51'32'25"; thence run Southerly along the arc of said curve, 22.49 feet; thence S 43'56'36" W, 91.06 feet; thence S 64'40'37" W, 105.25 feet; thence S 40'45'32" W, 117.42 feet; thence S 13'26'04" W, 97.39 feet; thence S 42'14'20" W, 133.97 feet; thence S 68'59'11" W, 89.71 feet; thence S 28'50'44" W, 77.77 feet; thence S 14'52'47" W, 88.32 feet; thence S 01'59'29" E, 106.28 feet; thence S 24'42'46" W, 241.59 feet; thence S 36'55'50" W, 126.64 feet; thence S 24'03'44" W, 71.01 feet to a point of curvature of a curve concave Northwesterly having a radius of 25.00 feet, and a central angle of 40'55'45"; thence run Southwesterly along the arc of said curve, 17.86 feet; thence S 64'59'30" W, 91.68 feet to a point of curvature of a curve concave Northerly having a radius of 25.00 feet, and a central angle of 46'29'32"; thence run Westerly along the arc of said curve, 20.29 feet; thence N 68'30'58" W, 131.37 feet; thence N 34'57'28" W, 145.43 feet; thence N 10'44'04" W, 144.09 feet; thence N 10'34'18" E, 129.55 feet; thence N 44'03'35" E, 129.67 feet; thence N 86'35'32" E, 100.03 feet; thence N 62'48'18" E, 100.08 feet; CONTINUED ON SHEET 2

. All	FILING AREA WDW DISNEY OVERALL	DATE: 4/5/22
	PROJECT NAME CFTOD WATER/WASTE WATER TERRITORY	SCALE
FL. 32830–1000 FLUX HELL ENLIQY SELVERS	SURVEY TYPE SKETCH OF DESCRIPTION	DRAWN BY: JLG
F.	COMMENTS SHEET 1 OF 29 SHEETS	FILENAME: 10JG09096R4

thence N 5816'14" E, 95.99 feet; thence N 15'01'47" E, 86.03 feet; thence N 14'30'32" W, 104.94 feet; thence N 03'06'23" W, 111.09 feet; thence N 07'32'42" E, 68.01 feet; thence N 15'14'13" W, 80.67 feet; thence N 87'12'48" W, 40.11 feet; thence S 77.42'57" W, 84.88 feet; thence S 74.44'47" W, 66.79 feet; thence S 35.20'27" W, 90.33 feet; thence S 22'58'13" W, 87.94 feet; thence S 20'05'22" W, 168.18 feet; thence S 65'39'23" W, 108.46 feet; thence N 79'02'16" W, 146.86 feet; thence S 44'41'24" W, 85.24 feet; thence S 66'58'59" W, 80.82 feet; thence N 89'03'00" W, 96.88 feet; thence S 84'18'13" W, 51.79 feet; thence S 77'56'53" W, 116.91 feet; thence S 70'14'00" W, 84.26 feet; thence N 63'52'48" W, 163.26 feet; thence N 71'49'57" W, 91.32 feet; thence N 56'38'48" W, 106.72 feet; thence N 37'38'37" W, 96.72 feet; thence N 69'48'38" W, 85.22 feet; thence N 85'15'14" W, 95.72 feet; thence N 76'56'11" W, 104.56 feet; thence S 28'55'14" W, 152.43 feet; thence S 13'45'44" E, 47.73 feet to a point of curvature of a curve concave Westerly having a radius of 75.00 feet, and a central angle of 30'06'13"; thence run Southerly along the arc of said curve, 39.41 feet; to a point of reverse curvature of a curve concave Northeasterly having a radius of 45.00 feet, and a central angle of 99'54'55"; thence run Southeasterly along the arc of said curve, 78.47 feet; to a point of reverse curvature of a curve concave Southwesterly having a radius of 250.00 feet, and a central angle of 55'31'16"; thence run Southeasterly along the arc of said curve, 242.26 feet; thence S 28'03'11" E, 95.35 feet to a point of curvature of a curve concave Westerly having a radius of 125.00 feet, and a central angle of 59'41'01"; thence run Southerly along the arc of said curve, 130.21 feet; thence S 31'37'50" W, 165.37 feet; thence S 51'01'41" E, 83.54 feet to a point on a non-tangent curve concave Southeasterly having a radius of 676.49 feet, and a central angle of 29'43'07"; thence from a tangent bearing of N 50'17'44" E run Northeasterly along the arc of said curve, 350.89 feet; thence S 35'59'30" E, 246.14 feet; thence S 55'37'13" E, 316.45 feet; thence S 68'44'46" E, 336.44 feet to a point on a non-tangent curve concave Southerly having a radius of 399.38 feet, and a central angle of 09'53'41"; thence from a tangent bearing of N 7913'56" E run Easterly along the arc of said curve, 68.97 feet; to a point of reverse curvature of a curve concave Northerly having a radius of 137.63 feet, and a central angle of 14'21'49"; thence run Easterly along the arc of said curve, 34.50 feet; thence S 03'57'40" W, 60.74 feet to a point on a non-tangent curve concave Southerly having a radius of 344.38 feet, and a central angle of 0415'11"; thence from a tangent bearing of S 86'02'20" E run Easterly along the arc of said curve, 25.56 feet; to a point of compound curvature of a curve concave Southerly having a radius of 132.00 feet, and a central angle of 26'04'01"; thence run Easterly along the arc of said curve, 60.05 feet; to a point on a non-tangent curve concave Southwesterly having a radius of 184.37 feet, and a central angle of 31'44'00"; thence from a tangent bearing of S 49'44'21" E run Southeasterly along the arc of said curve, 102.11 feet; to a point of compound curvature of a curve concave Westerly having a radius of 679.36 feet, and a central angle of 08'51'48"; thence run Southerly along the arc of said curve, 105.09 feet; to a point of reverse curvature of a curve concave Easterly having a radius of 437.18 feet, and a central angle of 18'37'07"; thence run Southerly along the arc of said curve, 142.06 feet; to a point of compound curvature of a curve concave Northeasterly having a radius of 395.25 feet, and a central angle of 1813'39"; thence run Southeasterly along the arc of said curve, 125.74 feet; to a point of reverse curvature of a curve concave Southwesterly having a radius of 645.09 feet, and a central angle of 03'21'33"; thence run Southeasterly along the arc of said curve, 37.82 feet; thence N 82'18'14" W, 71.09 feet; thence N 51'44'44" W, 65.78 feet; thence N 80'24'25" W, 90.39 feet; thence S 48'32'46" W, 80.93 feet; thence S 22'55'38" W, 113.12 feet; thence S 27'19'16" E, 55.45 feet; thence S 18'40'56" W, 159.75 feet; thence S 10'48'30" W, 160.42 feet to a point of curvature of a curve concave Easterly having a radius of 223.65 feet, and a central angle of 59'02'33"; thence run Southerly along the arc of said curve, 230.47 feet; to a point on the Northerly and Easterly boundary of Tract R, Golden Oak Phase 1B according to the Plat thereof recorded in Plat Book 75, Pages 3 through 15 of the Public Records of Orange County, a non-tangent curve concave Northerly having a radius of 25.00 feet, and a central angle of 64'33'48"; thence from a tangent bearing of S 49'58'05" E run Easterly along the arc of said curve, 28.17 feet; thence N 65'28'07" E, 122.36 feet; thence N 76'27'23" E, 76.59 feet to a point of curvature of a curve concave Northwesterly having a radius of 25.00 feet, and a central angle of 25'14'16"; thence run Northeasterly along the arc of said curve, 11.01 feet; thence S 78"11'38" E, 85.68 feet to a point on a non-tangent curve concave Easterly having a radius of 1010.00 feet, and a central angle of 07'58'42"; thence from a tangent bearing of S 11'48'22" W run Southerly along the arc of said curve, 140.64 feet; to a point on a non-tangent curve concave Southwesterly having a radius of 25.00 feet, and a central angle of 87'13'52"; thence from a tangent bearing of N 03'49'41" E run Northwesterly along the arc of said curve, 38.06 feet; thence N 83'24'11" W, 42.54 feet to a CONTINUED ON SHEET 3

dant	FILING AREA WDW DISNEY OVERALL	DATE: 4/5/22
P.O.B. 10000 LAKE BUENA VISTA	PROJECT NAME CFTOD WATER/WASTE WATER TERRITORY	SCALE
LARCE DOLLAR VISTA	SURVEY TYPE SKETCH OF DESCRIPTION	DRAWN BY: JLG
1.	COMMENTS SHEET 2 OF 29 SHEETS	FILENAME: 10JG09096R4

point of curvature of a curve concave Southerly having a radius of 221.37 feet, and a central angle of 29'07'38"; thence run Westerly along the arc of said curve, 112.54 feet; to a point of reverse curvature of a curve concave Northerly having a radius of 132.76 feet, and a central angle of 48'16'12"; thence run Westerly along the arc of said curve, 111.85 feet; to a point on a non-tangent curve concave Northeasterly having a radius of 234.18 feet, and a central angle of 14'51'36"; thence from a tangent bearing of N 64'15'37" W run Northwesterly along the arc of said curve, 60.74 feet; thence S 24'23'32" E, 34.06 feet; thence S 18'04'39" E, 78.70 feet to a point on a non-tangent curve concave Northwesterly having a radius of 25.00 feet, and a central angle of 115'40'49"; thence from a tangent bearing of S 17:50'29" E run Southwesterly along the arc of said curve, 50.48 feet; thence N 82:09'40" W, 26.47 feet; thence S 26'43'01" W, 107.99 feet; thence S 13'53'13" W, 84.71 feet; thence S 20'06'37" W, 86.21 feet; thence S 22'42'17" W, 90.27 feet; thence S 48'33'38" W, 93.96 feet; thence S 51'48'05" W, 58.47 feet; thence S 70'41'52" W, 98.39 feet; thence S 75'48'30" W, 82.70 feet; thence N 82'22'12" W, 18.57 feet; thence S 59'48'12" W, 61.99 feet; thence S 23'48'42" W, 31.41 feet; thence S 21'34'58" E, 112.96 feet; thence S 25'04'56" E, 80.36 feet; thence S 06:58'19" E, 51.79 feet to a point of curvature of a curve concave Westerly having a radius of 25.00 feet, and a central angle of 54'17'13"; thence run Southerly along the arc of said curve, 23.69 feet; thence S 47'18'54" W, 37.10 feet; thence S 03'48'45" E, 24.29 feet to a point of curvature of a curve concave Northwesterly having a radius of 25.00 feet, and a central angle of 79'16'52"; thence run Southwesterly along the arc of said curve, 34.59 feet; thence S 75°28'07" W, 70.19 feet to a point of curvature of a curve concave Northerly having a radius of 25.00 feet, and a central angle of 41'16'24"; thence run Westerly along the arc of said curve, 18.01 feet; thence N 63'15'30" W, 63.09 feet to a point on the Easterly right—of—way of Central Florida Tourism Oversight District (CFTOD) Canal L—105 as described in Official Records Book 1896, Page 232 of the Public Records of this County, and a non-tangent curve concave Easterly having a radius of 1505.50 feet, and a central angle of 37'08'46"; thence from a tangent bearing of S 03.51'20" E run Southerly along the arc of said curve and right—of—way, 976.05 feet; thence continue along said right—of—way S 41'00'06" E, 193.39 feet; thence S 48'59'54" W, 100.00 feet to a point on the westerly right—of—way of said Canal; thence departing said Canal run, N 87'15'41" W, 130.57 feet; thence N 63'21'34" W, 33.90 feet; thence N 81'08'52" W, 154.09 feet; thence N 39'33'00" W, 38.53 feet; thence N 28'54'14" W, 86.79 feet; thence N 28'30'43" W, 101.63 feet; thence N 32'36'46" W, 77.00 feet; thence N 39'30'36" W, 98.30 feet to a point of curvature of a curve concave Easterly having a radius of 25.00 feet, and a central angle of 37'14'40"; thence run Northerly along the arc of said curve, 16.25 feet; thence N 02'15'56" W, 56.50 feet; thence N 39'36'59" W, 135.27 feet; thence N 85'04'00" W, 67.65 feet to a point of curvature of a curve concave Northeasterly having a radius of 25.00 feet, and a central angle of 46'40'29"; thence run Northwesterly along the arc of said curve, 20.37 feet; thence N 38'23'30" W, 64.62 feet; thence N 64'16'04" W, 16.33 feet to a point of curvature of a curve concave Northeasterly having a radius of 25.00 feet, and a central angle of 58'38'45"; thence run Northwesterly along the arc of said curve, 25.59 feet; thence N 05'37'20" W, 20.54 feet; thence N 44'31'28" W, 62.56 feet; thence S 23'42'54" W, 95.95 feet to a point of curvature of a curve concave Northwesterly having a radius of 25.00 feet, and a central angle of 84'46'10"; thence run Southwesterly along the arc of said curve, 36.99 feet; thence N 71'30'56" W, 65.59 feet; thence N 67'45'46" W, 71.42 feet; thence N 47'09'12" W, 129.61 feet; thence N 28'09'10" W, 67.04 feet to a point of curvature of a curve concave Easterly having a radius of 25.00 feet, and a central angle of 58°17'03"; thence run Northerly along the arc of said curve, 25.43 feet; thence N 30'07'52" E, 66.18 feet; thence N 41'27'39" E, 82.62 feet; thence N 28'03'16" E, 61.53 feet; thence N 21.03'09" W, 47.93 feet; thence N 17.13'11" W, 99.26 feet; thence N 00.32'57" E, 48.45 feet; thence N 12'21'10" E, 151.79 feet; thence N 23'46'35" E, 109.94 feet; thence N 39'26'51" E, 91.52 feet; thence N 17'00'45" E, 45.16 feet; thence N 34'56'26" W, 27.03 feet; thence N 26'29'23" W, 104.81 feet; thence S 48'40'54" W, 30.14 feet to a point on a non-tangent curve concave Southerly having a radius of 7.86 feet, and a central angle of 78'20'37"; thence from a tangent bearing of N 28'56'03" W run Westerly along the arc of said curve, 10.75 feet; to a point of compound curvature of a curve concave Southeasterly having a radius of 19.64 feet, and a central angle of 36'52'37"; thence run Southwesterly along the arc of said curve, 12.64 feet; to a point of compound curvature of a curve concave Easterly having a radius of 3.95 feet, and a central angle of 74'25'35"; thence run Southerly along the arc of said curve, 5.13 feet; thence S 38'34'51" E, 13.88 feet; thence S 51'58'30" W, 145.54 feet; thence N 37'57'09" W, 16.70 feet to a point on a non-tangent curve concave Northeasterly having a radius of 1080.42 feet, and a central CONTINUED ON SHEET 4

P.O.B. 10000	FILING AREA WDW DISNEY OVERALL PROJECT NAME CFTOD WATER/WASTE WATER TERRITORY	date: 4/5/22 scale
LAKE BUENA VISTA FL. 32830–1000 PHONE 407–824–4185	SURVEY TYPE SKETCH OF DESCRIPTION COMMENTS	drawn by: JLG filenane:
	SHEET 3 OF 29 SHEETS	10JG09096R4

angle of 20'21'16"; thence from a tangent bearing of N 48'06'54" W run Northwesterly along the arc of said curve, 383.82 feet; thence N 37'56'18" W, 17.87 feet; thence N 30'54'21" W, 193.79 feet to a point on a non-tangent curve concave Southeasterly having a radius of 762.70 feet, and a central angle of 08'52'54"; thence from a tangent bearing of S 63'58'49" W run Southwesterly along the arc of said curve, 118.23 feet; thence S 55'05'55" W, 58.77 feet to a point of curvature of a curve concave Southeasterly having a radius of 160.82 feet, and a central angle of 1916'01"; thence run Southwesterly along the arc of said curve, 54.08 feet; to a point of reverse curvature of a curve concave Northwesterly having a radius of 159.35 feet, and a central angle of 36'15'00"; thence run Southwesterly along the arc of said curve, 100.82 feet; thence S 72'04'54" W, 26.78 feet to a point of curvature of a curve concave Southeasterly having a radius of 158.03 feet, and a central angle of 21'54'44"; thence run Southwesterly along the arc of said curve, 60.44 feet; to a point on a non-tangent curve concave Northeasterly having a radius of 52.89 feet, and a central angle of 104'26'29"; thence from a tangent bearing of S 75'27'00" W run Northwesterly along the arc of said curve, 96.41 feet; thence N 00'06'31" W, 54.31 feet; thence N 74'49'42" W, 43.41 feet; thence S 44'47'41" W, 145.43 feet; thence S 45'05'06" E, 18.68 feet; thence S 03'14'02" W, 84.66 feet; thence S 05'12'38" E, 58.35 feet to a point of curvature of a curve concave Easterly having a radius of 1125.00 feet, and a central angle of 27'57'29"; thence run Southerly along the arc of said curve, 548.95 feet; thence S 33'10'07" E, 163.59 feet to a point of curvature of a curve concave Westerly having a radius of 492.00 feet, and a central angle of 26'59'13"; thence run Southerly along the arc of said curve, 231.74 feet; thence N 86'26'26" E, 126.87 feet; thence N 76'15'46" E, 63.89 feet; thence S 64'36'17" E, 118.17 feet; thence S 52'36'40" E, 63.05 feet; thence S 45'16'16" E, 127.88 feet to a point of curvature of a curve concave Southwesterly having a radius of 25.00 feet, and a central angle of 35'13'41"; thence run Southeasterly along the arc of said curve, 15.37 feet; thence S 10'02'35" E, 93.01 feet to a point of curvature of a curve concave Westerly having a radius of 25.00 feet, and a central angle of 46'18'35"; thence run Southerly along the arc of said curve, 20.21 feet; thence S 36'16'00" W, 28.53 feet; thence S 20'23'46" W, 184.90 feet; thence S 25'05'40" W, 31.33 feet to a point on a non-tangent curve concave Northwesterly having a radius of 25.00 feet, and a central angle of 33'58'13"; thence from a tangent bearing of S 21'14'14" W run Southwesterly along the arc of said curve, 14.82 feet; thence S 55'12'27" W, 19.76 feet; thence S 18'42'59" W, 22.23 feet to a point on a non-tangent curve concave Southwesterly having a radius of 1908.34 feet, and a central angle of 22'05'51"; thence from a tangent bearing of S 75'17'36" E run Southeasterly along the arc of said curve, 736.00 feet; thence S 53'11'44" E, 1498.58 feet to a point of curvature of a curve concave Northeasterly having a radius of 950.92 feet, and a central angle of 14.29'06"; thence run Southeasterly along the arc of said curve, 240.40 feet; to a point of compound curvature of a curve concave Northerly having a radius of 513.39 feet, and a central angle of 13'13'42"; thence run Easterly along the arc of said curve, 118.53 feet; thence S 80'54'32" E, 34.76 feet to a point of curvature of a curve concave Northerly having a radius of 1109.03 feet, and a central angle of 07'17'21"; thence run Easterly along the arc of said curve, 141.09 feet; thence S 88'11'54" E, 77.05 feet; thence S 89'29'03" E, 140.11 feet; thence S 89'29'03" E, 433.68 feet; thence N 89'58'59" E, 1465.17 feet; thence N 00'00'00" E, 131.18 feet; thence N 45'00'00" W, 71.68 feet; thence N 00'00'00" E, 633.08 feet; thence N 89'59'00" W, 445.76 feet; thence N 00'27'46" E, 673.19 feet; thence S 89'58'17" E, 398.81 feet; thence N 00'00'00" E, 753.74 feet; thence N 90'00'00" W, 362.43 feet; thence N 05'16'59" W, 106.23 feet; thence N 26'33'54" W, 135.35 feet; thence N 47'32'44" E, 146.69 feet; thence N 11'28'34" E, 24.04 feet to a point of curvature of a curve concave Westerly having a radius of 15.00 feet, and a central angle of 52'09'22"; thence run Northerly along the arc of said curve, 13.65 feet; thence N 40'40'48" W, 82.81 feet; thence N 90'00'00" W, 73.87 feet to a point on a non-tangent curve concave Westerly having a radius of 1396.50 feet, and a central angle of 06'53'10"; thence from a tangent bearing of N 07'09'56" E run Northerly along the arc of said curve, 167.84 feet; thence N 00'16'47" E, 0.50 feet to the Northwest corner of the Northeast 1/4 of the Southwest 1/4 of Section 17 Township 24 South Range 28 East; thence S 89'56'53" E, 3992.90 feet along the North line of the South half of Section 17, to the East 1/4 corner of Section 17; thence S 00'24'52" W, 2682.68 feet along the East section line of Section 17 to the Southeast corner of Section 17 and the Northeast corner of Section 20, Township 24 South, Range 28 East; thence S 00'01'36" E, 1333.66 feet along the East section line of Section 20 to the Southeast corner of the Northeast 1/4 of the Northeast 1/4 of Section 20 and the Southwest corner of the Northwest 1/4 of the Northwest 1/4 of Section 21, Township 24 South, Range 28 East; thence N 89'57'37" E, 670.11 feet to the Northwest corner of

	CONTINUED ON SHEET 5	
P.O.B. 10000 LAKE BUENA VISTA	FILING AREA WDW DISNEY OVERALL PROJECT NAME CFTOD WATER/WASTE WATER TERRITORY	DATE: 4/5/22 SCALE
ELA 2007 AUX	SURVEY TYPE SKETCH OF DESCRIPTION	DRAWN BY: JLG
F	COMMENTS SHEET 4 OF 29 SHEETS	FILENAME: 10JG09096R4

the Northeast 1/4 of the Southwest 1/4 of the Northwest 1/4 of Section 21; thence S 00'08'32" E, 668.06 feet to the Southwest corner thereof; thence S 89'55'30" E, 671.45 feet to the Northeast corner of the Southeast 1/4 of the Southwest 1/4 of the Northwest 1/4 of Section 21; thence S 00'15'27" E, 669.41 feet to the Northwest corner of the Northeast 1/4 of the Southwest 1/4 of Section 21; thence S 00'44'42" E, 656.38 feet to the Northwest corner of Lot 85, Munger and Company Subdivision of Section 21, according to the Plat recorded in Plat Book E Page 22 of the Public Records of this County; thence S 89'51'01" E, 335.66 feet to the Northeast corner of said Lot 85; thence S 00'40'49" E, 656.31 feet to the Southeast corner of Lot 85; thence S 89'53'15" E, 1004.75 feet along the North line of the Southeast 1/4 of the Southwest 1/4 of Section 21 to the Northeast corner thereof; thence S 00'29'10" E, 655.63 feet along the West line of the Northwest 1/4, Southwest 1/4 of the Southeast 1/4 of Section 21 to the Southwest corner thereof; thence N 89'20'56" E, 666.99 feet along the South line of the Northwest 1/4, Southwest 1/4 of the Southeast 1/4 of Section 21 to the Southeast corner thereof; thence N 00'21'22" W, 652.39 feet along the West line of the Northeast 1/4, Southwest 1/4 of the Southeast 1/4 of Section 21 to the Northwest corner thereof; thence N 89'37'38" E, 2005.42 feet along the North line of the South half of the Southeast 1/4 of Section 21 to the Northeast corner thereof, said point also being the Southwest corner of the Northwest 1/4 of the Southwest 1/4 of Section 22, Township 24 South, Range 28 East; thence N 00'02'32" E, 1285.39 feet along the West line of Section 22 to the West 1/4 corner of Section 22; thence N 89'50'49" E, 2691.31 feet along the North line of the South half of Section 22, to a point on a line that is 150.00 feet westerly of and parallel with the base line of State Road 400 as shown in map section 75280-2465 and dated 2/22/1993; thence run along said line, S 38'29'42" W, 7143.82 feet to a point on the Westerly right-of-way line of State Road 536 as shown in map section 75000-2520 and dated 3/05/1998; thence departing said parallel line run along State Road 536 the following courses; S 43'35'42" W, 1571.48 feet to a point on a non-tangent curve concave Northwesterly having a radius of 1809.86 feet, and a central angle of 37'23'06"; thence from a tangent bearing of S 42'29'42" W run Southwesterly along the arc of said curve, 1180.92 feet; thence S 79'52'51" W, 1498.72 feet to a point on the West line of Section 28, and on the East line of Section 29, Township 24 South, Range 28 East, said point lying N 00'00'07" W, 387.61 feet from the Southwest corner of Section 28; thence S 79'52'53" W, 95.47 feet to a point of curvature of a curve concave Northerly having a radius of 2191.83 feet and a central angle of 32'28'09"; thence run Westerly along the arc of said curve, 1242.10 feet; thence N 69'59'50" W, 311.61 feet; thence run S 23'29'47" W, 304.91 feet to a point on a non-tangent curve concave Southwesterly, having a radius of 11402.16 feet and a central angle of 00°29'43"; thence from a tangent bearing of S 65'33'17" E, run Southeasterly along the arc of said curve, 98.56 feet; thence S 58'56'26" E, 509.41 feet to a point on a non-tangent curve concave Southwesterly, having a radius of 900.00 feet and a central angle of 02'31'40"; thence run Southeasterly along the arc of said curve 39.70 feet to a point on the South line the Southeast 1/4 of Section 29, said point lying N 89'50'43" W, 1167.48 feet from the Southeast corner of Section 29; thence leaving said right-of-way, run N 89'50'43" W along the South line of the Southeast 1/4 of Section 29, 1496.10 feet, to the South Quarter corner thereof; thence N 89'50'42" W, 2152.59 feet along the South line of the Southwest 1/4 of Section 29 to a point on the right-of-way of Chelonia Parkway as shown on the Plat of Bonnet Creek Resort recorded in Plat Book 56, Page 41 of the Public Records of this County; thence run along said right-of-way the following courses; due North 163.29 feet to the point of curvature of a curve concave Southeasterly, having a radius of 675.00 feet and a central angle of 45'40'47"; thence run Northeasterly along the arc of said curve 538.15 feet to a point of reverse curvature of a curve concave Westerly, having a radius of 825.00 feet and a central angle of 98'34'08"; thence run Northeasterly and Northwesterly along the arc of said curve 1419.29 feet to a point of reverse curvature of a curve concave Northeasterly having a radius of 500.84 feet and a central angle of 22'53'21"; thence run Northwesterly and Northerly along the arc of said curve 200.08 feet; thence N 30'00'00" W, 607.96 feet; thence due North, 86.60 feet; thence due West 67.60 feet to a point of curvature of a curve concave Southerly having a radius of 611.16 feet and a central angle of 19'01'18"; thence run Westerly along the arc of said curve and Southerly right-of-way 202.90 feet; thence S 57'06'40" E, 167.71 feet; S 30'00'00" E, 180.00 feet; S 06'15'02" E, 54.63 feet; S 30'00'00" E, 408.17 feet to a point of curvature of a curve concave Northeasterly, having a radius of 650.84 feet and a central anale of 22'53'21"; run Southeasterly along the arc of said curve 260.00 feet; to a point of reverse curvature of a curve concave Westerly, having a radius of 675.00 feet and a central angle of 98'34'08"; thence run Southeasterly and Southwesterly along the arc of said curve 1161.24 feet to a point of reverse curvature of a curve concave

	CONTINUED ON SHEET 6	
P.O.B. 10000	FILING AREA WDW DISNEY OVERALL PROJECT NAME CFTOD WATER/WASTE WATER TERRITORY	DATE: 4/5/22 SCALE
LAKE BUENA VISTA FL. 32830-1000 PHONE 407-824-4185	SURVEY TYPE	DRAWN BY: JLG FILENAME:
7	SHEET 5 OF 29 SHEETS	10JG09096R4

Southwesterly along the arc of said curve 1161.24 feet to a point of reverse curvature of a curve concave Southeasterly, having a radius of 825.00 feet and a central angle of 45'40'47"; thence run Southwesterly along the arc of said curve, 657.74 feet; thence due South, 162.89 feet to the South line of the Southwest 1/4 of Section 29; thence departing the right—of—way line of Chelonia Parkway run N 89'50'42" W along the South line of the Southwest 1/4 of Section 29, 360.99 feet to the Southwest corner of Section 29 and the Northeast corner of Section 31, Township 24 South, Range 28 East; thence S 00'40'50" E, 2749.41 feet along the East line of the Northeast 1/4 of Section 31 to the Southeast corner thereof; thence S 00'27'13" W, 2643.90 feet along the East line of the Southeast 1/4 of Section 31 to the Southeast corner of Section 31; thence N 89'36'01" W, 2646.94 feet along the South line of the Southeast 1/4 of Section 31 to the Southwest corner thereof; thence N 89'56'54" W, 2748.82 feet along the South line of the Southwest 1/4 of Section 31 to the Southwest corner thereof and the Southeast corner of Section 36, Township 24 South Range 27 East; thence S 89'50'04" W, 2658.48 feet along the South line of the Southeast 1/4 of Section 36 to the Southwest corner thereof; thence S 89'46'36" W, 2656.21 feet along the South line of the Southwest 1/4 of Section 36 to the Southwest corner thereof and the Southeast corner of Section 35, Township 24 South Range 27 East; thence S 89'48'35" W, 2652.59 feet along the South line of the Southeast 1/4 of Section 35 to the Southwest corner thereof; thence S 89'44'07" W, 2661.05 feet along the South line of the Southwest 1/4 of Section 35 to the Southwest corner of said Section and the Southeast corner of Section 34, Township 24 South Range 27 East; thence S 89'46'46" W, 3438.73 feet along the South line of Section 34 to a point on the boundary of Black Lake Village according to the Plat thereof recorded in Plat Book 75, Page 149 of the Public Records of this County, thence leaving the South line of Section 34, run along the Easterly and Northerly boundary of said Plat following courses; N 00'13'59" W, 29.01 feet; N 14'42'28" W, 114.62 feet; N 06'53'49" W, 123.97 feet to a point of curvature of a curve concave Easterly having a radius of 25.00 feet, and a central angle of 16'36'26"; run Northerly along the arc of said curve, 7.25 feet; N 09'42'37" E, 104.21 feet to a point of curvature of a curve concave Southeasterly having a radius of 25.00 feet, and a central angle of 51'24'11"; run Northeasterly along the arc of said curve, 22.43 feet; N 61'06'48" E, 53.88 feet; N 71'34'02" E, 17.56 feet; N 18'25'51" W, 18.21 feet to a point on a non-tangent curve concave Northeasterly having a radius of 50.00 feet, and a central angle of 106'48'50"; from a tangent bearing of N 80'45'36" W run Northwesterly along the arc of said curve, 93.21 feet; N 31'47'40" W, 44.69 feet to a point on a non-tangent curve concave Northwesterly having a radius of 436.00 feet, and a central angle of 15'56'47"; from a tangent bearing of S 58'12'21" W run Southwesterly along the arc of said curve, 121.35 feet; S 74'09'08" W, 308.68 feet to a point of curvature of a curve concave Southeasterly having a radius of 514.00 feet, and a central angle of 20'05'00"; run Southwesterly along the arc of said curve, 180.17 feet; S 54'04'10" W, 67.69 feet to a point of curvature of a curve concave Northerly having a radius of 315.00 feet, and a central angle of 35'55'53"; run Westerly along the arc of said curve, 197.54 feet; N 89'59'58" W, 83.84 feet to a point of curvature of a curve concave Northerly having a radius of 381.00 feet, and a central angle of 34'07'58"; run Westerly along the arc of said curve, 226.97 feet; to a point of reverse curvature of a curve concave Southerly having a radius of 384.88 feet, and a central angle of 34'00'28"; run Westerly along the arc of said curve, 228.44 feet; to a point of reverse curvature of a curve concave Northerly having a radius of 185.00 feet, and a central angle of 35'39'45"; run Westerly along the arc of said curve, 115.15 feet; to a point of compound curvature of a curve concave Easterly having a radius of 47.00 feet, and a central angle of 130'32'06"; run Northerly along the arc of said curve, 107.08 feet; N 76'19'21" E, 28.14 feet; S 89'22'47" E, 9.24 feet; N 75'08'23" E, 42.15 feet; N 66'44'45" E, 45.92 feet; N 58'10'56" E, 7.13 feet; N 40'00'00" E, 8.68 feet; N 28'21'12" E, 21.50 feet; N 19'11'06" E, 7.97 feet; N 05'44'49" E, 22.07 feet; N 09'37'03" E, 18.85 feet; N 28'18'59" E, 25.32 feet; N 39'33'24" E, 18.56 feet; N 51'48'12" E, 17.01 feet; N 53'20'03" E, 12.93 feet; N 67'23'56" E, 18.89 feet; N 61'31'34" E, 16.11 feet; N 85'31'20" E, 16.65 feet; S 84'27'04" E, 14.79 feet; S 66'07'30" E, 25.25 feet; S 70'01'08" E, 21.22 feet; S 76'11'40" E, 28.29 feet; S 81'04'45" E, 15.99 feet; S 63'15'14" E, 32.58 feet; S 71'35'23" E, 7.28 feet; S 83'45'15" E, 20.77 feet; N 86'06'18" E, 21.64 feet; S 75'49'09" E, 17.31 feet; S 87:55'16" E, 10.48 feet; N 72'43'50" E, 26.75 feet; N 60'42'21" E, 36.44 feet; N 77'16'53" E, 19.62 feet; N 68'37'24" E, 7.52 feet; N 57'06'15" E, 21.62 feet; N 48'30'29" E, 7.40 feet; N 29'59'26" E, 8.68 feet; N 13'42'55" E, 39.82 feet; N 10'06'24" E, 32.03 feet; N 01'43'31" W, 29.22 feet; N 05'37'39" W, 26.82 feet; N 12'01'53" W, 42.36 feet; N 21'06'43" W, 7.72 feet; N 36'50'10" W, 37.65 feet; N 47'37'33" W, 25.00 feet; N 56'19'26" W, 44.83 feet; N 49'30'53" W, 55.06 feet; N 59'47'57" W, 8.89 feet; N 72'21'36" W, 36.00 feet; N 82'08'10" W, 65.71 feet; S 89'42'01" W, 51.60

	CONTINUED ON SHEET 7	
P.O.B. 10000 LAKE BUENA VISTA	FILING AREA WDW DISNEY OVERALL PROJECT NAME CFTOD WATER/WASTE WATER TERRITORY	date: 4/5/22 scale
EARCE DECINA VISIA FL. 32830–1000 PHONE 407–824–4185	SURVEY TYPE SKETCH OF DESCRIPTION	DRAWN BY: JLG
<i>F</i> .	COMMENTS SHEET 6 OF 29 SHEETS	FILENANE: 10JG09096R4

feet; N 80'08'53" W, 56.11 feet; N 89'26'00" W, 8.09 feet; S 81'14'14" W, 46.34 feet; S 78'42'25" W, 40.49 feet; S 77'43'02" W, 63.74 feet; S 79'09'43" W, 47.65 feet; S 72'48'44" W, 44.03 feet; S 63'14'34" W, 42.60 feet; S 57'48'39" W, 28.70 feet; S 64'21'00" W, 20.44 feet; S 67'06'48" W, 29.21 feet; S 83'28'20" W, 29.99 feet; S 83'04'31" W. 27.06 feet; S 84'19'19" W, 42.81 feet to a point of curvature of a curve concave Northeasterly having a radius of 50.00 feet, and a central angle of 83'36'01"; run Northwesterly along the arc of said curve, 72.95 feet; to a point of compound curvature of a curve concave Easterly having a radius of 188.00 feet, and a central angle of 27:45'45"; run Northerly along the arc of said curve, 91.10 feet; S 89'52'10" W, 174.16 feet; thence departing said Plat run along the West line of the Southwest 1/4 of Section 34, N 00'00'19" E, 313.89 feet to the Northwest corner of the Southwest 1/4 of the Southwest 1/4 of Section 34 and the Northeast corner of the Southeast 1/4 of the Southeast 1/4 of Section 33, Township 24 South, Range 27 East; thence continue N 00'00'19" E 498.35 feet to the Southeast corner of the North 5/8 of the Northeast 1/4 of the Southeast 1/4 of Section 33; thence run along the South line of the North 5/8 of the Northeast 1/4 of the Southeast 1/4 of Section 33, N 89'47'57" W, 1326.58 feet to the Southwest corner thereof; thence run along the West line of the North 5/8 of the Northeast 1/4, of the Southeast 1/4 of Section 33, N 00'00'31" E, 835.26 feet to the Northwest corner thereof; thence run along the West line of the Southeast 1/4 of the Northeast 1/4 of Section 33, N 00'00'25" E, 1321.43 feet to the Northwest corner thereof; thence run along the North line of the Southeast 1/4 of the Northeast 1/4 of Section 33, S 89'55'44" E, 1326.40 feet; to the Northeast corner thereof; thence run along the West line of the Northwest 1/4 of Section 34 Township 24 South Range 27 East, N 00'00'06" E, 1329.09 feet to the Northwest corner thereof; thence N 89'53'53" E, 2679.47 feet along the North line of the Northwest 1/4 of Section 34 to the Northeast corner thereof and the Southwest corner of the Southeast 1/4 of Section 27, Township 24 South, Range 27 East; thence N 00'01'11" W, 3964.69 feet along the West line of the East 1/2 of Section 27 to the Southeast corner of the Northeast 1/4 of the Northwest 1/4 of Section 27; thence S 89'37'54" W, 1332.15 feet along the South line of the Northeast 1/4 of the Northwest 1/4 of Section 27 to the Southwest corner thereof; thence N 00'08'12" E, 1330.97 feet along the West line of the Northeast 1/4 of the Northwest 1/4 of Section 27 to the Northwest corner thereof; thence S 89'46'29" W, 1328.51 feet along the North line of the Northwest 1/4 of Section 27 to the Northwest corner of Section 27 and the Northeast corner of Section 28, Township 24 South, Range 27 East; thence S 89'48'06" W, 1331.20 feet along the North line of the Northeast 1/4 of the Northeast 1/4 of Section 28, to the Northeast corner of the West 1/2 of the Northeast 1/4 of Section 28; thence S 00'12'18" W, 882.69 feet along the East line of the West 1/2 and the Northeast 1/4 of Section 28, Township 24 South, Range 27 E to a point on the Westerly right of way line of State Road 429 as described in Official Records Book 7070, Page 2553 and Book 7106, Page 2802 of the Public Records of Orange County, Florida and a point on a non-tangent curve concave Southwesterly having a radius of 2204.09 feet, and a central angle of 07'27'37"; thence from a tangent bearing of N 29'38'58" W run Northwesterly along the arc of said curve and right of way line, 286.99 feet; thence continue along said right of way line the following two courses; N 37'06'36" W, 690.17 feet to a point on a non-tangent curve concave Northeasterly having a radius of 770.43 feet, and a central angle of 09[·]59[·]15"; thence from a tangent bearing of N 39[·]00[·]55" W run Northwesterly along the arc of said curve, 134.30 feet; thence N 88'43'15" W, 555.85 feet to a point on the Easterly right of way line of Flamingo Crossing Blvd. as described in Official Records Book 10815, Page 4619 of the Public Records of Orange County, Florida and a non-tangent curve concave Westerly having a radius of 1010.00 feet, and a central angle of 01'59'18"; thence from a tangent bearing of S 05'40'55" E run Southerly along the arc of said curve and right of way line, 35.05; thence S 89'48'06" W, 125.95 feet along the South line of the Southeast 1/4 of Section 21, Township 24 South, Range 27 East to the Southwest corner thereof; thence S 89'49'36" W, 483.70 feet; along the South line of the Southwest 1/4 of Section 21, Township 24 South, Range 27 East; thence N 40'17'32" W, 323.52 feet; thence N 32'21'38" W, 271.63 feet; thence N 34'30'31" W, 120.76 feet; thence N 46'26'37" W, 108.80 feet; thence S 89'49'14" W, 28.71 feet to a point of curvature of a curve concave Southerly having a radius of 934.00 feet, and a central angle of 01.05'30"; thence run Westerly along the arc of said curve, 17.79 feet; thence S 00°10'31" E, 11.26 feet; thence S 89'49'29" W, 28.35 feet; thence S 04'02'58" E, 4.66 feet; thence S 86'05'06" W, 22.85 feet; thence N 03'54'54" W, 6.14 feet; thence S 89'49'29" W, 173.97 feet to a point of curvature of a curve concave Northerly having a radius of 2158.53 feet, and a central angle of 24'05'38"; thence run Westerly along the arc of said curve, 907.70 feet; thence N 66'04'53" W, 548.81 feet; thence N 00'35'44" E, 1606.72 feet along the West line of the Southwest 1/4 of Section 21, Township 24 South, Range 27

all and a second se	FILING AREA WDW DISNEY OVERALL	DATE: 4/5/22
	PROJECT NAME CFTOD WATER/WASTE WATER TERRITORY	SCALE
FL. 32830-1000	SURVEY TYPE SKETCH OF DESCRIPTION	DRAWN BY: JLG
1.	COMMENTS SHEET 7 OF 29 SHEETS	FILENAME: 10JG09096R4

Section 17, to the Southwest corner thereof; thence N 00'18'18" W, 2652.68 feet along the West line of the East 1/2 of the Northeast 1/4 of Section 17 to the Northwest corner thereof; thence N 89'39'31" E, 559.27 feet along the North line of Section 17 to a point on the right of way line of Hartzog Road as described in Official Records Book 9711, Page 5346 and Book 9782, Page 7172 of the Public Records of Orange County, Florida; thence entering Section 8, Township 24 South, Range 27 East; thence run along said right of way line the following four courses; N 23'48'17" W, 1807.61 feet; N 24'57'02" W, 499.49 feet, to a point of curvature of a curve concave Southwesterly having a radius of 802.00 feet, and a central angle of 65'19'49"; run Northwesterly along the arc of said curve 914.46 feet; S 89'43'24" W, 207.15 feet; thence departing said right of way line run along the West line of the Northwest 1/4 of the Southeast 1/4 of said Section run N 00'14'57" E, 100.00 feet to a point on the Northerly right-of-way line of aforesaid Hartzog Road; thence run along said right-of-way line the following three courses; N 89'43'25" E, 671.30 feet; N 23'57'49" E, 158.82 feet to a point on a non-tangent curve concave Southwesterly having a radius of 2750.09 feet, and a central angle of 04'43'07"; from a tangent bearing of S 33'16'29" E run Southeasterly along the arc of said curve, 226.49 feet; thence N 89'43'24" E, 1808.38 feet along the North line of the Southeast 1/4 of Section 8 to the Northeast corner thereof and the Northwest corner of the Southwest 1/4 of Section 9, Township 24 South, Range 27 East; thence run N 89'44'05" E, 1325.36 feet along the North line of the Northwest 1/4 of the Southwest 1/4 of Section 9 to the Northeast corner thereof; thence S 00'08'51" W. 1314.23 feet along the East line of the Northwest 1/4 of the Southwest 1/4 of Section 9 to the Southeast corner thereof; thence N 89'45'10" E, 1327.55 feet along the North line of the Southeast 1/4 of the Southwest 1/4 of Section 9 to the Northeast corner thereof; thence S 00.03'05" W, 1314.64 feet along the East line of the Southeast 1/4 of the Southwest 1/4 of Section 9 to the Southeast corner of the Southwest 1/4 of Section 9; thence N 89'53'46" E, 2633.36 feet along the South line of the Southeast 1/4 of Section 9 to the Southeast corner thereof and the Southwest corner of Section 10, Township 24 South, Range 27 East; thence N 00'15'35" E, 5286.81 feet along the West section line of Section 10 to the Northwest corner thereof and the Southwest corner of Section 3, Township 24 South, Range 27 East; thence N 00"11'50" W. 2661.64 feet along the West line of the Southwest 1/4, Section 3 to the Northwest corner thereof; thence N 89'39'50" E, 3976.31 feet along the North line of the South half of Section 3 to the Northeast corner of the Northwest 1/4 of the Southeast 1/4 of Section 3; thence S 00'04'39" E, 1326.78 feet along the East line of the Northwest 1/4 of the Southeast 1/4 of Section 3 to the Northwest corner of the Southeast 1/4 of the Southeast 1/4 of Section 3; thence N 89'37'16" E, 1328.99 feet along the North line of the Southeast 1/4 of the Southeast 1/4 of Section 3 to the Northeast corner thereof and the Northwest corner of the Southwest 1/4 of the Southwest 1/4 of Section 2, Township 24 South, Range 27 East; thence N 00'07'50" W, 1325.78 feet along the West line of Northwest 1/4, of the Southwest 1/4, of Section 2 to the Northwest corner thereof; thence N 00'07'43" W, 400.13 feet along the West line of the Northwest 1/4, of Section 2; thence run along the Northerly boundary of a deed recorded in Official Records Book 1457, Page 934 of the Public Records of this County the following three courses; N 86'46'13" E, 1024.87 feet; N 77'37'23" E, 1103.42 feet; N 53'18'38" E, 1872.82 feet to a point on the Southerly right-of-way line of Reams Road as shown on Plat book 3, Page 85 of the Public Records of this County; thence run along said right-of-way line the following three courses; S 43'40'10" E, 1382.92 feet to the beginning of a curve concave to the Northeast, having a radius of 546.86 feet and a central angle of 46'21'00"; thence run Southeasterly along the arc of said curve 442.39 feet; thence N 89'58'50" E, 341.61 feet; thence leaving said right—of—way, run S 00'19'24" E, 603.75 feet along the East line of the Northeast 1/4 of Section 2, to the Southeast corner thereof, and the Northwest corner of the Northwest 1/4 of the Southwest 1/4 of Section 1, Township 24 South, Range 27 East; thence N 89'43'47" E, along the North line of the Northwest 1/4 of the Southwest 1/4 of Section 1, 1297.19 feet to a point 25 feet West of the Northeast corner of the Northwest 1/4 of the Southwest 1/4 of Section 1; thence N 00'12'21" W, 598.76 feet along a line that is 25.00 feet West of and parallel to the West line of the Southeast 1/4 of the Northwest 1/4 of Section 1 to the Southerly right—of—way line of aforesaid Reams Road; thence N 89'56'46" E, 100.00 feet along said Southerly right—of—way of Reams Road; thence run along the Easterly and Northerly boundary of a deed recorded in Official Records Book 1465, Page 307 of the Public Records of this County the following five courses; S 02'04'12" E, 523.43 feet; N 89'43'40" E, 52.00 feet; S 00'12'21" E, 49.00 feet; N 89'43'41" E, 229.00 feet; S 00'12'25" E, 26.23 feet; thence N 89'43'47" E, 1039.16 feet along the North line of the South half of Section 1 to a point 90.00 feet East of

	CONTINUED ON SHEET 9	
	FILING AREA WDW DISNEY OVERALL PROJECT NAME	date: 4/5/22 scale
LAKE BUENA VISTA FL. 32830–1000 PHONE 407–824–4185	CFTOD WATER/WASTE WATER TERRITORY SURVEY TYPE SKETCH OF DESCRIPTION COMMENTS	DRAWN BY: JLG FILENAME:
/	SHEET 8 OF 29 SHEETS	10JG09096R4

the Northeast corner of the Southwest 1/4 of Section 1; thence S 05'34'33" W, 911.86 feet; thence S 00'05'18" E, 420.00 feet along the East line of the Northeast 1/4 of the Southwest 1/4 of Section 1 to the Southeast corner thereof; thence N 89'44'10" E, 2649.93 feet along the North line of the South half of the Southeast 1/4 of Section 1 to the Point of Beginning.

Less the following described parcels:

That portion of Lots 110 and 111 of the Munger and Company Subdivision of Section 22, Township 24 South, Range 28 East according to the Plat recorded in Plat Book E Page 22 of the Public Records of Orange County, Florida, being more particularly described as:

Commence at the Northwest corner of the Southwest 1/4 of the Southwest 1/4 of Section 22, run S 89'27'13" E, 464.18 feet along the North line of the Southwest 1/4 of the Southwest 1/4 of Section 22; thence S 00'32'47" W, 15.00 feet to a point on the North line of said Lot 111 and the Point of Beginning; thence S 89'27'13" E, 300.00 feet along the North line of Lots 110, and 111 to the West right-of-way of State Road 400 as shown in map section 75280-2465 and dated 2/22/1993; thence S 04'05'32" E, 150.49 feet along the said right-of-way; thence N 89'27'13" W, 312.17 feet along the South line of the North 150.00 feet said Lots 110 and 111; thence N 00'32'47" E, 150.00 feet to the Point of Beginning.


And


That part of the Northwest 1/4 of the Southeast 1/4 of the Southwest 1/4 and the Northeast 1/4 of the Southwest 1/4 of the Southwest 1/4 of Section 22, Township 24 South, Range 28 East, being more particularly described as:


Commence at the Northwest corner of the Southwest 1/4 of the Southwest 1/4 of Section 22, run along the North line of the South 1/2 of the Southwest 1/4 of Section 22, S 89'27'13" E, 985.26 feet, to the Point of Beginning; thence continue along said line S 89'27'13" E, 642.78 feet; thence run along the Westerly right-of-way line of State Road 400 as shown in map section 75280-2465 and dated 2/22/1993 the following three courses; S 46'05'23" W, 681.12 feet to a point on a non-tangent curve concave Northerly having a radius of 60.00 feet, and a central angle of 118'45'23"; from a tangent bearing of S 46'06'36" W run Westerly along the arc of said curve, 124.36 feet; N 15'07'40" W, 205.41 feet; thence run along the West line of Lot 109 of the Munger and Company Subdivision of Section 22, according to the Plat recorded in Plat Book E Page 22 of the Public Records of this County, N 00'14'30" E, 252.64 feet to the Point of Beginning.


Containing 17,611.075 acres more or less.


M	FILING AREA WDW DISNEY OVERALL	DATE: 4/5/22
P.O.B. 100 LAKE BUEN		SCÁLE
FL. 32830- PHONE 40	-1000 SURVEY TYPE	DRAWN BY: JLG
1.	COMMENTS SHEET 9 OF 29 SHEETS	FILENAME: 10JG09096R4


















































		CURVE TAE	3LE								
CURVE	RADIUS	DELTA	LENGTH	I TANG.	BRG.						
C1 C2	545.08 80.00	81° 15′ 08 ′ 128° 43′ 50 ′	772. 99 179. 74			-					
C3	425, 00	23' 29' 59'	174. 31								
C4	15.00	46°20′48′	12.13								
C5	425,00	16' 33' 54'	122, 87 22, 49			CUDVE	DADUUS			TANC	DDC
C6 C7	25, 00 25, 00	51° 32′ 25 ′ 40° 55′ 45 ′	17, 86			CURVE C52	RADIUS 25. 00	DELTA 35° 13' 41'	LENGTH 15. 37	TANG.	BRG.
C8	25.00	46°29′32″	20, 29			C53	25, 00	46° 18' 35'	20, 21		
C9	75.00	30° 06′ 13′	39. 41			C54	25, 00	33* 58' 13"	14.82	S 21°14′	
C10 C11	45.00 250.00	99° 54′ 55 ′ 55° 31′ 16 ′	78.47			C55 C56	1908, 34 950, 92	22° 05′ 51″ 14° 29′ 06″	736.00 240.40	S 75°17′	36″ E
C12	125, 00	59° 41′ 01″	130, 21			C57	513, 39	13° 13′ 42″	118, 53		
C13	676. 49	29° 43′ 07 ′	350.89	N 50°17′4		C58	1109.03	07° 17' 21″	141.09		
C14	399.38	09*53′41′	68.97	N 79°13′5	56' E	C58	15.00	52° 09' 22"	13.65	11 074 001	
C15 C16	137.63 344.38	14°21′49 ′ 04°15′11 ′	34, 50 25, 56	S 86°02'2		C59 C60	1396, 50 1809, 86	06° 53' 10" 37° 23' 06"	167.84 1180.92	N 07°09' S 42°29'	
C17	132,00	26° 04' 01'	60, 05	3 00 02 1	<u>.u r</u>	C61	2191, 83	32° 28' 09"	1242, 10	3 4L L7	4L W
C18	184, 37	31' 44' 00'	102.11	S 49° 44′ a	21' E	C62	11402.16	00° 29' 43"	98, 56	S 65° 33′	17″ E
C19	679, 36	08° 51′ 48′	105.09			C63	900, 00	02° 31′ 40″	39, 70		
C20 C21	437, 18 395, 25	18° 37' 07' 18° 13' 39'	142, 06 125, 74			C64 C65	675, 00 825, 00	45° 40′ 47″ 98° 34′ 08″	538, 15 1419, 29		
C55	645.09	03' 21' 33'	37.82			C66	500.84	22° 53' 21"	200. 08		
C23	223.65	59° 02′ 33 ′	230. 47			C67	611, 16	19°01′18″	202. 90		
C24 C25	25, 00 25, 00	64° 33′ 48 ′ 25° 14′ 16 ′	28.17	S 49°58′0)5' E	C68 C69	650, 84 675, 00	22° 53′ 21″ 98° 34′ 08″	260,00		
	1010.00	07*58' 42'	140. 64	S 11° 48' 2	2' W	C70	825, 00	45° 40′ 47″	<u>1161. 24</u> 657. 74		
C27	25, 00	87'13'52'	38.06	N 03* 49' 4		C71	25, 00	16° 36' 26"	7, 25		
C28	221. 37	29'07'38'	112.54			C72	25, 00	51°24′11″	22, 43		
C29 C30	132, 76 234, 18	48° 16′ 12′ 14° 51′ 36′	<u>111, 85</u> 60, 74	N 64°15′3	71 11	C73 C74	50, 00 436, 00	106° 48′ 50″ 15° 56′ 47″	93, 21 121, 35	N 80° 45' S 58° 12'	
C31		115° 40′ 49 ′	50, 48	S 17°50' a		C75	514,00	20° 05' 00"	180, 17	3 JO IC	CI W
C35	25, 00	54°17′13′	23, 69			C76	315.00	35° 55′ 53″	197.54		
C33	25.00	79°16′52′	34. 59			C77	381.00	34* 07' 58*	226. 97		
C34 C35	25.00 1505.50	41°16′24 ′ 37°08′46 ′	18. D1 976. D5	S 03°51′2	20' F	C78 C79	384, 88 185, 00	34° 00' 28" 35° 39' 45"	228.44		
C36	25.00	37°14′40″	16. 25	3 03 31 1	.0 L	080	47,00	130° 32' 06"	107. 08		
C37	25, 00	46° 40′ 29 ′	20. 37			C81	50.00	83° 36' 01″	72, 95		
C38 C39	25, 00 25, 00	58° 38′ 45 ′ 84° 46′ 10 ′	25.59			C82	188, 00	27° 45′ 45″ 07° 27′ 37″	91.10	N 208 20/	FOI V
C40	25,00	58° 17' 03'	36, 99 25, 43			C83 C84	2204.09 770.43	09° 59′ 15″	286, 99 134, 30	N 29°38'	
C41	7, 86	78' 20' 37'	10, 75	N 28° 56' C)3' W	C85	1010, 00	01° 59′ 18″	35, 05	S 05° 40'	
C42	19, 64	36* 52' 37*	12.64			C86	934, 00	01° 05′ 30″	17.79		
C43 C44	3, 95 1080, 42	74°25′35 ′ 20°21′16 ′	5, 13 383, 82	N 48°06′5	A. 11	C87	2158, 53 802, 00	24° 05' 38"	907, 70 914, 46		
C44	762, 70	08* 52' 54'	118.23	S 63° 58' 4		C88 C89	2750. 09	65° 19′ 49″ 04° 43′ 07″	226, 49	S 33°16′	29" F
C46	160.82	19°16′01″	54.08			C90	546.86	46° 21' 00"	442, 39		
C47	159.35	36° 15′ 00′	100.82			C91	60.00	118° 45′ 23″	124.36	S 46°06′	36. M
C48 C49	158. 03 52. 89	21° 54′ 44 ′ 104° 26′ 29 ′	60. 44 96. 41	S 75°27′0		-					
	1125.00	27* 57' 29*	548.95	3 /3 [/ [1					
C51	492,00	26° 59′ 13 ′	231.74]					
					TANG	ENT TA	BLF				
	INE# BE	ARING	DIST.	LINE#	BEARIN	alberosenso	DIST.	LINE#	BEARING	DIS	Γ.
	L1 N	89°38′50″ B	E 663, 64	L10	N 85°5	59' 29"	E 134, 58	L19	S 01° 59' 2	9" E 106.	28
			E 148, 62	L11		56' 36"	W 91.06	L20	S 24° 42' 4	and the second se	
		and the second sec	E 191.58 W 221.07	L12 L13	S 64° 4	40' 37" 45' 32"	W 105, 25 W 117, 42		S 36° 55′ 5 S 24° 03′ 4		
			E 16, 92	L14	S 13° a	26' 04"	W 97.39	L23	S 64° 59' 3	O″ W 91.	
	L6 S		E 8, 13	L15		14' 20"	W 133.97	L24	N 68° 30′ 5	8″ W 131.	37
			E 86, 79 E 106, 03	L16	2 58° 2		W 89.71 W 77.77	L25 L26	N 34° 57′ 2 N 10° 44′ 0		
		58°01′53″		L17	S 14°5		W 88.32	L25	N 10° 34′ 1		
							SHEET 29				
			Im	LING AREA						INATE	
		Asse	[F]	WDW DISNEY	OVERALI					DATE: 4/5	/22
			1 C	ROJECT NAME						SCALE	
		P.O.B. 1000	A VISTA	CFTOD WATE	R/WAS	IE WAT	R TERRITO	۲Y		DRAWN	BY
THE MAN	IIK CHERRY STR	FL. 32830-		SKETCH OF	DESCRIF	TION				JLG	51:
1 and a			C	DMMENTS						FILENAN	
				SHEET 28 0	r 29 S	HEEIS				TOJG	09096R

		TANGENT TABLE CONTINUED FROM SHEET 28	
LINE# L28	BEARING DIST. LINE# N 44*03'35' E 129.67 L102	BEARING DIST. N 87*15'41" V 130.57	
L29 L30	N 44*03'35' E 129.67 L102 N 86*35'32' E 100.03 L103 N 62*48'18' E 100.08 L104	N 63°21′34′W 33.90 LINE# BEARING DIST. LINE# BEARIN	
L31 L32	N 58°16′14″ E 95. 99 L105	N 39* 33' 00' W 38. 53 L177 N 90* 00' 00' W 73. 87 L250 N 13* 4	2' 55' E 39.82
L33	N 14°30′32″ W 104. 94 L107	N 28°54′14′W 86.79 L178 N 00°16′44′E 0.50 L251 N 10°0 N 28°30′43′W 101.63 L179 N 89°57′37′E 670.11 L252 N 01°4	
L34 L35	N 03°06′23′ ¥ 111.09 L108 N 07°32′42′ E 68.01 L109	N 32°36′46′W 77.00 L180 S 00°08′32′E 668.06 L253 N 05°3 N 39°30′36′W 98.30 L181 S 89°55′30′E 671.45 L254 N 12°0	
L36 L37	N 15°14′13′ W 80.67 L110 N 87°12′48′ W 40.11 L111	N 02*15'56' W 56.50 L182 S 00*15'27' E 669.41 L255 N 21*0 N 39*36'59' W 135.27 L183 S 00*44'42' E 656.38 L256 N 36*5	16' 43' W 7.72
L38 L39	S 77°42′57″ W 84.88 L112 S 74°44′47″ W 66.79 L113	N 85°04′00′ W 67.65 L184 S 89°51′01′ E 335.66 L257 N 47°3 N 38°23′30′ W 64.62 L185 S 00°40′49′ E 656.31 L258 N 56°1	7'33' ¥ 25.00
L40 L41	S 35*20'27' W 90.33 L114 S 22*58'13' W 87.94 L115	N 64*16' 04' W 16. 33 L186 S 00*29' 10' E 655. 63 L259 N 49*3	0' 53' W 55.06
L42 L43	S 20*05'22' W 168.18 L116 S 65*39'23' W 108.46 L117	N 44*31'28' W 62.56 L188 N 00*21'22' W 652.39 L261 N 72*2	
L44 L45	N 79°02′16′ W 146.86 L118	N 71° 30' 56' W 65. 59 L191 N 69° 59' 50' W 311. 61 L263 S 89° 4	8'10' W 65.71 2'01' W 51.60
L46	S 44* 41' 24' W 85. 24 L119 S 66* 58' 59' W 80. 82 L120	N 47*09'12' W 129.61 L193 S 58*56'26' E 509.41 L265 N 89*2	8'53' W 56.11 6'00' W 8.09
L47 L48	N 89°03′00′ W 96,88 L121 S 84°18′13′ W 51.79 L122	N 28*09'10' W 67.04 L194 N 00*00'00' E 163.29 L266 S 81*1 N 30*07'52' E 66.18 L195 N 30*00'00' W 607.96 L267 S 78*4	4'14' W 46.34
L49 L50	S 77°56′53′ W 116.91 L123 S 70°14′00′ W 84.26 L124		3'02' W 63.74
L51 L52	N 63*52'48' W 163.26 L125 N 71*49'57' W 91.32 L126	N 21*03' 09* W 47. 93 L198 S 57*06' 40* E 167. 71 L270 S 72*4	8'44' W 44.03 4'34' W 42.60
L53 L54	N 56*38'48' W 106.72 L127 N 37*38'37' W 96.72 L128	N 00° 32' 57' E 48. 45 L200 S 06' 15' 02' E 54. 63 L272 S 57' 4	8' 39" W 28.70
L55 L56	N 69* 48' 38' W 85. 22 L129 N 85* 15' 14' W 95. 72 L130	N 23*46' 35' E 109.94 L202 S 00*00' 00' E 162.89 L274 S 67*0	6' 48' W 29, 21
L57 L58	N 76°56′11′ W 104.56 L131	N 17°00'45' E 45.16 L204 N 00°13'59' W 29.01 L276 S 83°0	4'31' W 27.06
L59	S 13° 45′ 44″ E 47. 73 L133	N 26*29'23' W 104. 81 L206 N 06*53'49' W 123. 97 L278 S 89*5	9'19' W 42.81 2'10' W 174.16
L60 L61	S 28°03′11′E 95.35 L134 S 31°37′50′W 165.37 L135	S 38° 34′ 51′ E 13, 88 L208 N 61° 06′ 48′ E 53, 88 L280 N 00° 0	0'19' E 313.89 0'19' E 498.35
L62 L63	S 51°01′41′E 83.54 L136 S 35°59′30′E 246.14 L137	S 51°58' 30' W 145, 54 L209 N 71°34' 02' E 17, 56 L281 N 00°0	0'31' E 835.26 6'36' W 690.17
L64 L65	S 55° 37′ 13′ E 316, 45 L138 S 68° 44′ 46′ E 336, 44 L139	N 37°56′18′ W 17.87 L211 N 31°47′40′ W 44.69 L283 N 88°4	3' 15' ¥ 555, 85 B' 06' ¥ 125, 95
L66 L67	S 03°57′40″ W 60.74 L140 N 82°18′14″ W 71.09 L141	S 55°05′55′ W 58.77 L213 S 54°04′10′ W 67.69 L285 S 89°4′	9' 36' ¥ 483. 70 7' 32' ¥ 323. 52
L68 L69	N 51° 44′ 44″ W 65. 78 L142 N 80° 24′ 25″ W 90. 39 L143	N 00°06'31' W 54. 31 L215 N 76°19'21' E 28. 14 L287 N 32°2	1'38' W 271.63
L70 L71	S 48° 32' 46' W 80. 93 L144	S 44° 47' 41' W 145. 43 L217 N 75° 08' 23' E 42. 15 L289 N 46° 20	D'31 V 120,76 5'37 V 108,80
L72	S 27° 19′ 16' E 55. 45 L146	S 03°14'02' W 84.66 L219 N 58°10'56' E 7.13 L291 S 00°10	9'14' W 28.71 D'31' E 11.26
L73 L74	S 18°40′56′ W 159,75 L147 S 10°48′30′ W 160,42 L148	S 33*10'07' E 163. 59 L221 N 28*21'12' E 21. 50 L293 S 04*06	9' 29' ¥ 28, 35 2' 58' E 4, 66
L75 L76	N 65°28'07" E 122.36 L149 N 76°27'23" E 76.59 L150		5'06' W 22.85 4'54' W 6.14
L77 L78	S 78*11'38' E 85.68 L151 N 83*24'11' W 42.54 L152	S 64° 36′ 17′ E 118. 17 L224 N 09° 37′ 03′ E 18. 85 L296 S 89° 49 S 52° 36′ 40′ E 63. 05 L225 N 28° 18′ 59′ E 25. 32 L297 N 66° 0.	9'29' W 173.97 4'53' W 548.81
L79 L80	S 24*23'32' E 34.06 L153 S 18*04'39' E 78.70 L154	S 45° 16' 16' E 127. 88 L226 N 39° 33' 24' E 18. 56 L298 N 89° 39	9'31' E 559.27 1'57' E 100.00
L81 L82	N 82°09′40′ W 26.47 L155 S 26°43′01′ W 107.99 L156	S 36°16'00' W 28.53 L228 N 53°20'03' E 12.93 L300 N 89°43	3'25' E 671.30
L83 L84	S 13°53′13″ W 84.71 L157 S 20°06′37″ W 86.21 L158	S 25*05' 40' W 31. 33 L230 N 61*31' 34' E 16. 11 L302 N 00*07	7'43' ¥ 400.13
L85 L86	S 22° 42′ 17″ W 90, 27 L159 S 48° 33′ 38″ W 93, 96 L160	<u>S 18° 42' 59' W 22. 23 L232 S 84° 27' 04' E 14. 79 L304 S 00° 19</u>	3'50' E 341.61 9'24' E 603.75
L87	S 51°48′05″ ¥ 58.47 L161	<u>S 88°11′54′E 77.05 L234 S 70°01′08′E 21.22 L306 N 89°56</u>	
L88 L89	S 70° 41′ 52″ W 98. 39 L162 S 75° 48′ 30″ W 82. 70 L163	<u>S 89°29'03' E 433. 68 L236 S 81°04'45' E 15. 99 L308 N 89°43</u>	4' 12' E 523, 43 3' 40' E 52, 00
L90 L91	N 82°22'12' W 18.57 L164 S 59°48'12' W 61.99 L165	N 00°00′00′E 131. 18 L237 S 63°15′14′E 32. 58 L309 S 00°12 N 45°00′00′W 71. 68 L238 S 71°35′23′E 7. 28 L310 N 89°43	
L92 L93	S 23° 48′ 42′ W 31. 41 L166 S 21° 34′ 58′ E 112. 96 L167	N 00°00'00' E 633.08 L239 S 83°45'15' E 20.77 L311 S 00°12	
L94 L95	S 25°04′56′E 80.36 L168 S 06°58′19′E 51.79 L169	N 00° 27' 46' E 673. 19 L241 S 75° 49' 09' E 17. 31 L313 S 00° 36	2'47' W 15.00 5'32' E 150.49
L96 L97	S 47°18′54′ W 37.10 L170 S 03°48′45′ E 24.29 L171	N 00°00' 00' E 753. 74 L243 N 72°43' 50' E 26. 75 L315 N 00°32	2'47' E 150, 00
L98 L99	S 75*28'07' W 70.19 L172	N 05°16′59′ W 106. 23 L245 N 77°16′53′ E 19. 62	
L100 L101	S 41°00'06' E 193.39 L174	N 26*33'54' W 135.35 L246 N 68*37'24' E 7.52 N 47*32'44' E 146.69 L247 N 57*06'15' E 21.62	
	S 48°59′54′ ¥ 100. 00 L175	N 11°28′34′E 24.04 L248 N 48°30′29′E 7.40	DATE:
		WDW DISNEY OVERALL PROJECT NAME	4/5/22 SCALE
	P.O.B. 10000 LAKE BUENA VISTA	CFTOD WATER/WASTE WATER TERRITORY	
mil	FL. 32830-1000 PHONE 407-824-418	SKETCH OF DESCRIPTION	drawn by: JLG
		COMMENTS SHEET 29 OF 29 SHEETS	FILENAME: 10JG09096R4