

DRAFT
09/11/19

2
4
6
8
10
12
14
16
18
20
22
24
26
28
30
32
34
36
38
40
42
44

ORDINANCE NO. 2019-__

AN ORDINANCE OF THE BOARD OF COUNTY COMMISSIONERS FOR ORANGE COUNTY, FLORIDA, CREATING "GRANDE PINES COMMUNITY DEVELOPMENT DISTRICT" PURSUANT TO CHAPTER 190, FLORIDA STATUTES; PROVIDING FOR THE ESTABLISHMENT AND NAMING OF THE DISTRICT; PROVIDING FOR THE LEGAL DESCRIPTION OF THE EXTERNAL BOUNDARIES OF THE DISTRICT; PROVIDING FOR FINDINGS OF FACT; PROVIDING THE FUNCTIONS AND POWERS OF THE DISTRICT; DESIGNATING THE INITIAL MEMBERS OF THE DISTRICT'S BOARD OF SUPERVISORS; PROVIDING FOR THE APPLICABLE FILING FEE; PROVIDING FOR AN INTERLOCAL AGREEMENT; PROVIDING FOR COMPLIANCE WITH CHAPTER 190, FLORIDA STATUTES, AND ALL OTHER APPLICABLE LAWS AND ORDINANCES; PROVIDING FOR REPEAL IN THE ABSENCE OF BONDS BEING ISSUED; PROVIDING FOR SEVERABILITY; AND PROVIDING AN EFFECTIVE DATE.

WHEREAS, the "Uniform Community Development District Act of 1980," Chapter 190, Florida Statutes (hereinafter, the "Act"), sets forth the exclusive and uniform method for establishing a community development district; and

WHEREAS, Section 190.005(2) of the Act requires that a petition for the establishment of a community development district of less than 2,500 acres be filed by the petitioner with the county commission of the county having jurisdiction over the majority of land in the area in which the district is to be located; and

WHEREAS, Section 190.00S(1)(a) of the Act requires that such petition contain certain information to be considered at a public hearing before the Board of County Commissioners for Orange County, Florida (the "Board"); and

WHEREAS, Park Square Enterprises, LLC, (the "Petitioner"), having obtained written consent to the establishment of the District by the owners of one hundred percent (100%) of the real property to be included in the District, has petitioned Orange County, Florida (the "County") to establish Grande Pines Community Development District (the "District") pursuant to the Act; and

46 **WHEREAS**, Petitioner is a company authorized to conduct business in the State of
Florida and whose address is; and

48 **WHEREAS**, the petition submitted on May 7, 2019 (the "Petition") to the County has
50 been determined to contain the requisite information as mandated by Section 190.005(l)(a) of the
Act; and

52 **WHEREAS**, all interested persons and affected units of general-purpose local
54 government were afforded an opportunity to present oral and written comments on the Petition at
a duly noticed public hearing conducted by the Board on October 22, 2019; and

56 **WHEREAS**, on October 22, 2019, the Board considered the record of the public hearing
58 and the factors set forth in Section 190.005(l)(e) of the Act and, upon such review, has
determined that granting the Petition for Establishment of Grande Pines Community
60 Development District is in the best interest of the County; and

62 **WHEREAS**, establishment of the District will constitute a timely, efficient, effective,
responsive and economic way to deliver community development services to the subject land
64 and will provide for the orderly growth of unincorporated Orange County.

66 **NOW, THEREFORE, BE IT ORDAINED BY THE BOARD OF COUNTY
COMMISSIONERS FOR ORANGE COUNTY, FLORIDA THAT:**

68 **SECTION 1. AUTHORITY.** This ordinance is enacted in compliance with and
pursuant to the "Uniform Community Development District Act of 1980," Chapter 190, Florida
70 Statutes.

SECTION 2. ESTABLISHMENT AND DISTRICT NAME. The Petition is hereby
72 granted and there is hereby established a community development district situated entirely within
unincorporated Orange County, Florida, which District shall be known as "Grande Pines
74 Community Development District."

SECTION 3. EXTERNAL BOUNDARIES OF THE DISTRICT. The external
76 boundaries of the District are legally described in Exhibit A, attached hereto and incorporated
herein by this reference, the overall parcel containing 118.79 contiguous acres, more or less. No
78 real property within the external boundaries of the District is to be excluded.

SECTION 4. FINDINGS OF FACT. The Board hereby finds and determines, pursuant

80 to Section 190.005(2) of the Act, based on the testimony and evidence presented before it and the
record established at the public hearing that:

82 a. All statements within the Petition are true and correct.

b. Establishment of the District and all land uses and services planned within the
84 proposed District are not inconsistent with applicable elements or portions of the State
Comprehensive Plan or the local Comprehensive Plan adopted by the County.

86 c. The area of land within the District, described in **Exhibit A**, is of a sufficient size,
is sufficiently compact and is sufficiently contiguous to be developed as one functional
88 interrelated community.

d. The District provides the best alternative available for delivering community
90 development services and facilities to the area to be served by the proposed District without
imposing an additional burden on the general population of the local general-purpose
92 government. The establishment of the District will provide for a more efficient use of resources
without burdening the general body of taxpayers in Orange County with the cost of installing the
94 infrastructure and managing, operating and maintaining the community services and facilities.

e. The community development services and facilities of the District will not be
96 incompatible with the capacity and uses of existing local and regional community development
services and facilities. In addition, the establishment of the District will provide an entity capable
98 of making reasonable provisions for the operation and maintenance of the District services and
facilities.

100 f. The area to be served by the proposed District is amenable to separate
independent special-district government.

102 **SECTION 5. FUNCTIONS AND POWERS.** The District shall have all powers and
functions granted by the Act pursuant to Sections 190.011 and 190.012(1), *Florida Statutes*, as
104 amended from time to time, to include the power to finance, fund, plan, establish, acquire,
construct, reconstruct, enlarge or extend, equip, operate, and maintain systems, facilities and
106 basic infrastructure within, and outside of, the boundaries of the District. Consent is hereby given
to the District's Board of Supervisors having those special powers pertaining to recreation,
108 security, and waste disposal as described, authorized and limited by Section 190.012(2)(a), (d)
and (f), *Florida Statutes*. The District shall not have any zoning or permitting powers governing
110 land development or the use of land. Any debt obligation of the District shall not constitute a
debt or financial burden of any local general-purpose government. This Ordinance shall not, and
112 shall not be construed to, expand, modify, or delete any provisions of the Uniform Community
Development District Act of 1980 as set forth in Chapter 190, *Florida Statutes*.

114 **SECTION 6. BOARD OF SUPERVISORS.** The five persons designated to serve as
initial members of the District's Board of Supervisors are as follows:

- 116 Name: Scott Johnston
- Name: Steve Smith
- 118 Name: Brian Pak
- Name: Jennifer McLendon
- 120 Name: Linda Kepfer

122 All of the above-listed persons shall serve until their successors are chosen and qualified, as
provided in Section 190.006, *Florida Statutes*.

124 **SECTION 7. FILING FEE.** Petitioner has submitted a filing fee of \$12,731.00 with
submission of the Petition covering the County's cost of administration and review of the
126 Petition, the sufficiency of which is hereby acknowledged by the County.

SECTION 8. INTERLOCAL AGREEMENT.

128 a. *Failure to Adopt Interlocal Agreement.* Failure of the District's Board of
Supervisors to adopt the Interlocal Agreement between Orange County and Grande Pines
130 Community Development District (the "Interlocal Agreement") in substantially the form attached
hereto as Exhibit B within ninety (90) days of the effective date of this Ordinance may result in
132 repeal of this Ordinance by the Board of County Commissioners without further notice. Once
approval of the Interlocal Agreement is secured from Orange County and the District, the
134 Interlocal Agreement shall be recorded in the Public Records of Orange County, Florida, at the
District's expense, to indicate fulfillment of this obligation and the County will not endeavor to
136 repeal this Ordinance.

 b. *Challenges Precluded.* To the extent enforceable, the District shall not initiate any
138 action or proceeding following the effective date of this Ordinance in or with any court of
competent jurisdiction or administrative agency the purpose of which is to challenge to the
140 validity of this Ordinance or the Interlocal Agreement.

SECTION 9. COMPLIANCE WITH LAWS AND ORDINANCES. The District
142 shall comply with the provisions of the Act and all applicable federal, state and local laws,
ordinances, statutes, rules and regulations, including the Orange County Comprehensive Plan
144 and all applicable provisions of the Codes and Ordinances of Orange County, Florida.

SECTION 10. SEVERABILITY. If any provision of this Ordinance, or the application
146 thereof, is finally determined by a court of competent jurisdiction to be invalid, illegal or

unenforceable, such provision shall be deemed to be severable and the remaining provisions shall
148 continue in full force and effect, provided that the invalid, illegal or unenforceable provision is
not material to the logical and intended interpretation of this Ordinance.

150 **SECTION 11. EFFECTIVE DATE.** This Ordinance shall take effect pursuant to
general law.

152 **ENACTED BY THE BOARD OF COUNTY COMMISSIONERS, ORANGE**
COUNTY, FLORIDA this _____ day of _____, 2019.

154 **ORANGE COUNTY, FLORIDA**
156 By: Board of County Commissioners

158
160 By: _____
162 Jerry L. Demings
Orange County Mayor

164 ATTEST: Phil Diamond, CPA, County Comptroller
As Clerk to the Board of County Commissioners

166
168
170 By: _____
Deputy Clerk

EXHIBIT A

LEGAL DESCRIPTION

**LEGAL DESCRIPTION OF THE
GRANDE PINES COMMUNITY DEVELOPMENT DISTRICT
SHALL CONSIST OF THE FOLLOWING FIVE PARCELS**

<u>PARCEL</u>	<u>ACRES</u>
Phase 1 & 2:	55.55 acres
Phase 3:	30.31 acres
Phase 4 (Part 1):	6.48 acres
Phase 4 (Part 2):	14.44 acres
Conservation Area:	12.01 acres
Total Acreage of CDD:	118.79 acres

[SKETCHES AND DESCRIPTIONS FOLLOW]

SKETCH OF DESCRIPTION

SHEET 1 OF 8

LEGAL DESCRIPTION OF PHASE 1 ¹/₂

A parcel of land comprising a portion of Lake 9, a portion of Lake 4, a portion of Golf Course Parcel 3, a portion of Parcel 11, Orangewood Neighborhood 2, as recorded in Plat Book 17, Pages 81 through 87, Public Records of Orange County, Florida.

Being more particularly described as follows:

Commencing at the Northwestern most corner of Lake 9 and the Northeastern most corner of Golf Course Parcel 1 being a point on a non tangent curve, concave Northeasterly having a radius of 1137.00 feet, with a chord bearing of South 55°09'04" East, and a chord distance of 26.30 feet, thence run Southeasterly along the arc of said curve through a central angle of 01°19'32" for a distance of 26.30 feet to a point of tangency; thence run South 55°48'50" East for a distance of 12.73 feet; thence run South 70°42'36" East for a distance of 31.76 feet to the point of curvature of a curve, concave Northeasterly having a radius of 2814.51 feet, with a chord bearing of South 73°02'24" East, and a chord distance of 228.88 feet, thence run Southeasterly along the arc of said curve through a central angle of 04°39'38" for a distance of 228.94 feet to a point on a non tangent line; thence run South 14°37'46" West for a distance of 8.00 feet to a point on a non tangent curve and the POINT OF BEGINNING; said curve being concave Northeasterly having a radius of 2822.51 feet, with a chord bearing of South 76°51'03" East, and a chord distance of 145.83 feet, thence run Southeasterly along the arc of said curve through a central angle of 02°57'38" for a distance of 145.85 feet to a point of tangency; thence run South 78°19'52" East for a distance of 506.47 feet; thence run North 11°40'08" East for a distance of 10.00 feet; thence run South 78°19'52" East for a distance of 850.00 feet; thence run South 11°40'08" West for a distance of 10.00 feet thence run South 78°19'52" East for a distance of 319.37 feet to the point of curvature of a curve, concave Southwesterly having a radius of 873.93 feet, with a chord bearing of South 77°22'34" East, and a chord distance of 29.13 feet, thence run Southeasterly along the arc of said curve through a central angle of 01°54'36" for a distance of 29.13 feet to a point on a non tangent line; thence run South 13°34'43" West for a distance of 5.00 feet to the point of curvature of a curve, concave Southwesterly having a radius of 868.42 feet, with a chord bearing of South 71°10'08" East, and a chord distance of 159.10 feet, thence run Southeasterly along the arc of said curve through a central angle of 10°30'41" for a distance of 159.32 feet to a point of tangency; thence run South 65°54'36" East for a distance of 61.40 feet to a point on non tangent curve, concave Northwesterly having a radius of 1549.86 feet, with a chord bearing of South 42°32'54" West, and a chord distance of 352.89 feet, thence run Southwesterly along the arc of said curve through a central angle of 13°04'27" for a distance of 353.66 to a point on a non tangent curve; concave Southwesterly having a radius of 371.33 feet, with a chord bearing of South 40°42'40" East, and a chord distance of 19.32 feet, thence run Southeasterly along the arc of said curve through a central angle of 02°58'53" for a distance of 19.32 feet to a point of tangency; thence run South 39°13'13" East for a distance of 280.78 feet to a point on the Northwesterly right-of-way line of International Drive and a point on a non tangent curve, concave Northwesterly having a radius of 1849.86 feet, with a chord bearing of South 50°53'36" West, and a chord distance of 100.00 feet, thence run Southwesterly along the arc of said curve through a central angle of 03°05'52" for a distance of

CONTINUED ON SHEET 2



**ALLEN
&
COMPANY**

Professional Surveyors & Mappers

16 East Plant Street
Winter Garden, Florida 34787 • (407) 654 5355

SURVEYOR'S NOTES:

THIS IS NOT A SURVEY.

THIS SKETCH IS NOT VALID WITHOUT THE SIGNATURE AND ORIGINAL RAISED SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER.

BEARINGS SHOWN HEREON ARE BASED ON THE NORTH/SOUTH CENTERLINE OF SECTION 13-24-28 BEING AN ASSUMED BEARING OF S00°24'42"E.

SK14
REV 1-25-16
REV 7-26-18

JOB NO. 20130298

DATE: 9-21-2015

SCALE: 1" = 300 FEET

FIELD BY: N/A

CALCULATED BY: JLR

DRAWN BY: DY/PJR

CHECKED BY: EGT

FOR THE LICENSED BUSINESS # 6723 BY:

JAMES L. RICKMAN P.S.M. # 5633

SKETCH OF DESCRIPTION

SHEET 2 OF 8

CONTINUED FROM SHEET 1

100.01 feet to a point on a non tangent line; thence run North 39°13'13" West for a distance of 280.59 feet to the point of curvature of a curve, concave Southwesterly having a radius of 271.33 feet, with a chord bearing of North 41°17'25" West, and a chord distance of 19.60 feet, thence run Northwesterly along the arc of said curve through a central angle of 04°08'24" for a distance of 19.61 feet to a point on a non tangent line; thence run South 52°53'14" West for a distance of 600.38 feet; thence run South 22°07'41" West for a distance of 123.20 feet; thence run South 67°52'19" East for a distance of 189.74 feet to the point of curvature of a curve, concave Southwesterly having a radius of 83.00 feet, with a chord bearing of South 53°59'08" East, and a chord distance of 39.84 feet, thence run Southeasterly along the arc of said curve through a central angle of 27°46'21" for a distance of 40.23 feet to a point of tangency; thence run South 40°05'58" East for a distance of 24.55 feet; thence run South 52°53'14" West for a distance of 35.05 feet; thence run North 40°05'58" West for a distance of 34.59 feet; thence run North 67°52'19" West for a distance of 616.97 feet; thence run South 15°33'00" West for a distance of 54.05 feet; thence run South 83°39'09" West for a distance of 731.02 feet; thence run North 50°55'34" West for a distance of 681.39 feet; thence run South 51°33'18" West for a distance of 11.65 feet; thence run North 38°26'42" West for a distance of 130.01 feet; thence run North 51°33'18" East for a distance of 90.92 feet to the point of curvature of a curve, concave Southerly having a radius of 30.00 feet, with a chord bearing of North 81°51'49" East, and a chord distance of 30.28 feet, thence run Easterly along the arc of said curve through a central angle of 60°37'02" for a distance of 31.74 feet to a point on a non tangent line; thence run North 39°04'26" East for a distance of 172.66 feet to a point on a non tangent curve, concave Southerly having a radius of 190.00 feet, with a chord bearing of North 89°50'08" West, and a chord distance of 237.12 feet, thence run Westerly along the arc of said curve through a central angle of 77°13'08" for a distance of 256.07 feet to a point of tangency; thence run South 51°33'18" West for a distance of 74.04 feet; thence run North 16°41'39" West for a distance of 429.93 feet; thence run North 44°29'36" East for a distance of 340.87 feet to a point on a non tangent curve, concave Northerly having a radius of 130.00 feet, with a chord bearing of South 89° 25' 08" East, and a chord distance of 100.47 feet, thence run Easterly along the arc of said curve through a central angle of 45° 27' 53" for a distance of 103.16 feet to a point of reverse curvature of a curve, concave Southerly having a radius of 125.00 feet, with a chord bearing of North 88° 27' 37" East, and a chord distance of 88.01 feet, thence run Easterly along the arc of said curve through a central angle of 41° 13' 22" for a distance of 89.93 feet to a point of tangency; thence run South 70° 55' 42" East for a distance of 259.79 feet to the point of curvature of a curve, concave Southwesterly having a radius of 100.00 feet, with a chord bearing of South 54° 25' 15" East, and a chord distance of 56.83 feet, thence run Southeasterly along the arc of said curve through a central angle of 33° 00' 55" for a distance of 57.62 feet to a point on a non tangent line; thence run North 52°00'27" East for a distance of 91.30 feet to the POINT OF BEGINNING;

contains 55.55 acres, more or less.



**ALLEN
&
COMPANY**

Professional Surveyors & Mappers

16 East Plant Street
Winter Garden, Florida 34787 • (407) 654 5355

THIS IS NOT A SURVEY:

N.T. DENOTES NON TANGENT

© DENOTES CHANGE IN DIRECTION
R/W DENOTES RIGHT-OF-WAY
CL DENOTES CENTERLINE
P.C. DENOTES POINT OF CURVATURE
P.T. DENOTES POINT OF TANGENCY
P.R.C. DENOTES POINT OF REVERSE CURVATURE
P.C.C. DENOTES POINT OF COMPOUND CURVATURE

SK14
REV 1-25-16
REV 7-26-18

JOB NO. 20130298

DATE: 9-21-2015

SCALE: 1" = 300 FEET

FIELD BY: N/A

CALCULATED BY: JLR

DRAWN BY: DY/PJR


CHECKED BY: EGT

SKETCH OF DESCRIPTION

SHEET 3 OF 8

POINT OF COMMENCEMENT
 THE NORTHWESTERN MOST CORNER
 OF LAKE 9 AND
 THE NORTHEASTERN MOST CORNER
 OF GOLF COURSE PARCEL 1
 P.B. 17, PGS. 81-87

POINT OF BEGINNING



PHASE 1 & 2



ALLEN & COMPANY

Professional Surveyors & Mappers

16 East Plant Street
 Winter Garden, Florida 34787 • (407) 654-5355

THIS IS NOT A SURVEY:

N.T. DENOTES NON TANGENT

- ⊙ DENOTES CHANGE IN DIRECTION
- R/W DENOTES RIGHT-OF-WAY
- ⊙ DENOTES CENTERLINE
- P.C. DENOTES POINT OF CURVATURE
- P.T. DENOTES POINT OF TANGENCY
- P.R.C. DENOTES POINT OF REVERSE CURVATURE
- P.C.C. DENOTES POINT OF COMPOUND CURVATURE


SK14
 REV 1-25-16
 REV 7-26-18

JOB NO. 20130298
 DATE: 9-21-2015
 SCALE: 1" = 300 FEET
 FIELD BY: N/A

CALCULATED BY: JLR
 DRAWN BY: DY/PJR
 CHECKED BY: EGT

SKETCH OF DESCRIPTION

SHEET 4 OF 8



ALLEN & COMPANY

Profession of Surveyors & Mappers

16 East Plant Street
Winter Garden, Florida 34787 • (407) 654 5355

THIS IS NOT A SURVEY:

N.T. DENOTES NON TANGENT

- ⊙ DENOTES CHANGE IN DIRECTION
- R/W DENOTES RIGHT-OF-WAY
- ⊕ DENOTES CENTERLINE
- P.C. DENOTES POINT OF CURVATURE
- P.T. DENOTES POINT OF TANGENCY
- P.R.C. DENOTES POINT OF REVERSE CURVATURE
- P.C.C. DENOTES POINT OF COMPOUND CURVATURE

SK14
REV 1-25-16
REV 7-26-18

JOB NO. 20130298
DATE: 9-21-2015
SCALE: 1" = 300 FEET
FIELD BY: N/A

CALCULATED BY: JLR
DRAWN BY: DY/PJR
CHECKED BY: EGT

SKETCH OF DESCRIPTION

SHEET 5 OF 8

LINE TABLE		
LINE	LENGTH	BEARING
L1	12.73'	S55°48'50"E
L2	31.76'	S70°42'36"E
L3	8.00'	S14°37'46"W
L4	506.47'	S78°19'52"E
L5	10.00'	N11°40'08"E
L6	850.00'	S78°19'52"E
L7	10.00'	S11°40'08"W
L8	319.37'	S78°19'52"E
L9	5.00'	S13°34'43"W
L10	61.40'	S65°54'36"E
L11	280.78'	S39°13'13"E
L12	280.59'	N39°13'13"W
L13	600.38'	S52°53'14"W
L14	123.20'	S22°07'41"W
L15	189.74'	S67°52'19"E
L16	24.55'	S40°05'58"E
L17	35.05'	S52°53'14"W
L18	34.59'	N40°05'58"W
L19	616.97'	N67°52'19"W
L20	54.05'	S15°33'00"W
L21	731.02'	S83°39'09"W
L22	681.39'	N50°55'34"W

LINE TABLE		
LINE	LENGTH	BEARING
L23	11.65'	S51°33'18"W
L24	130.01'	N38°26'42"W
L25	90.92'	N51°33'18"E
L26	172.66'	N39°04'26"E
L27	74.04'	S51°33'18"W
L28	429.93'	N16°41'39"W
L29	340.87'	N44°29'36"E
L30	259.79'	S70°55'42"E
L31	91.30'	N52°00'27"E

CURVE TABLE					
CURVE	RADIUS	LENGTH	CHORD	BEARING	DELTA
C1	1137.00'	26.30'	26.30'	S55°09'04"E	1°19'32"
C2	2814.51'	228.94'	228.88'	S73°02'24"E	4°39'38"
C3	2822.51'	145.85'	145.83'	S76°51'03"E	2°57'38"
C4	873.93'	29.13'	29.13'	S77°22'34"E	1°54'36"
C5	868.42'	159.32'	159.10'	S71°10'08"E	10°30'41"
C6	1549.86'	353.66'	352.89'	S42°32'54"W	13°04'27"
C7	371.33'	19.32'	19.32'	S40°42'40"E	2°58'53"
C8	1849.86'	100.01'	100.00'	S50°53'36"W	3°05'52"
C9	271.33'	19.61'	19.60'	N41°17'25"W	4°08'24"
C10	83.00'	40.23'	39.84'	S53°59'08"E	27°46'21"
C11	30.00'	31.74'	30.28'	N81°51'49"E	60°37'02"
C12	190.00'	256.07'	237.12'	N89°50'08"W	77°13'08"
C13	130.00'	103.16'	100.47'	S89°25'08"E	45°27'53"
C14	125.00'	89.93'	88.01'	N88°27'37"E	41°13'22"
C15	100.00'	57.62'	56.83'	S54°25'15"E	33°00'55"



**ALLEN
&
COMPANY**

Professional Surveyors & Mappers

16 East Plant Street
Winter Garden, Florida 34787 • (407) 654 5355

THIS IS NOT A SURVEY:

N.T. DENOTES NON TANGENT.

- ⊙ DENOTES CHANGE IN DIRECTION
- R/W DENOTES RIGHT-OF-WAY
- ⊕ DENOTES CENTERLINE
- P.C. DENOTES POINT OF CURVATURE
- P.T. DENOTES POINT OF TANGENCY
- P.R.C. DENOTES POINT OF REVERSE CURVATURE
- P.C.C. DENOTES POINT OF COMPOUND CURVATURE

SK14
REV 1-25-16
REV 7-26-18

JOB NO. 20130298

DATE: 9-21-2015

SCALE: 1" = 300 FEET

FIELD BY: N/A

CALCULATED BY: JLR

DRAWN BY: DY/PJR

CHECKED BY: EGT

SKETCH OF DESCRIPTION

SHEET 1 OF 3

LEGAL DESCRIPTION PHASE 23

A parcel of land comprising a portion of Golf Course Parcel 3 and Lake 9, Orangewood Neighborhood 2, as recorded in Plat Book 17, Pages 81 through 87, Public Records of Orange County, Florida.

Being more particularly described as follows:

Commencing at the common corner of Golf Course Parcel 1, Parcel 8 and Lake 9, thence run South 44°29'36" West for a distance of 276.16 feet to the POINT OF BEGINNING; thence run South 16°41'39" East for a distance of 429.93 feet; thence run North 51°33'18" East for a distance of 74.04 feet to the point of curvature of a curve, concave Southerly having a radius of 190.00 feet, with a chord bearing of South 89°50'08" East, and a chord distance of 237.12 feet, thence run Easterly along the arc of said curve through a central angle of 77°13'08" for a distance of 256.07 feet to a point on a non tangent line; thence run South 39°04'26" West for a distance of 172.66 feet to a point on a non tangent curve, concave Southerly having a radius of 30.00 feet, with a chord bearing of South 81°51'49" West, and a chord distance of 30.28 feet, thence run Westerly along the arc of said curve through a central angle of 60°37'02" for a distance of 31.74 feet to a point of tangency; thence run South 51°33'18" West for a distance of 90.92 feet; thence run South 38°26'42" East for a distance of 130.01 feet; thence run South 51°33'18" West for a distance of 655.07 feet; thence run South 17°06'30" East for a distance of 198.79 feet; thence run South 52°18'45" West for a distance of 146.36 feet; thence run South 86°42'01" West for a distance of 534.28 feet; thence run South 54°10'08" West for a distance of 590.09 feet; thence run South 83°27'44" West for a distance of 162.24 feet; thence run North 36°09'00" West for a distance of 129.41 feet; thence run North 16°16'12" East for a distance of 264.03 feet; thence run North 40°06'30" East for a distance of 533.14 feet; thence run North 01°08'12" West for a distance of 78.37 feet; thence run North 19°00'19" East for a distance of 253.34 feet; thence run North 21°04'47" West for a distance of 225.00 feet; thence run North 83°57'03" East for a distance of 185.00 feet; thence run North 06°54'15" East for a distance of 230.00 feet; thence run South 89°52'40" East for a distance of 130.70 feet; thence run South 19°31'03" East for a distance of 620.58 feet; thence run North 89°51'45" East for a distance of 122.55 feet; thence run North 37°24'11" East for a distance of 372.06 feet; thence run North 20°17'21" West for a distance of 212.30 feet; thence run North 44°29'36" East for a distance of 411.32 feet to the POINT OF BEGINNING;

Containing 1320423 square feet, 30.31 acres, more or less.



**ALLEN
&
COMPANY**

Professional Surveyors & Mappers

16 East Plant Street
Winter Garden, Florida 34787 * (407) 654-5355

SURVEYOR'S NOTES:

sk15

THIS IS NOT A SURVEY.

THIS SKETCH IS NOT VALID WITHOUT THE SIGNATURE AND ORIGINAL RAISED SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER.

BEARINGS SHOWN HEREON ARE BASED ON THE NORTH/SOUTH CENTERLINE OF SECTION 13-24-28 BEING AN ASSUMED BEARING OF S00°24'42"E.

JOB NO. 20130298

DATE: 9-21-2015

SCALE: 1" = 300 FEET

FIELD BY: N/A

CALCULATED BY: JLR

DRAWN BY: DY/PJR

CHECKED BY: EGT

FOR THE LICENSED BUSINESS # 6723 BY:

JAMES L. RICKMAN P.S.M. # 5633


SKETCH OF DESCRIPTION

SHEET 2 OF 3



POINT OF COMMENCEMENT
 THE COMMON CORNER OF GOLF COURSE
 PARCEL 1, PARCEL 8, AND LAKE 9
 P.B. 17, PGS. 81-87

POINT OF BEGINNING



PHASE 13

NORTH/SOUTH
 CENTERLINE OF
 SECTION 13-24-28

SOUTH LINE OF
 THE NORTHWEST 1/4
 SECTION 13-24-28

sk15

THIS IS NOT A SURVEY:

N.T. DENOTES NON TANGENT

- © DENOTES CHANGE IN DIRECTION
- R/W DENOTES RIGHT-OF-WAY
- C DENOTES CENTERLINE
- P.C. DENOTES POINT OF CURVATURE
- P.T. DENOTES POINT OF TANGENCY
- P.R.C. DENOTES POINT OF REVERSE CURVATURE
- P.C.C. DENOTES POINT OF COMPOUND CURVATURE



**ALLEN
 &
 COMPANY**

Professional Surveyors & Mappers

16 East Plant Street
 Winter Garden, Florida 34787 • (407) 654 5355

JOB NO. 20130298

DATE: 9-21-2015

SCALE: 1" = 300 FEET

FIELD BY: N/A

CALCULATED BY: JLR

DRAWN BY: DY/PJR

CHECKED BY: EGT

SKETCH OF DESCRIPTION

SHEET 3 OF 3

LINE TABLE		
LINE	LENGTH	BEARING
L1	429.93'	S16°41'39"E
L2	74.04'	N51°33'18"E
L3	172.66'	S39°04'26"W
L4	90.92'	S51°33'18"W
L5	130.01'	S38°26'42"E
L6	655.07'	S51°33'18"W
L7	198.79'	S17°06'30"E
L8	146.36'	S52°18'45"W
L9	534.28'	S86°42'01"W
L10	590.09'	S54°10'08"W
L11	162.24'	S83°27'44"W
L12	129.41'	N36°09'00"W
L13	264.03'	N16°16'12"E
L14	533.14'	N40°06'30"E
L15	78.37'	N01°08'12"W
L16	253.34'	N19°00'19"E
L17	225.00'	N21°04'47"W
L18	185.00'	N83°57'03"E
L19	230.00'	N06°54'15"E
L20	130.70'	S89°52'40"E
L21	620.58'	S19°31'03"E
L22	122.55'	N89°51'45"E
L23	372.06'	N37°24'11"E
L24	212.30'	N20°17'21"W
L25	411.32'	N44°29'36"E

CURVE TABLE					
CURVE	RADIUS	LENGTH	CHORD	BEARING	DELTA
C1	190.00'	256.07'	237.12'	S89°50'08"E	77°13'08"
C2	30.00'	31.74'	30.28'	S81°51'49"W	60°37'02"



**ALLEN
&
COMPANY**

Professional Surveyors & Mappers

16 East Plant Street
Winter Garden, Florida 34787 • (407) 654-5355

THIS IS NOT A SURVEY:

N.T. DENOTES NON TANGENT

© DENOTES CHANGE IN DIRECTION
 R/W DENOTES RIGHT-OF-WAY
 C DENOTES CENTERLINE
 P.C. DENOTES POINT OF CURVATURE
 P.T. DENOTES POINT OF TANGENCY
 P.R.C. DENOTES POINT OF REVERSE CURVATURE
 P.C.C. DENOTES POINT OF COMPOUND CURVATURE

sk15

JOB NO. 20130298

DATE: 9-21-2015

SCALE: 1" = 300 FEET

FIELD BY: N/A

CALCULATED BY: JLR

DRAWN BY: DY/PJR

CHECKED BY: EGT

SKETCH OF DESCRIPTION

SHEET 6 OF 8

Together With:

LEGAL DESCRIPTION PHASE ~~4~~ (PART 1)

A parcel of land comprising a portion of Golf Course Parcel 1, a portion of Golf Course Parcel 3 and a portion of Lake 9, Orangewood Neighborhood 2, as recorded in Plat Book 17, Pages 81 through 87, Public Records of Orange County, Florida.

Being more particularly described as follows:

Commence at the Northwest corner of Golf Course Parcel 1, thence run South 72°13'51" East along the North line of said Golf Course Parcel 1 for a distance of 1595.92 feet to the Point of Beginning; thence run South 72°13'51" East along the North line of said Golf Course Parcel 1 for a distance of 609.67 feet; thence run South 65°40'02" East for a distance of 661.67 feet to the point on a non tangent curve, concave Northeasterly having a radius of 1137.00 feet, with a chord bearing of South 55°09'04" East, and a chord distance of 26.30 feet, thence run Southeasterly along the arc of said curve through a central angle of 01°19'32" for a distance of 26.30 feet to a point of tangency; thence run South 55°48'50" East for a distance of 12.73 feet; thence run South 70°42'36" East for a distance of 31.76 feet to the point of curvature of a curve, concave Northeasterly having a radius of 2814.51 feet, with a chord bearing of South 73°02'24" East, and a chord distance of 228.88 feet, thence run Southeasterly along the arc of said curve through a central angle of 04°39'38" for a distance of 228.94 feet to a point on a non tangent line; thence run South 14°37'46" West for a distance of 8.00 feet; thence run South 52°00'27" West for a distance of 91.30 feet to a point on a non tangent curve, concave Southwesterly having a radius of 100.00 feet, with a chord bearing of North 54°25'15" West, and a chord distance of 56.83 feet, thence run Northwesterly along the arc of said curve through a central angle of 33°00'55" for a distance of 57.62 feet to a point of tangency; thence run North 70°55'42" West for a distance of 259.79 feet to the point of curvature of a curve, concave Southerly having a radius of 125.00 feet, with a chord bearing of South 88°27'37" West, and a chord distance of 88.01 feet, thence run Westerly along the arc of said curve through a central angle of 41°13'22" for a distance of 89.93 to a point of reverse curvature of a curve concave Northerly having a radius of 130.00 feet, with a chord bearing of North 89°25'08" West, and a chord distance of 100.47 feet, thence run Westerly along the arc of said curve through a central angle of 45°27'53" for a distance of 103.16 feet to a point on a non tangent line; thence run South 44°29'36" West for a distance of 64.71 feet; thence run North 73°52'37" West for a distance of 747.39 feet; thence run North 17°46'44" East, for a distance of 127.49 feet; thence run North 72°13'16" West, for a distance of 245.03 feet; thence run North 17°46'44" East, for a distance of 155.27 feet to the POINT OF BEGINNING.

Containing 282,481 square feet, 6.48 acres, more or less.



**ALLEN
&
COMPANY**

Professional Surveyors & Mappers

16 East Plant Street
Winter Garden, Florida 34787 • (407) 654 5355

SURVEYOR'S NOTES:

THIS IS NOT A SURVEY.

THIS SKETCH IS NOT VALID WITHOUT THE SIGNATURE AND ORIGINAL RAISED SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER.

BEARINGS SHOWN HEREON ARE BASED ON THE NORTH/SOUTH CENTERLINE OF SECTION 13-24-28 BEING AN ASSUMED BEARING OF S00°24'42"E.

sk14

JOB NO. 20130298

DATE: 9-21-2015

SCALE: 1" = 300 FEET

FIELD BY: N/A

CALCULATED BY: JLR

DRAWN BY: DY/PJR


CHECKED BY: EGT

FOR THE LICENSED BUSINESS # 6723 BY:

JAMES L. RICKMAN P.S.M. # 5633

SKETCH OF DESCRIPTION

SHEET 7 OF 8



16 East Plant Street
Winter Garden, Florida 34787 • (407) 654-5355

THIS IS NOT A SURVEY:

N.T. DENOTES NON TANGENT

- ⊙ DENOTES CHANGE IN DIRECTION
- R/W DENOTES RIGHT-OF-WAY
- ⊙ DENOTES CENTERLINE
- P.C. DENOTES POINT OF CURVATURE
- P.T. DENOTES POINT OF TANGENCY
- P.R.C. DENOTES POINT OF REVERSE CURVATURE
- P.C.C. DENOTES POINT OF COMPOUND CURVATURE

sk16

JOB NO. 20130298
 DATE: 9-21-2015
 SCALE: 1" = 300 FEET
 FIELD BY: N/A

CALCULATED BY: JLR
 DRAWN BY: DY/PJR
 CHECKED BY: EGT

SKETCH OF DESCRIPTION

SHEET 8 OF 8

LINE TABLE		
LINE	LENGTH	BEARING
L1	12.73'	S55°48'50"E
L2	31.76'	S70°42'36"E
L3	8.00'	S14°37'46"W
L4	91.30'	S52°00'27"W
L5	259.79'	N70°55'42"W
L6	64.71'	S44°29'36"W

CURVE TABLE					
CURVE	RADIUS	LENGTH	CHORD	BEARING	DELTA
C1	1137.00'	26.30'	26.30'	S55°09'04"E	1°19'32"
C2	2814.51'	228.94'	228.88'	S73°02'24"E	4°39'38"
C3	100.00'	57.62'	56.83'	N54°25'15"W	33°00'55"
C4	125.00'	89.93'	88.01'	S88°27'37"W	41°13'22"
C5	130.00'	103.16'	100.47'	N89°25'08"W	45°27'53"



**ALLEN
&
COMPANY**

Professional Surveyors & Mappers

16 East Plant Street
Winter Garden, Florida 34787 • (407) 654 5355

THIS IS NOT A SURVEY:

N.T. DENOTES NON TANGENT

© DENOTES CHANGE IN DIRECTION
 R/W DENOTES RIGHT-OF-WAY
 C DENOTES CENTERLINE
 P.C. DENOTES POINT OF CURVATURE
 P.T. DENOTES POINT OF TANGENCY
 P.R.C. DENOTES POINT OF REVERSE CURVATURE
 P.C.C. DENOTES POINT OF COMPOUND CURVATURE

sk14

JOB NO. 20130298

DATE: 9-21-2015

SCALE: 1" = 300 FEET

FIELD BY: N/A

CALCULATED BY: JLR

DRAWN BY: DY/PJR

CHECKED BY: EGT

SKETCH OF DESCRIPTION

SHEET 2 OF 5

LEGAL DESCRIPTION PHASE 2 4 (PART 2)

A parcel of land comprising a portion of Golf Course Parcel 1, a portion of Golf Course Parcel 3 and a portion of Lake 9, Orangewood Neighborhood 2, as recorded in Plat Book 17, Pages 81 through 87, Public Records of Orange County, Florida.

Being more particularly described as follows:

Beginning at the Northwest corner of Golf Course Parcel 1, run South 72°13'51" East along the North line of said Golf Course Parcel 1 for a distance of 1595.92 feet; thence departing said north line run South 17°46'44" West, for a distance of 155.27 feet; thence run South 72°13'16" East, for a distance of 245.03 feet; thence run South 17°46'44" West, for a distance of 127.49 feet; thence run North 73°52'37" West for a distance of 611.61 feet; thence run North 37°39'42" West for a distance of 167.29 feet; thence run North 78°14'44" West for a distance of 800.54 feet; thence run South 08°48'43" East for a distance of 658.05 feet; thence run South 89°57'50" West for a distance of 319.06 feet to a point on the Easterly right-of-way line of Westwood Boulevard; thence run North 00°29'18" East for a distance of 877.35 feet to the point of curvature of a curve, concave Easterly having a radius of 600.00 feet, with a chord bearing of North 07°11'21" East, and a chord distance of 140.03 feet, thence run Northerly along the arc of said curve through a central angle of 13°24'07" for a distance of 140.34 to the POINT OF BEGINNING.

Containing 628,853 square, feet, 14.44 acres, more or less.



**ALLEN
&
COMPANY**

Professional Surveyors & Mappers

16 East Plant Street
Winter Garden, Florida 34787 • (407) 654 5355

SURVEYOR'S NOTES:

THIS IS NOT A SURVEY.

THIS SKETCH IS NOT VALID WITHOUT THE SIGNATURE AND ORIGINAL RAISED SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER.

BEARINGS SHOWN HEREON ARE BASED ON THE NORTH/SOUTH CENTERLINE OF SECTION 13-24-28 BEING AN ASSUMED BEARING OF S00°24'42"E.

JOB NO. 20130298

DATE: 9-21-2015

SCALE: 1" = 300 FEET

FIELD BY: N/A

CALCULATED BY: JLR

DRAWN BY: DY/PJR

CHECKED BY: EGT


FOR THE LICENSED BUSINESS # 6723 BY:

JAMES L. RICKMAN P.S.M. # 5633

sk15

SKETCH OF DESCRIPTION

SHEET 4 OF 5



16 East Plant Street
Water Garden, Florida 34787 • (407) 654 5355

THIS IS NOT A SURVEY:

N.T. DENOTES NON TANGENT

- ⊙ DENOTES CHANGE IN DIRECTION
- R/W DENOTES RIGHT-OF-WAY
- Ⓢ DENOTES CENTERLINE
- P.C. DENOTES POINT OF CURVATURE
- P.T. DENOTES POINT OF TANGENCY
- P.R.C. DENOTES POINT OF REVERSE CURVATURE
- P.C.C. DENOTES POINT OF COMPOUND CURVATURE

sk15

JOB NO. 20130298

DATE: 9-21-2015

SCALE: 1" = 300 FEET

FIELD BY: N/A

CALCULATED BY: JLR

DRAWN BY: DY/PJR

CHECKED BY: EGT


LEGAL DESCRIPTION

THE LAND REFERRED TO HEREIN BELOW IS SITUATED IN THE COUNTY OF ORANGE, STATE OF FLORIDA, AND IS DESCRIBED AS FOLLOWS:

CONSERVATION AREA #2, ORANGEWOOD NEIGHBORHOOD - 2, ACCORDING TO THE PLAT THEREOF AS RECORDED IN PLAT BOOK 17, PAGES 81 THROUGH 87, INCLUSIVE, PUBLIC RECORDS OF ORANGE COUNTY, FLORIDA.

CURVE TABLE					
CURVE	RADIUS	BEARING	CHORD	DELTA	LENGTH
C9	983.93'	N71°09'56"W	180.26'	10°30'41"	180.51'
C10	978.93'	N77°23'21"W	32.63'	1°54'36"	32.63'

LINE TABLE		
LINE	BEARING	LENGTH
L19	N01°34'14"E	77.12'
L20	N65°54'36"W	144.43'
L21	S13°34'43"W	5.00'
L22	S11°40'08"W	10.00'



SURVEYOR'S NOTES:

1. THIS IS NOT A SURVEY.
2. THIS SKETCH IS NOT VALID UNLESS SEALED WITH AN EMBOSSED SURVEYOR'S SEAL.
3. BEARINGS SHOWN HEREON ARE BASED ON THE NORTH LINE OF GOLF COURSE PARCEL 1 AS BEING S 72°13'51"E. (AN ASSUMED BEARING FOR ANGULAR DESIGNATION ONLY)



JOB NO. <u>20130298</u>	CALCULATED BY: <u>DY</u>
DATE: <u>09/04/2018</u>	DRAWN BY: <u>DY/JLR</u>
SCALE: <u>1" = 300'</u>	CHECKED BY: <u>EGT</u>

FOR THE LICENSED BUSINESS #6723 BY:

 JAMES L. RICKMAN, P.S.M. #5633