# THIS INSTRUMENT PREPARED BY AND AFTER RECORDING RETURN TO:

Tara Petersen, a staff employee in the course of duty with the Real Estate Management Division of Orange County, Florida P.O. Box 1393 Orlando, Florida 32802-1393

### **Property Appraiser's Parcel Identification Number:**

a portion of 23-23-27-0000-00-006

**Project:** Ficquette Road (South of Summerlake Park Boulevard to North of Ingelnook Drive)

## **NOTICE OF RESERVATION**

ORANGE COUNTY, A CHARTER COUNTY AND POLITICAL SUBDIVISION OF THE STATE OF FLORIDA, HEREBY reserves temporary construction easements for the purpose of constructing, tying in and harmonizing the driveway with the adjacent roadway, tying in and harmonizing the existing grade with the adjacent roadway and to plug and grout existing storm drain on the following property:

#### See Attached Exhibit "A"

ORANGE COUNTY shall retain its tempor transfer of fee title.	cary construction easement interests despite any
Dated at Orlando, Florida this	
IN WITNESS WHEREOF, the said COUNT name by its Board, acting by the County Mayor, the	ΓY has caused these presents to be executed in its day and year aforesaid.
(Official Seal)	ORANGE COUNTY, FLORIDA By Board of County Commissioners
	BY:
	BY:  Jerry L. Demings
	Orange County Mayor
ATTEST: Phil Diamond, CPA, Orange County Conas Clerk of the Board of County Commission	
$RV\cdot$	
BY:	
Printed Name	

## LEGAL DESCRIPTION

SCHEDULE "A"

PARCEL NUMBER: 7033A

A PORTION OF THE LANDS DESCRIBED IN OFFICIAL RECORDS BOOK 10738, PAGE 9076, OF THE PUBLIC RECORDS OF ORANGE COUNTY, FLORIDA, LOCATED IN THE SOUTHWEST QUARTER OF THE SOUTHWEST QUARTER OF SECTION 23, TOWNSHIP 23 SOUTH, RANGE 27 EAST, ORANGE COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT A 6 INCH BY 6 INCH CONCRETE MONUMENT IN A WELL BOX WITH NO IDENTIFICATION MARKING THE SOUTH 1/4 CORNER OF SECTION 23, TOWNSHIP 23 SOUTH, RANGE 27 EAST, ORANGE COUNTY FLORIDA; THENCE RUN SOUTH 89°49'28" WEST ALONG THE SOUTH LINE OF THE SOUTHWEST QUARTER OF SAID SECTION 23, A DISTANCE OF 1322.25 FEET TO THE SOUTHEAST CORNER OF THE SOUTHWEST QUARTER OF THE SOUTHWEST QUARTER OF SAID SECTION 23; THENCE DEPARTING SAID SOUTH LINE, RUN NORTH 00°01'22" WEST ALONG THE EAST LINE OF THE SOUTHWEST QUARTER OF THE SOUTHWEST QUARTER OF SAID SECTION 23, A DISTANCE OF 930.56 FEET TO A POINT ON THE EXISTING SOUTHERLY RIGHT OF WAY LINE OF FICQUETTE ROAD AS DESCRIBED IN DEED BOOK 1015, PAGE 149 OF THE PUBLIC RECORDS OF ORANGE COUNTY, FLORIDA; THENCE DEPARTING SAID EAST LINE, RUN SOUTH 62°59'01" WEST, A DISTANCE OF 1034.47 FEET TO THE POINT OF BEGINNING; THENCE DEPARTING SAID SOUTHERLY RIGHT OF WAY LINE, RUN SOUTH 27°00'59" EAST, A DISTANCE OF 6.00 FEET; THENCE NORTH 62°59'01" EAST, A DISTANCE OF 43.04 FEET; THENCE SOUTH 27°00'59" EAST, A DISTANCE OF 45.00 FEET; THENCE SOUTH 62°59'01" WEST, A DISTANCE OF 54.57 FEET; THENCE NORTH 27°00'59" WEST, A DISTANCE OF 31.00 FEET; THENCE SOUTH 62°59'01" WEST, A DISTANCE OF 67.19 FEET; THENCE NORTH 27°00'59" WEST, A DISTANCE OF 14.00 FEET; THENCE SOUTH 62°59'01" WEST, A DISTANCE OF 67.17 PEET; THENCE NORTH 27°00'59" WEST, A DISTANCE OF 6.00 FEET; THENCE NORTH 27°00'59" WEST, A DISTANCE OF 6.00 FEET; THENCE NORTH 27°00'59" WEST, A DISTANCE OF 6.00 FEET TO A POINT ON THE ACCRESAIN FEET; THENCE NORTH 25°46'03" WEST, A DISTANCE OF 6.00 FEET TO A POINT ON THE AFORESAID SOUTHERLY RIGHT OF WAY LINE OF FICQUETTE ROAD; THENCE NORTH 62°59'01" EAST ALONG SAID SOUTHERLY RIGHT OF WAY LINE, A DISTANCE OF 445.75 FEET TO THE POINT OF BEGINNING.

CONTAINING 6071 SQUARE FEET, MORE OR LESS

#### NOTES:

- 1. THIS SKETCH OF DESCRIPTION WAS PREPARED WITH THE BENEFIT OF CERTIFICATE OF TITLE PREPARED BY FIRST AMERICAN TITLE INSURANCE COMPANY AS TO FILE NO. 2021-3130361, EFFECTIVE DATE OF APRIL 30, 2014.
- 2. BEARINGS SHOWN HEREON WERE DERIVED FROM THE SOUTH LINE OF THE SW 1/4 OF SECTION 23, TOWNSHIP 23 SOUTH, RANGE 27 EAST, ORANGE COUNTY, FLORIDA, BEING SOUTH 89°49'28" WEST.

I HEREBY CERTIFY THIS SKETCH OF DESCRIPTION IS IN ACCORDANCE WITH THE STANDARDS OF PRACTICE AS REQUIRED BY CHAPTER 5J-17 FLORIDA ADMINISTRATIVE CODE PURSUANT TO SECTION 472.027, FLORIDA STATUTES.

SHEILA A. WARE, P.S.M.

09/27/2023

LICENSE NUMBER 5529

DATE

NOT VALID WITHOUT THE ORIGINAL SIGNATURE AND SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER

SEE SHEET 2 FOR LEGEND SEE SHEET 2 FOR SKETCH OF DESCRIPTION

DATE	SEPTEMBER 27, 2023		
DRAWN BY	M.ROLLINS		
CHECKED BY	S.WARE		1
DEWBERRY PROJECT NO.	50104410		] ફ
			Ŧ١
REVISION	BY	DATE	

CERTIFICATION OF AUTHORIZATION No. LB 8011

Dewberry

800 NORTH MAGNOLIA AVENUE SUITE 1000 ORLANDO, FLORIDA 32803 (407) 843-5120

SKETCH OF DESCRIPTION (THIS IS NOT A BOUNDARY SURVEY)

> FICQUETTE ROAD **ORANGE COUNTY** C.I.P. NO. 5140

**SECTION: 22 & 23** TOWNSHIP: 23 S RANGE: 27 E


SCALE: N/A

SHEET 1 OF 2

# SKETCH OF DESCRIPTION

SCHEDULE "A"

PARCEL NUMBER: 7033A



## LEGAL DESCRIPTION

SCHEDULE "A"

PARCEL NUMBER: 7033B

A PORTION OF THE LANDS DESCRIBED IN OFFICIAL RECORDS BOOK 10738, PAGE 9076, OF THE PUBLIC RECORDS OF ORANGE COUNTY, FLORIDA, LOCATED IN THE SOUTHWEST QUARTER OF THE SOUTHWEST QUARTER OF SECTION 23, TOWNSHIP 23 SOUTH, RANGE 27 EAST, ORANGE COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT A 6 INCH BY 6 INCH CONCRETE MONUMENT IN A WELL BOX WITH NO IDENTIFICATION MARKING THE SOUTH 1/4 CORNER OF SECTION 23, TOWNSHIP 23 SOUTH, RANGE 27 EAST, ORANGE COUNTY FLORIDA; THENCE RUN SOUTH 89°49'28" WEST ALONG THE SOUTH LINE OF THE SOUTHWEST QUARTER OF SAID SECTION 23, A DISTANCE OF 1322.25 FEET TO THE SOUTHEAST CORNER OF THE SOUTHWEST QUARTER OF SAID SECTION 23, A DISTANCE OF 923.82 FEET TO THE POINT OF BEGINNING; THENCE DEPARTING SAID EAST LINE, RUN SOUTH 62°59'01" WEST, A DISTANCE OF 988.37 FEET; THENCE NORTH 27°00'59" WEST, A DISTANCE OF 6.00 FEET TO A POINT ON THE EXISTING SOUTHERLY RIGHT OF WAY LINE OF FICQUETTE ROAD AS DESCRIBED IN DEED BOOK 1015, PAGE 149 OF THE PUBLIC RECORDS OF ORANGE COUNTY, FLORIDA; THENCE RUN NORTH 62°59'01" EAST ALONG SAID EXISTING SOUTHERLY RIGHT OF WAY LINE, A DISTANCE OF 991.42 FEET TO ITS INTERSECTION WITH AFORESAID EAST LINE OF THE SOUTHWEST QUARTER OF THE SOUTHWEST QUARTER OF SECTION 23; THENCE DEPARTING SAID SOUTHERLY RIGHT OF WAY LINE, RUN SOUTH 00°01'22" EAST, A DISTANCE OF 6.73 FEET TO THE POINT OF BEGINNING.

CONTAINING 5939 SQUARE FEET, MORE OR LESS

## NOTES:

- THIS SKETCH OF DESCRIPTION WAS PREPARED WITH THE BENEFIT OF CERTIFICATE OF TITLE PREPARED BY FIRST AMERICAN TITLE INSURANCE COMPANY AS TO FILE NO. 2021-3130361, EFFECTIVE DATE OF APRIL 30, 2014.
- BEARINGS SHOWN HEREON WERE DERIVED FROM THE SOUTH LINE OF THE SW 1/4 OF SECTION 23, TOWNSHIP 23 SOUTH, RANGE 27 EAST, ORANGE COUNTY, FLORIDA, BEING SOUTH 89°49'28" WEST.

I HEREBY CERTIFY THIS SKETCH OF DESCRIPTION IS IN ACCORDANCE WITH THE STANDARDS OF PRACTICE AS REQUIRED BY CHAPTER 5J-17 FLORIDA ADMINISTRATIVE CODE PURSUANT TO SECTION 472.027, FLORIDA STATUTES.

SHELLA A WARE P.S.M.

09/27/2023

SHEILA A. WARE, P.S.M. LICENSE NUMBER 5529

DATE

NOT VALID WITHOUT THE ORIGINAL SIGNATURE AND SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER

SEE SHEET 2 FOR LEGEND SEE SHEET 2 FOR SKETCH OF DESCRIPTION

DATE	SEPTEMBE		
DRAWN BY	M.ROLLINS		
CHECKED BY	S.WARE		٦.
DEWBERRY PROJECT NO.	50104410		] 8
			Ŧ٦
			] 8
REVISION	BY	DATE	

CERTIFICATION OF AUTHORIZATION No. LB 8011

# Dewberry

800 NORTH MAGNOLIA AVENUE SUITE 1000 ORLANDO, FLORIDA 32803 (407) 843-5120 SKETCH OF DESCRIPTION
(THIS IS NOT A BOUNDARY SURVEY)

FICQUETTE ROAD ORANGE COUNTY C.I.P. NO. 5140 SECTION: 22 & 23 TOWNSHIP: 23 S RANGE: 27 E

SCALE: N/A
SHEET 1 OF 2

10/4/2003 T.P.

#### SKETCH OF DESCRIPTION SCHEDULE "A" PARCEL NUMBER: 7033B LINE DATA FICQUETTE ROAD LINE BEARING DISTANCE N27°00'59"W 6.00'(C) L1 L2 S00°01'22"E 6.73'(C) EXIST SOUTHERLY RIM LINE PER D.B. 1015, PG. 149 P.O.B. 923.82'(C) 1321.73'(F) N00°01'22"W T.C.E. N62°59'01"E 7033B 362°59'01"W 5939 S.F. ± STA.441+88.28 F LINE OF THE 60.00'RT(C) SW 1/4 OF N62°59'01"E THE SW 1/4 896.53.(0) OF SEC. 23 **DETAIL "A"** STA.441+88.28 N.T.S. 66.00'RT(C) N89°48'46"E 1321.74'(F) SIGNATURE LAKES - PARCEL 1A P.B.59, PG.37 P.O.B. N00°00'03"W 1321.45'(F) 200 400 FICQUETTE ROAD N62°59'01' T.C.E. CURVE C1 7033B) $\Delta = 09^{\circ}30'17''(F)$ Scale: 1" = 400' 5939 S.F. ± L= 153.51'(F) EXIST SOUTHERLY RIM LINE PER 140 RIM 101E PC 140 R= 925.37'(F) SEE DETAIL "A" C.D.= 153.33'(F) NW LINE PER 149 E LINE OF THE **P.O.C.** S 1/4 COR. -OF SEC. 23 C.B.= N58°13'52"E 22 SW 1/4 OF .82'(C) THE SEC. THE SW 1/4 V00°01'22' OF SEC. 23 FND. 6"X6" C.M. 99 NO ID N62°59'01"E (IN WELL BOX) LINE 1/4 SE COR. OF SEC. 22 CCR# 74844 FND. 6"X6" C.M. S L SE SE COR. OF THE SW 1/4 W/ X-CUT S LINE OF THE 22 OF THE SW 1/4 OF SEC. 23 CCR# 74845 SW 1/4 OF SEC. 23 1322.25'(C) 1322.25'(C) 490.43'(C) S89°49'28"W 2644.50'(F) S89°33'55"W 26 27 **LEGEND & ABBREVIATIONS** = SQUARE FEET = SECTION = STATION = CHORD BEARING = CERTIFIED CORNER RECORD = CHORD DISTANCE = DEED BOOK = EASEMENT = EXISTING = PLAT BOOK = POINT OF CURVATURE = PAGE / PAGES = ARC LENGTH = LICENSED SURVEY LB C.C.R. STA. C.D. EXIST. BUSINESS PG./PGS. = PAGE / PAGES = POINT OF INTERSECTION = POINT OF BEGINNING = POINT OF COMMENCEMENT = POINT OF REVERSE CURVATURE LT = LEFT M.N.D. = MAG NAIL AND DISK NO. = NUMBER NT = NON-TANGENT = TANGENT BEARING C.I.P. C.M. COR. = CAPITAL IMPROVEMENT PROGRAM FND. FOUND = TANGENT BEARING = TEMPORARY CONSTRUCTION EASEMENT = WITH = CONCRETE MONUMENT = CORNER = CALCULATED DISTANCE = FLORIDA POWER CORPORATION = FIELD DISTANCE P.O.C. W/ Ł (F) PRC = PROPERTY LINE = ORANGE COUNTY = OFFICIAL RECORDS BOOK = DEED DISTANCE = IDENTIFICATION POINT OF TANGENCY = FROPERTY LINE = SAME PROPERTY OWNER = DELTA (CENTRAL ANGLE) = CHANGE IN DIRECTION = IRON ROD (R) = RADIAL R/W LINE MORE OR LESS SEE SHEET 1 FOR LEGAL DESCRIPTION AND CERTIFICATION = RIGHT OF WAY SEPTEMBER 27, 2023

DATE SEPTEMBER 27, 2023

DRAWN BY M.ROLLINS

CHECKED BY S.WARE

DEWBERRY PROJECT NO. 50104410

REVISION BY DATE

CERTIFICATION OF AUTHORIZATION No. LB 8011

## Dewberry

800 NORTH MAGNOLIA AVENUE SUITE 1000 ORLANDO, FLORIDA 32803 (407) 843-5120

# SKETCH OF DESCRIPTION (THIS IS NOT A BOUNDARY SURVEY)

FICQUETTE ROAD ORANGE COUNTY C.I.P. NO. 5140 SECTION: 22 & 23

TOWNSHIP: 23 S

RANGE: 27 E

SHEET 2 OF

SCALE: 1"=400'

10/4/2023 T.P.