



Interoffice Memorandum

REAL ESTATE MANAGEMENT ITEM 8

**DATE:** November 30, 2017

**TO:** Mayor Teresa Jacobs  
and the  
Board of County Commissioners

**THROUGH:** Paul Sladek, Manager *PS*  
Real Estate Management Division

**FROM:** Elizabeth Price Jackson, Senior Title Examiner *EPJ*  
Real Estate Management Division

**CONTACT PERSON:** **Paul Sladek, Manager**

**DIVISION:** **Real Estate Management**  
**Phone: (407) 836-7090**

**ACTION REQUESTED:** APPROVAL AND EXECUTION OF RESOLUTION AND  
AUTHORIZATION TO INITIATE CONDEMNATION PROCEEDINGS

**PROJECT:** Texas Avenue RCA (Oak Ridge Road to Holden Avenue)  
  
District 6

**PURPOSE:** Acquisition of one fee simple parcel and two temporary construction  
easements required for road widening improvements.

**ITEM:** Resolution (Parcels 1024/7024A/7024B)

**BUDGET:** Account No.: 1023-072-5121-6110

**APPROVALS:** Real Estate Management Division  
Public Works Department

**REMARKS:** This is the third submittal of parcels for this project to be acquired through  
eminent domain.

DEC 19 2017

Upon a motion by Commissioner Emily Bonilla, seconded by Commissioner Pete Clarke, and carried with all members present and voting AYE by voice vote, the Board adopted the following:

RESOLUTION

WHEREAS, during FY 03/04, the Board approved the project known as Texas Avenue RCA (Oak Ridge Road to Holden Avenue) to improve the existing roadway, add sidewalks and turn lanes, address the drainage problems, and improve the traffic flow as outlined in the staff report attached as Exhibit "A".

WHEREAS, in connection with the construction, repair and maintenance of the Texas Avenue RCA (Oak Ridge Road to Holden Avenue) project by Orange County, a charter county and political subdivision of the State of Florida, it is necessary that said County have the required areas for roadway purposes and it is necessary and in the public interest that there be acquired the required fee simple and temporary construction easement interests in certain lands for proper construction and maintenance of the above road in the County's Road System; and

WHEREAS, efforts to purchase said lands from the owner of said lands have been unsuccessful to date.

NOW THEREFORE, BE IT RESOLVED by Orange County, a charter county and political subdivision of the State of Florida, by and through the Board of County Commissioners of said County, that the acquisition of the required fee simple and temporary construction easement interests in the required lands necessary for roadway purposes has been found to be and is hereby found to be necessary, practical, and to the best interest of Orange County, Florida, and the people of said County, and the same is for a County purpose; and be it further

RESOLVED that for the purposes aforesaid, it is necessary, practical, and to the best interest of the public and Orange County and of the people of said County that the fee simple and temporary construction easement interests for roadway purposes be acquired in the name of said County by gift, purchase, eminent domain proceedings, or otherwise over and upon all those certain pieces, parcels or tracts of land, situate, lying and being in Orange County, Florida, as described in the attached Schedule "A" and Schedule "B".

AND BE IT FURTHER RESOLVED that the temporary construction easement designated as parcel numbers 7024A/7024B shall commence on the date that Orange County takes title to said temporary construction easement and terminate seven (7) years after that date,

AND BE IT FURTHER RESOLVED that the property descriptions under parcel numbers 1024/7024A/7024B are ratified and confirmed and found necessary for this project to the extent of the estate or interest set forth as a part of the respective parcel descriptions, the above referenced descriptions being attached hereto as Schedule "A" and Schedule "B", and made a part by reference hereof, that Orange County, the Board of County Commissioners of said County, the Deputy Clerk of said Board of County Commissioners, the attorneys of said Board of County Commissioners and County, and all appropriate departments, officers and employees of said County be, and they are hereby authorized and directed to proceed to take necessary steps to institute and prosecute such necessary actions and proceedings as may be proper for the acquisition of the required fee simple and temporary construction easement interests in said lands by gift, purchase, eminent domain proceedings or otherwise, and to prepare, sign, execute, serve, publish, and file, in the name of the County by its commissioners, all eminent domain papers, affidavits and pleadings, and said attorneys are authorized to have prepared, at said County's expense, such abstract of title search as may be necessary in connection therewith.

ADOPTED THIS DEC 19 2017.

(Official Seal)

ORANGE COUNTY, FLORIDA  
By: Board of County Commissioners


ATTEST: Phil Diamond, CPA,  
County Comptroller  
as Clerk of the Board  
of County Commissioners

BY: *Teresa Jacobs*  
Teresa Jacobs  
Orange County Mayor

BY: *Jessica Vaupel*  
for Deputy Clerk  
Jessica Vaupel  
Printed Name

DATE: 12.19.17

/bj



**STAFF REPORT**

November 8, 2007

Texas Avenue

From Oak Ridge Road to Holden Avenue

CIP 5027

---

**PROJECT HISTORY**

1. In February 2002, Orange County began the Roadway Conceptual Analysis (RCA) for the Texas Avenue project. The Texas Avenue project extends from south of Oak Ridge Road to South of Holden Avenue. The services in this study included preparation of the *Texas Avenue Preliminary Engineering Report*. This report included, but was not limited to, design and analysis, traffic report, stormwater management, utility impacts, community impacts, natural and biological features, environmental audit, public involvement and project construction cost.
2. The Public Kickoff Meeting for the Texas Avenue RCA was held on Thursday, May 16, 2002, at Palmetto Elementary School at 2015 Duskin Avenue, Orlando, Florida and was attended by approximately 30 people. The meeting began at 6:30 PM and lasted until 9:00 PM.

The "open-house" portion of the meeting began at 6:30 PM with members of the study team available to answer questions from residents, business owners and other interested parties. At 7:00 PM, county staff provided a brief presentation that addressed the need for the project, the study process, the project schedule and an overview of the public involvement process that will be used during the entire study phase. Following the presentation, members of the study team again answered project questions one-on-one.

3. The second Public Meeting for the Texas Avenue RCA was held on August 1, 2002 at Orange County Public Works Building, 4200 S. John Young Parkway, Orlando, Florida and was attended by approximately 44 people.

This public meeting was similar to the first one held in May, with an open-house format followed by a formal presentation. It began at 6:30 PM with members of the Project Team available to answer questions from residents and business owners one-on-one. At 7:00 PM, the Project Team gave a formal presentation that described the activities that have been held since the first Public Meeting and the development and evaluation of the alternative alignments that are being considered. Following this presentation, a question & answer period was held to allow the public to ask questions in a formal setting.

4. The third Public Meeting for the Texas Avenue RCA was held on October 24, 2002 at Orange County Public Works Building, 4200 S. John Young Parkway, Orlando, Florida and was attended by approximately 20 people.

This workshop began at 6:30 PM with an open-house format followed by a formal presentation. The open-house portion of the meeting had members of the Project

**STAFF REPORT**

November 08, 2007

Texas Avenue

From Oak Ridge Road to Holden Avenue

CIP 5027

Team available to answer questions from residents and business owners one-on-one. At 7:00 PM, the Project Team gave a formal presentation that described the activities that have been held to date. The team presented the proposed design recommendations to the public, specifically the decision to utilize a 91.5 foot wide typical section with 15.5 foot raised median, four 11 foot wide travel lanes, 4-foot wide on road bicycle lanes and 5-foot wide sidewalks. Following this presentation, a question & answer period was held to allow the public to ask questions in a formal setting.

5. The Orange County Local Planning Agency Workshop was held on January 16, 2003. This workshop was held to present the *Texas Avenue Preliminary Engineering Report* results and recommendations as well as solicit comments from the Local Planning Agency.
6. A Local Planning Agency (LPA) Public Hearing was held on October 16, 2003 in the Commissioner Chambers at the Orange County Administration Building located at 201 South Rosalind Avenue, Orlando, Florida. The meeting began at 1:30 p.m. when the Orange County staff presented the roadway improvement concept, which is to widen Texas Avenue to four lanes. There were no objections to the project. The LPA voted to find the *Texas Avenue Preliminary Engineering Report* consistent with the Orange County Comprehensive Transportation Plan.
7. The Board of County Commissioners (BCC) Public Hearing was held on November 11, 2003 in the Commissioner Chambers at the Orange County Administration Building located at 201 South Rosalind Avenue, Orlando, Florida. The meeting began at 3:00 P.M., when at that time the Orange County staff presented the conclusions and recommendations of the Texas Avenue Roadway Conceptual Analysis (RCA) Study to the Orange County Board of County Commissioners (BCC). The proposed improvement concept consisted of widening Texas Avenue between Oak Ridge Road and Holden Avenue to four lanes. The BCC unanimously approved the RCA study and proceeding with the final design, right-of-way acquisition, and construction of the project.

**PROJECT CONSIDERATIONS**

Among the important elements in determining the need for the roadway improvements are: Existing conditions, long range planning, safety considerations, environmental considerations, evaluation of alternative alignments, engineering recommendations and project cost.

**Existing Conditions**

Texas Avenue is a two-lane roadway with a posted speed limit of 30 miles per hour from Oak Ridge Road to Americana Boulevard, and 35 miles per hour, from Americana

## Exhibit "A"

### STAFF REPORT

November 08, 2007

Texas Avenue

From Oak Ridge Road to Holden Avenue

CIP 5027

Boulevard to Holden Avenue. Properties adjacent to Texas Avenue are mostly classified as residential, and the road is an important element of the Orange County's roadway network. This section describes the physical characteristics of the roadway and the study area.

Texas Avenue is classified as a minor arterial roadway. This 1.5-mile segment of roadway connects Oak Ridge Road on the south with Americana Boulevard and Holden Avenue to the north, and is located parallel to John Young Parkway (to the west) and to South Orange Blossom Trail (US 441) (to the east). Both John Young Parkway and US 441 are classified as principal urban arterials, while Oak Ridge Road and Americana Boulevard are classified as minor arterials. Holden Avenue is classified as a minor collector road. It is also worth noting that a study was performed on November 2001, recommending that Holden Avenue be widened. When the Holden Avenue improvements are completed, the classification for Holden Avenue will change from a minor collector to a minor arterial.

The typical section of Texas Avenue consists of two travel lanes, varying from ten to twelve feet in width. Center left turn lanes are located at certain locations, particularly at intersecting side street and neighborhood entrances.

### Long Range Planning

The limits of the Texas Avenue RCA are from Oak Ridge Road to Holden Avenue. Using the projected traffic volumes presented in the RCA, the anticipated future year travel conditions along Texas Avenue were analyzed using the appropriate Highway Capacity Software (HCS 2000) modules and the FDOT Generalized Level of Service (LOS) tables. The results of the future year operational analyses for both the build and no-build conditions were analyzed. The operational analyses results clearly show that the projected travel service conditions on Texas Avenue will degrade to unacceptable levels by the mid-year (2015) if no roadway improvements are provided. The analysis results for the design year (2025) concluded that every Texas Avenue link will degrade to LOS-F, as will the major signalized intersections at Oak Ridge Road and Americana Boulevard if capacity enhancements are not provided. The analysis of the build scenario traffic forecasts showed that the roadway will generally be operating at LOS-C in the opening year, LOS-D in the mid-year (2015), and still at an acceptable LOS-E in the design year (2025).

### Safety Considerations

As briefly described in Section 2.2 of the Texas Avenue RCA, pedestrians, bicyclists and bus transit users heavily travel the Texas Avenue Corridor. Most of the students attending the Palmetto Elementary School (approximately 98 percent of the school's student population) reach their final destination by either walking or bicycle riding. Furthermore,

## Exhibit "A"

### STAFF REPORT

November 08, 2007

Texas Avenue

From Oak Ridge Road to Holden Avenue

CIP 5027

there is a considerable amount of residents walking and bicycle riding from the numerous residential communities to the community commercial centers, the Palmetto Elementary School, and the Lynx bus stops. Although sidewalks are provided along Texas Avenue, there are no designated bicycle facilities. The RCA evaluation, and the comments received from the corridor's residents during the public involvement activities, confirmed the need to enhance the safety parameters of the existing pedestrian and bicycle facilities. The evaluation of the Texas Avenue's accident history showed that a total of 124 accidents occurred within the corridor over the one-year period 2000 to 2001. Further analysis indicated that the most common types of accidents included rear end and turns, angles or sideswipes. Pedestrian and motorists safety is always a primary concern in the development of a project. Some of the safety features incorporated into the Texas Avenue project are: the 15.5-foot raised grassed median dividing the roadway, construction of new sidewalks, reconstruction of some existing sidewalks, addition of bicycle lanes, signalization improvements, and improved access management.

### Environmental Considerations

The segment of Texas Avenue considered in this report serves a heavily developed corridor within central Orange County. Properties adjacent to Texas Avenue are mostly classified as residential. Due to the large amount of development that has occurred within the corridor, there is little natural environment remaining. Field reviews and record searches concluded that there are no threatened or endangered plant or animal species present in the corridor, nor are there any jurisdictional wetlands. An assessment of the corridor's natural resources was conducted by professional ecologists and biologists during the RCA study. Based on the study performed, no significant adverse impacts are anticipated by this project.

Widening of the existing roadway from two lanes to a four-lane divided roadway will have only minor impacts to several existing drainage ditches that are adjacent to the roadway. On the south side of Wakulla Way there is an existing ditch that runs in an east-west direction and is currently connected under Texas Avenue via an existing 48" Reinforced Concrete Pipe (RCP). As a result of widening the road, this existing pipe will need to be replaced, in order to maintain this connection.

The Americana Canal crosses Texas Avenue immediately south of Myakka Drive. This canal is part of the Shingle Creek Drainage Basin. The canal crosses under the roadway via an existing 84-inch RCP. There will be no wetland impacts associated with the canal crossing improvements; however, there will be some floodplain impacts, which can be mitigated by widening the westbound leg of the canal. Details of this system can be found in the Texas Avenue RCA Pond Siting Report. As a result of the shift in the Texas Avenue alignment to avoid impacts to Hidden Creek Villas (between Duskin and Myakka) modifications to the cross section of the canal are required.

## Exhibit "A"

### STAFF REPORT

November 08, 2007

Texas Avenue

From Oak Ridge Road to Holden Avenue

CIP 5027

Approximately 1,000 feet of the Americana Canal section from immediately north of Duskin Avenue to just south of Myakka Drive will be reconstructed to include double 7-ft x 7-ft concrete box culvert (CBC) system. This system will connect the canal from upstream of the existing crossing to the southernmost limit of the canal where it turns back to the west again. The details of this concept can be found in the Texas Avenue RCA Pond Siting Report.

The preliminary contamination screening evaluation has been completed for the corridor. The results of the evaluation identified three (3) sites as having the potential for subsurface contamination. The OUC substation located in the southeast quadrant of the Texas Avenue/Holden Avenue intersection and the new gas station/convenience store located on Americana Boulevard east of Texas Avenue were identified as potentially low risk locations. The closed Mobil Gasoline station located in the northeast quadrant of the Texas Avenue/Americana Boulevard intersection was identified as a potentially high-risk location.

Stormwater treatment ponds will be used to treat and attenuate the collected water before discharge into receiving waters.

### Evaluation of Alternative Alignments

For the purpose of this analysis, the Texas Avenue corridor was subdivided into three segments based on a variety of key engineering and environmental characteristics common to each segment.

These segments are the following:

- Segment 1 extends from south of the Oak Ridge Rd. intersection to Duskin Av.,
- Segment 2 extends from Duskin Avenue to Americana Boulevard, and
- Segment 3 extends from Americana Boulevard to south of Holden Avenue.

Improvements to the Americana Boulevard - Texas Avenue intersection will be made as part of this project. A number of alternative roadway alignments were developed and analyzed within each segment. These alternative alignments were based on left, right, and center orientations with respect to the existing pavement, and to the right-of-way location. Based upon the results of the engineering and environmental analyses, and the input received from the public and local governments, a preferred alignment was recommended for each of the three segments, as a function of incurring the lowest construction cost, the least residential and business impacts, and the least wetland and floodplain impacts.



## Exhibit "A"

### STAFF REPORT

November 08, 2007

Texas Avenue

From Oak Ridge Road to Holden Avenue

CIP 5027

### Engineering Recommendations

Segment 1: from south of the Oak Ridge Road intersection to Duskin Avenue,

Left, right, and center alignments were evaluated based on impacts to the Oak Ridge Road intersection, business impacts at the Oak Ridge intersection, as well as impacts to multi-family residences and single family residences between Oak Ridge Road and Duskin Avenue.

Based on the projected traffic volumes, the geometric improvements required at the intersection consist of two through travel lanes in each direction, dual left turn lanes for the southbound left turn movements (from southbound Texas Avenue onto eastbound Oak Ridge Road), a single left turn lane for the northbound left turn lane (from northbound Texas Avenue to westbound Oak Ridge Road), as well as dedicated right turn lanes for both north and southbound turning movements from Texas Avenue onto Oak Ridge Road. Based on the number of lanes required, the right-of-way width on Texas Avenue at this intersection will be a minimum of 110 feet.

The preferred alignment at the Oak Ridge Road Intersection was set based on maintaining the existing eastern right-of-way to avoid impacts to the King Express restaurant and the Stoneridge Apartments. Widening at the intersection will be provided by constructing the proposed improvements to the west side of the existing roadway. The proposed alignment also minimizes impacts to the Pinehurst Apartments located on the south side of the intersection.

North of the Oak Ridge Road intersection, the roadway narrows down from 110 feet to 91.5 feet, and the proposed alignment transitions to the east immediately north of the Stoneridge Apartments entrance. The easterly shift was necessary to minimize impacts to both Stoneridge Apartments on the east side and The Seasons condominiums on the west side of the roadway just north of the intersection. However, the preferred alignment will impact approximately 17 parking spaces at The Seasons complex.

The proposed easterly alignment does result in the need for right-of-way acquisition of 7 single-family residences and 1 vacant lot between Wakulla Way and Duskin Avenue. Had the proposed 91.5-foot alignment been centered through this area, the resulting alignment would have required acquisition of a greater number of residential homes and properties on both sides of the roadway.

Segment 2 from Duskin Avenue to Americana Boulevard:

North of Duskin Avenue the proposed alignment shifts to the west to avoid impacts to Palmetto Elementary School, and to the apartment and condominium complexes at

Exhibit "A"

**STAFF REPORT**

November 08, 2007

Texas Avenue

From Oak Ridge Road to Holden Avenue

CIP 5027

Hidden Creek Villas and Windover Health Club. The alignment through this area maintains the existing eastern right-of-way, and the proposed widening will be to the west side of the road. The existing right-of-way is 80 feet in width and will need to be increased to 91.5 feet. The proposed 91.5-foot roadway width will result in impacts to the Americana Canal between Duskin Avenue and Myakka Drive. Additionally, minor impacts will result in an acquisition of a strip at a single-family residence on the corner of Myakka Drive and Texas Avenue.

North of Myakka Drive, the proposed alignment will maintain the 91.5-foot roadway width and will also maintain the existing eastern right-of-way to approximately 400 feet south of the Americana Boulevard intersection. Along the west side of the alignment, acquisition of an approximately 11.5-foot strip of property from the Citrus Glen apartment complex will be required.

Based on the projected traffic volumes for the intersection of Texas Avenue and Americana Boulevard, the geometric improvements required at the intersection consist of two through travel lanes in each direction, as well as single left turn and right turn lanes for both the northbound and southbound turning movements (from Texas Avenue on to Americana Boulevard). The right-of-way width required along Texas Avenue to accommodate the proposed intersection geometry will be a minimum of 102.5 feet. Acquisition of the additional right-of-way will result in impacts to the Pointe Vista apartment complex, where approximately 100 linear feet of the existing wall will need to be reconstructed, and to the property located on the southeast corner of the intersection.

Segment 3 from Americana Boulevard to south of Holden Avenue:

Immediately north of the Americana Boulevard intersection, the alignment will maintain the existing eastern right-of-way, and will require right-of-way acquisition from the Huntington on the Green condominium complex, which will result in the loss of 20 parking spaces located in the southeasterly quadrant of this property. Approximately 500 feet north of the Americana Boulevard intersection, beyond the intersection turn lanes, the roadway width will narrow down back to a 91.5-foot section.

From the south entrance of Huntington on the Green to approximately 400' south of Holden Avenue, the alignment remains shifted to the east. In order to provide for the 91.5-foot roadway width, an approximately 11.5-foot strip of right-of-way from the vacant parcel north of Honour is required. Immediately north of the vacant parcel lies Buchanan Bay, here an approximately 11.5-foot strip of right-of-way will be required. The impacts to the south and north entrances of Buchanan Bay will be minor. Alhambra Court condominiums are located between the south and north entrances to Buchanan Bay, acquisition of an approximately 11.5-foot right-of-way strip will be required. Impacts to Buchanan Bay include of the impact to approximately 20 parking spaces north of the entrance, and the impact to 2 spaces south of the entrance. As a result of the

## Exhibit "A"

**STAFF REPORT  
November 08, 2007  
Texas Avenue  
From Oak Ridge Road to Holden Avenue  
CIP 5027**

easterly shift of the alignment from Huntington on the Green to approximately 400' south of Holden Avenue, the Park Central apartment complex property is not impacted.

The proposed Texas Avenue RCA improvements end approximately 300 feet south of the intersection of Texas Avenue and Holden Avenue where the proposed Texas Avenue ties into the roadway and intersection improvements shown in the Holden Avenue RCA project.

The four-lane typical section includes the following:

- Four 11-foot travel lanes;
- 4-foot bike lanes;
- 15.5-foot raised median;
- 5-foot sidewalks (6-foot sidewalks where needed);
- 91.5-foot right-of-way width (except at intersections)

### **Project Costs**

The total Right-of-Way cost for the project is approximately \$11,200,000

The Engineering Design cost for the project is approximately \$1,200,000

The estimated construction cost for the project is approximately \$8,400,000

Therefore, the total project cost is approximately \$ 20,800,000

### **Conclusion**

In accordance with the Texas Avenue Roadway Conceptual Analysis, the Texas Avenue project from Oak Ridge Road to Holden Avenue should be designed and constructed as a four lane urban, divided facility in order to increase the traffic operation capacity of the existing two-lane roadway, to accommodate the current and future transportation demands resulting from urban growth in the area, and to provide safer pedestrian and bicycle facilities. This project will provide a continuous multi-lane minor arterial route, allowing an alternate link for motorists traveling north and south within central Orange County.

# LEGAL DESCRIPTION

SCHEDULE "A"

PARCEL NUMBER: 1024

A PORTION OF A PARCEL OF LAND IN THE SOUTHEAST QUARTER OF SECTION 16, TOWNSHIP 23 SOUTH, RANGE 29 EAST, DESCRIBED IN OFFICIAL RECORDS BOOK 4676, PAGE 2693, OF THE PUBLIC RECORDS OF ORANGE COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT A RAILROAD SPIKE, WITH AN X-CUT AND NO OTHER IDENTIFICATION, MARKING THE NORTHEAST CORNER OF THE SOUTHEAST QUARTER OF SECTION 16, TOWNSHIP 23 SOUTH, RANGE 29 EAST, ORANGE COUNTY, FLORIDA; THENCE RUN SOUTH 00°15'05" EAST, ALONG THE EAST LINE OF SAID SOUTHEAST QUARTER OF SECTION 16, A DISTANCE OF 76.00 FEET TO A POINT ON A LINE PROJECTED EASTERLY FROM THE EXISTING SOUTH RIGHT OF WAY LINE OF AMERICANA BOULEVARD AS DEPICTED ON THE PLAT OF AMERICANA UNIT TWO, RECORDED IN PLAT BOOK 5, PAGE 24, OF THE PUBLIC RECORDS OF ORANGE COUNTY, FLORIDA; THENCE, DEPARTING SAID EAST LINE OF THE SOUTHEAST QUARTER OF SECTION 16, RUN SOUTH 89°36'36" WEST, ALONG SAID PROJECTED LINE, A DISTANCE OF 40.00 FEET TO A 4-INCH SQUARE CONCRETE MONUMENT, WITH NO IDENTIFICATION, MARKING THE POINT OF INTERSECTION OF SAID EXISTING SOUTH RIGHT OF WAY LINE OF AMERICANA BOULEVARD AND THE EXISTING WEST RIGHT OF WAY LINE OF TEXAS AVENUE, AS DEPICTED ON SAID PLAT OF AMERICANA UNIT TWO, SAID POINT BEING THE POINT OF BEGINNING; THENCE, DEPARTING SAID PROJECTED LINE, RUN SOUTH 00°15'05" EAST, ALONG SAID EXISTING WEST RIGHT OF WAY LINE OF TEXAS AVENUE, A DISTANCE OF 1,188.25 FEET TO A POINT ON THE NORTH LINE OF LOT 375 AS DEPICTED ON THE PLAT OF SOUTH POINT UNIT 3, RECORDED IN PLAT BOOK 22, PAGE 50, OF SAID PUBLIC RECORDS; THENCE, DEPARTING SAID EXISTING WEST RIGHT OF WAY LINE OF TEXAS AVENUE, RUN SOUTH 89°44'55" WEST, ALONG SAID NORTH LINE OF LOT 375, A DISTANCE OF 11.50 FEET TO A POINT ON A LINE RUNNING PARALLEL WITH AND 51.50 FEET WESTERLY OF, WHEN MEASURED PERPENDICULAR TO, THE AFORESAID EAST LINE OF THE SOUTHEAST QUARTER OF SECTION 16; THENCE, DEPARTING SAID NORTH LINE OF LOT 375, RUN NORTH 00°15'05" WEST, ALONG SAID PARALLEL LINE, A DISTANCE OF 1,148.46 FEET; THENCE, DEPARTING SAID PARALLEL LINE, RUN THE FOLLOWING TEN (10) COURSES AND DISTANCES: NORTH 21°18'37" WEST, A DISTANCE OF 28.39 FEET; THENCE, NORTH 79°04'31" WEST, A DISTANCE OF 37.19 FEET; THENCE, SOUTH 89°35'23" WEST, A DISTANCE OF 59.02 FEET; THENCE SOUTH 89°29'19" WEST, A DISTANCE OF 29.17 FEET; THENCE, SOUTH 89°28'06" WEST, A DISTANCE OF 47.16 FEET; THENCE, SOUTH 89°30'54" WEST, A DISTANCE OF 45.00 FEET;

(CONTINUED ON SHEET 2 OF 6)

NOTE: BEARING STRUCTURE BASED ON THE EAST LINE OF THE SOUTHEAST QUARTER OF SECTION 16, TOWNSHIP 23 SOUTH, RANGE 29 EAST, ORANGE COUNTY, FLORIDA, BEING NORTH 00°15'05" WEST, ASSUMED.

THIS IS NOT A BOUNDARY SURVEY, NOR HAS FIELD WORK BEEN PERFORMED IN ACCORDANCE WITH 5J-17, FLORIDA ADMINISTRATIVE CODE FOR PREPARATION OF THIS SKETCH OF DESCRIPTION.

WRITTEN BY: RRC	DATE: 11/01/10	SECTION: 16	TEXAS AVENUE-ORANGE COUNTY, FLORIDA	
DRAWN BY: RRC	REV.:	TOWNSHIP: 23S	Bowyer-Singleton & Assoc., Inc. 520 SOUTH MAGNOLIA AVENUE ORLANDO, FLORIDA 32801 TELEPHONE: 407-843-5120	DRAWING SCALE: N/A
APPROVED BY:	REV.:	RANGE: 29E		SHEET 1 OF 6
	REV.:			C.I.P. - 5027

# LEGAL DESCRIPTION

SCHEDULE "A"


PARCEL NUMBER: 1024

(CONTINUED FROM SHEET 1 OF 6)

THENCE, SOUTH 89°30'43" WEST, A DISTANCE OF 58.33 FEET; THENCE, SOUTH 89°41'14" WEST, A DISTANCE OF 56.94 FEET; THENCE, SOUTH 89°35'33" WEST, A DISTANCE OF 18.74 FEET; THENCE, NORTH 82°05'38" WEST, A DISTANCE OF 43.29 FEET TO A POINT ON THE AFOREMENTIONED EXISTING SOUTH RIGHT OF WAY LINE OF AMERICANA BOULEVARD; THENCE RUN NORTH 89°36'36" EAST, ALONG SAID EXISTING SOUTH RIGHT OF WAY LINE, A DISTANCE OF 415.40 FEET TO THE POINT OF BEGINNING.

CONTAINING 16,350 SQUARE FEET OR 0.375 ACRES, MORE OR LESS

THIS IS NOT A BOUNDARY SURVEY, NOR HAS FIELD WORK BEEN PERFORMED IN ACCORDANCE WITH 5J-17, FLORIDA ADMINISTRATIVE CODE FOR PREPARATION OF THIS SKETCH OF DESCRIPTION.

 1/24/11  
WILLIAM E. BYRD  
FLORIDA PROFESSIONAL SURVEYOR AND MAPPER  
LICENSE NUMBER 5442  
520 SOUTH MAGNOLIA AVENUE  
ORLANDO, FLORIDA 32801

NOT VALID WITHOUT SIGNATURE AND ORIGINAL RAISED SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER

CERTIFICATE OF AUTHORIZATION NUMBER LB 1221


NOTE: BEARING STRUCTURE BASED ON THE EAST LINE OF THE SOUTHEAST QUARTER OF SECTION 16, TOWNSHIP 23 SOUTH, RANGE 29 EAST, ORANGE COUNTY, FLORIDA, BEING NORTH 00°15'05" WEST, ASSUMED.

WRITTEN BY: RRC	DATE: 11/01/10	SECTION: 16	TEXAS AVENUE-ORANGE COUNTY, FLORIDA	
DRAWN BY: RRC	REV.:	TOWNSHIP: 23S	Bowyer-Singleton & Assoc., Inc. 520 SOUTH MAGNOLIA AVENUE ORLANDO, FLORIDA 32801 TELEPHONE: 407-843-5120	DRAWING SCALE: N/A
APPROVED BY:	REV.:	RANGE: 29E		SHEET 2 OF 6
	REV.:			C.I.P. • 5027

# SKETCH OF DESCRIPTION

SCHEDULE "A"

PARCEL NUMBER: 1024



NOTE: BEARING STRUCTURE BASED ON THE EAST LINE OF THE SOUTHEAST QUARTER OF SECTION 16, TOWNSHIP 23 SOUTH, RANGE 29 EAST, ORANGE COUNTY, FLORIDA, BEING NORTH 00°15'05" WEST, ASSUMED.


THIS IS NOT A BOUNDARY SURVEY, NOR HAS FIELD WORK BEEN PERFORMED IN ACCORDANCE WITH 5J-17, FLORIDA ADMINISTRATIVE CODE FOR PREPARATION OF THIS SKETCH OF DESCRIPTION.

DESIGNED BY: INWOOD	DATE: 11/01/10	SECTION: 16	TEXAS AVENUE-ORANGE COUNTY, FLORIDA	
DRAWN BY: RRC	REV.:	TOWNSHIP: 23S	Bowyer-Singleton & Assoc., Inc. 520 SOUTH MAGNOLIA AVENUE ORLANDO, FLORIDA 32801 TELEPHONE: 407-843-5120	DRAWING SCALE: 1" = 60'
APPROVED BY:	REV.:	RANGE: 29E		SHEET 3 OF 6
	REV.:			C.I.P. = 5027

# SKETCH OF DESCRIPTION

SCHEDULE "A"

PARCEL NUMBER: 1024



SCALE: 1" = 60'

SEE SHEET 6 OF 6 FOR  
LEGEND & ABBREVIATIONS

SEE SHEETS 14, 15, 16 & 22,  
TEXAS AVE. R/W MAP, ORANGE  
COUNTY C.I.P. 5027, DISTRICT 6

NOTE: BEARING STRUCTURE BASED ON THE EAST LINE OF  
THE SOUTHEAST QUARTER OF SECTION 16, TOWNSHIP 23  
SOUTH, RANGE 29 EAST, ORANGE COUNTY, FLORIDA,  
BEING NORTH 00°15'05" WEST, ASSUMED.


THIS IS NOT A BOUNDARY SURVEY, NOR HAS FIELD WORK  
BEEN PERFORMED IN ACCORDANCE WITH 5J-17, FLORIDA  
ADMINISTRATIVE CODE FOR PREPARATION OF THIS SKETCH  
OF DESCRIPTION.

DESIGNED BY: INWOOD	DATE: 11/01/10	SECTION: 16	TEXAS AVENUE-ORANGE COUNTY, FLORIDA	
DRAWN BY: RRC	REV.:	TOWNSHIP: 23S	Bowyer-Singleton & Assoc., Inc. 520 SOUTH MAGNOLIA AVENUE ORLANDO, FLORIDA 32801 TELEPHONE: 407-843-5120	DRAWING SCALE: 1" = 60'
APPROVED BY:	REV.:	RANGE: 29E		SHEET 4 OF 6
	REV.:			C.I.P. = 5027

# SKETCH OF DESCRIPTION

SCHEDULE "A"

PARCEL NUMBER: 1024




DESIGNED BY: INWOOD	DATE: 11/01/10	SECTION: 16	TEXAS AVENUE-ORANGE COUNTY, FLORIDA	
DRAWN BY: RRC	REV.:	TOWNSHIP: 23S	Bowyer-Singleton & Assoc., Inc. 520 SOUTH MAGNOLIA AVENUE ORLANDO, FLORIDA 32801 TELEPHONE: 407-843-5120	DRAWING SCALE: 1" = 60'
APPROVED BY:	REV.:	RANGE: 29E		SHEET 5 OF 6
	REV.:			C.I.P. # 5027



# SKETCH OF DESCRIPTION

SCHEDULE "A"

PARCEL NUMBER: 1024



## LEGEND & ABBREVIATIONS

AC. • ACRE(S)	P.C. • POINT OF CURVATURE
(C) • CALCULATED	P.T. • POINT OF TANGENCY
C.B. • CHORD BEARING	P.O.B. • POINT OF BEGINNING
C.D. • CHORD LENGTH	P.O.C. • POINT OF COMMENCEMENT
C.M. • CONCRETE MONUMENT	PG. • PAGE(S)
COR. • CORNER	R • RADIUS
(D) • DEED	R/W • RIGHT OF WAY
D.B. • DEED BOOK	RGE • RANGE
ESMT. • EASEMENT	R.R. • RAILROAD
EXIST. • EXISTING	RT. • RIGHT
FND. • FOUND	SEC. • SECTION
ID. • IDENTIFICATION	SQ.FT. • SQUARE FEET
I.P. • IRON PIPE	STA. • STATION
I.R.C. • IRON ROD & CAP	TB • TANGENT BEARING
L • ARC LENGTH	TWP • TOWNSHIP
LT. • LEFT	U/G • UNDERGROUND
LB • CERTIFICATE OF AUTHORIZATION	N'LY • NORTHERLY
M.B. • MAP BOOK	S'LY • SOUTHERLY
N/A • NOT APPLICABLE	E'LY • EASTERLY
N.D. • NAIL & DISK	W'LY • WESTERLY
O.R.B. • OFFICIAL RECORDS BOOK	B • BASE LINE
ORIG. • ORIGINAL	C • CENTER LINE
(P) • PER PLAT	P • PROPERTY LINE
P.B. • PLAT BOOK	Δ • DELTA (CENTRAL ANGLE)
	— • LINE BREAK

LINE TABLE		
LINE	BEARING	DISTANCE
L1	S89°35'23"W	59.02'
L2	S89°29'19"W	29.17'
L3	S89°28'06"W	47.16'
L4	S89°30'54"W	45.00'
L5	S89°30'43"W	58.33'
L6	S89°41'14"W	56.94'
L7	S89°35'33"W	18.74'

SEE SHEETS 14, 15, 16 & 22,  
TEXAS AVE. R/W MAP, ORANGE  
COUNTY C.I.P. #5027, DISTRICT 6

NOTE: BEARING STRUCTURE BASED ON THE EAST LINE OF THE SOUTHEAST QUARTER OF SECTION 16, TOWNSHIP 23 SOUTH, RANGE 29 EAST, ORANGE COUNTY, FLORIDA, BEING NORTH 00°15'05" WEST, ASSUMED.

THIS IS NOT A BOUNDARY SURVEY, NOR HAS FIELD WORK BEEN PERFORMED IN ACCORDANCE WITH 5J-17, FLORIDA ADMINISTRATIVE CODE FOR PREPARATION OF THIS SKETCH OF DESCRIPTION.

DESIGNED BY: INWOOD	DATE: 11/01/10	SECTION: 16	TEXAS AVENUE-ORANGE COUNTY, FLORIDA	
DRAWN BY: RRC	REV.:	TOWNSHIP: 23S	Bowyer-Singleton & Assoc., Inc. 520 SOUTH MAGNOLIA AVENUE ORLANDO, FLORIDA 32801 TELEPHONE: 407-843-5120	DRAWING SCALE: 1" = 60'
APPROVED BY:	REV.:	RANGE: 29E		SHEET 6 OF 6
	REV.:			C.I.P. # 5027

**SCHEDULE "B"**

**5027 TEXAS AVENUE PARCEL 1024**

**FEE SIMPLE**

Parcel 1024: the interest being acquired is fee simple.

# LEGAL DESCRIPTION

SCHEDULE "A"

PARCEL NUMBER: 7024A


A PORTION OF A PARCEL OF LAND IN THE SOUTHEAST QUARTER OF SECTION 16, TOWNSHIP 23 SOUTH, RANGE 29 EAST, DESCRIBED IN OFFICIAL RECORDS BOOK 4676, PAGE 2693, OF THE PUBLIC RECORDS OF ORANGE COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT A RAILROAD SPIKE, WITH AN X-CUT AND NO OTHER IDENTIFICATION, MARKING THE NORTHEAST CORNER OF THE SOUTHEAST QUARTER OF SECTION 16, TOWNSHIP 23 SOUTH, RANGE 29 EAST, ORANGE COUNTY, FLORIDA; THENCE RUN SOUTH 00°15'05" EAST, ALONG THE EAST LINE OF SAID SOUTHEAST QUARTER OF SECTION 16, A DISTANCE OF 76.00 FEET TO A POINT ON A LINE PROJECTED EASTERLY FROM THE EXISTING SOUTH RIGHT OF WAY LINE OF AMERICANA BOULEVARD AS DEPICTED ON THE PLAT OF AMERICANA UNIT TWO, RECORDED IN PLAT BOOK 5, PAGE 24, OF THE PUBLIC RECORDS OF ORANGE COUNTY, FLORIDA; THENCE, DEPARTING SAID EAST LINE OF THE SOUTHEAST QUARTER OF SECTION 16, RUN SOUTH 89°36'36" WEST, ALONG SAID PROJECTED LINE, A DISTANCE OF 40.00 FEET TO A 4-INCH SQUARE CONCRETE MONUMENT, WITH NO IDENTIFICATION, MARKING THE POINT OF INTERSECTION OF SAID EXISTING SOUTH RIGHT OF WAY LINE OF AMERICANA BOULEVARD AND THE EXISTING WEST RIGHT OF WAY LINE OF TEXAS AVENUE, AS DEPICTED ON SAID PLAT OF AMERICANA UNIT TWO; THENCE CONTINUE SOUTH 89°36'36" WEST, ALONG SAID EXISTING SOUTH RIGHT OF WAY LINE OF AMERICANA BOULEVARD, A DISTANCE OF 17.50 FEET TO A POINT ON A LINE RUNNING PARALLEL WITH AND 57.50 FEET WESTERLY OF, WHEN MEASURED PERPENDICULAR TO, SAID EAST LINE OF THE SOUTHEAST QUARTER OF SECTION 16; THENCE, DEPARTING SAID EXISTING SOUTH RIGHT OF WAY LINE OF AMERICANA BOULEVARD, RUN SOUTH 00°15'05" EAST, ALONG SAID PARALLEL LINE, A DISTANCE OF 24.17 FEET TO THE POINT OF BEGINNING; THENCE, DEPARTING SAID PARALLEL LINE, RUN SOUTH 21°18'37" EAST, A DISTANCE OF 16.70 FEET TO A POINT ON A LINE RUNNING PARALLEL WITH AND 51.50 FEET WESTERLY OF, WHEN MEASURED PERPENDICULAR TO, SAID EAST LINE OF THE SOUTHEAST QUARTER OF SECTION 16; THENCE RUN SOUTH 00°15'05" EAST, ALONG SAID PARALLEL LINE, A DISTANCE OF 1,148.46 FEET TO A POINT ON THE NORTH LINE OF LOT 375 AS

(CONTINUED ON SHEET 2 OF 5)

NOTE: BEARING STRUCTURE BASED ON THE EAST LINE OF THE SOUTHEAST QUARTER OF SECTION 16, TOWNSHIP 23 SOUTH, RANGE 29 EAST, ORANGE COUNTY, FLORIDA, BEING NORTH 00°15'05" WEST, ASSUMED.

THIS IS NOT A BOUNDARY SURVEY, NOR HAS FIELD WORK BEEN PERFORMED IN ACCORDANCE WITH 5J-17, FLORIDA ADMINISTRATIVE CODE FOR PREPARATION OF THIS SKETCH OF DESCRIPTION.

WRITTEN BY: RRC	DATE: 01/21/11	SECTION: 16	TEXAS AVENUE-ORANGE COUNTY, FLORIDA	
DRAWN BY: RRC	REV.:	TOWNSHIP: 23S	 <b>Dewberry</b> 131 WEST KALEY AVENUE ORLANDO, FLORIDA 32806 TELEPHONE: 321-354-9826	DRAWING SCALE: N/A
APPROVED BY:	REV.:	RANGE: 29E		SHEET 1 OF 5
	REV.:			C.I.P. • 5027

# LEGAL DESCRIPTION

SCHEDULE "A"

PARCEL NUMBER: 7024A

(CONTINUED FROM SHEET 1 OF 5)

DEPICTED ON THE PLAT OF SOUTH POINT UNIT 3, RECORDED IN PLAT BOOK 22, PAGE 50, OF SAID PUBLIC RECORDS; THENCE, DEPARTING SAID PARALLEL LINE, RUN SOUTH 89°44'55" WEST, ALONG SAID NORTH LINE OF LOT 375, A DISTANCE OF 6.00 FEET TO A POINT ON A LINE RUNNING PARALLEL WITH AND 57.50 FEET WESTERLY OF, WHEN MEASURED PERPENDICULAR TO, SAID EAST LINE OF THE SOUTHEAST QUARTER OF SECTION 16; THENCE, DEPARTING SAID NORTH LINE OF LOT 375, RUN NORTH 00°15'05" WEST, ALONG SAID PARALLEL LINE, A DISTANCE OF 310.11 FEET; THENCE, DEPARTING SAID PARALLEL LINE, RUN THE FOLLOWING THREE COURSES AND DISTANCES: NORTH 54°18'03" WEST, A DISTANCE OF 26.41 FEET; THENCE, NORTH 00°02'27" WEST, A DISTANCE OF 53.60 FEET; THENCE, NORTH 56°49'08" EAST, A DISTANCE OF 25.24 FEET TO A POINT ON THE AFOREMENTIONED LINE RUNNING PARALLEL WITH AND 57.50 FEET WESTERLY OF, WHEN MEASURED PERPENDICULAR TO, SAID EAST LINE OF THE SOUTHEAST QUARTER OF SECTION 16; THENCE RUN NORTH 00°15'05" WEST, ALONG SAID PARALLEL LINE, A DISTANCE OF 771.10 FEET TO THE POINT OF BEGINNING.

CONTAINING 8,389 SQUARE FEET OR 0.193 ACRES, MORE OR LESS


THIS IS NOT A BOUNDARY SURVEY, NOR HAS FIELD WORK BEEN PERFORMED IN ACCORDANCE WITH 5J-17, FLORIDA ADMINISTRATIVE CODE FOR PREPARATION OF THIS SKETCH OF DESCRIPTION.

*William D. Donley* 02/17/2016  
WILLIAM D. DONLEY  
FLORIDA PROFESSIONAL SURVEYOR AND MAPPER  
LICENSE NUMBER 5381  
800 NORTH MAGNOLIA AVENUE  
ORLANDO, FLORIDA 32803


NOTE: BEARING STRUCTURE BASED ON THE EAST LINE OF THE SOUTHEAST QUARTER OF SECTION 16, TOWNSHIP 23 SOUTH, RANGE 29 EAST, ORANGE COUNTY, FLORIDA, BEING NORTH 00°15'05" WEST, ASSUMED.

NOT VALID WITHOUT SIGNATURE AND ORIGINAL RAISED SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER

CERTIFICATE OF AUTHORIZATION NUMBER LB 3011


WRITTEN BY: RRC	DATE: 01/21/11	SECTION: 16	TEXAS AVENUE - ORANGE COUNTY, FLORIDA	
DRAWN BY: RRC	REV.:	TOWNSHIP: 23S	 131 WEST KALEY AVENUE ORLANDO, FLORIDA 32806 TELEPHONE: 321-354-9826	DRAWING SCALE: N/A
APPROVED BY:	REV.:	RANGE: 29E		SHEET 2 OF 5
	REV.:			C.I.P. • 5027

PARCEL NUMBER: 7024A



NOTE: BEARING STRUCTURE BASED ON THE EAST LINE OF THE SOUTHEAST QUARTER OF SECTION 16, TOWNSHIP 23 SOUTH, RANGE 29 EAST, ORANGE COUNTY, FLORIDA, BEING NORTH 00°15'05" WEST. ASSUMED.

THIS IS NOT A BOUNDARY SURVEY, NOR HAS FIELD WORK BEEN PERFORMED IN ACCORDANCE WITH 5J-17, FLORIDA ADMINISTRATIVE CODE FOR PREPARATION OF THIS SKETCH OF DESCRIPTION.

DESIGNED BY: INWOOD	DATE: 01/21/11	SECTION: 16	TEXAS AVENUE-ORANGE COUNTY, FLORIDA	
DRAWN BY: RRC	REV.:	TOWNSHIP: 23S	 <b>Dewberry</b> 131 WEST KALEY AVENUE ORLANDO, FLORIDA 32806 TELEPHONE: 321-354-9826	DRAWING SCALE: 1" = 60'
APPROVED BY:	REV.:	RANGE: 29E		SHEET 3 OF 5
	REV.:			C.I.P. • 5027

# SKETCH OF DESCRIPTION

SCHEDULE "A"

PARCEL NUMBER: 7024A

MATCH LINE "A"

SEE SHEETS 14, 15 & 16  
TEXAS AVE. R/W MAP, ORANGE  
COUNTY C.I.P. #5027, DISTRICT 6

12' O.U.C. U/G ESMT.  
(O.R.B. 4744, PG. 4535)  
APPROXIMATE LOCATION  
(TYPICAL)

## LEGEND & ABBREVIATIONS

- AC. - ACRE(S)
- (C) - CALCULATED
- C.B. - CHORD BEARING
- C.D. - CHORD LENGTH
- C.M. - CONCRETE MONUMENT
- COR. - CORNER
- (D) - DEED
- D.B. - DEED BOOK
- ESMT. - EASEMENT
- EXIST. - EXISTING
- FND. - FOUND
- ID. - IDENTIFICATION
- I.P. - IRON PIPE
- I.R.C. - IRON ROD & CAP
- L - ARC LENGTH
- LT. - LEFT
- LB - CERTIFICATE OF AUTHORIZATION
- M.B. - MAP BOOK
- N/A - NOT APPLICABLE
- N.D. - NAIL & DISK
- O.R.B. - OFFICIAL RECORDS BOOK
- ORIG. - ORIGINAL
- (P) - PER PLAT
- P.B. - PLAT BOOK
- P.C. - POINT OF CURVATURE
- P.T. - POINT OF TANGENCY
- P.O.B. - POINT OF BEGINNING
- P.O.C. - POINT OF COMMENCEMENT
- PG. - PAGE(S)
- R - RADIUS
- R/W - RIGHT OF WAY
- RGE - RANGE
- R.R. - RAILROAD
- RT. - RIGHT
- SEC. - SECTION
- SO.FT. - SQUARE FEET
- STA. - STATION
- TB - TANGENT BEARING
- TWP - TOWNSHIP
- U/G - UNDERGROUND
- N'LY - NORTHERLY
- S'LY - SOUTHERLY
- E'LY - EASTERLY
- W'LY - WESTERLY
- B - BASE LINE
- C - CENTER LINE
- P - PROPERTY LINE
- Δ - DELTA (CENTRAL ANGLE)
- LINE BREAK

UNPLATTED

LAND DESCRIBED IN  
O.R.B. 4676, PG. 2693

TEMPORARY  
ESMT. LINE

SCALE: 1" = 60'

MATCH LINE "B"

7024  
A

N00°15'05"W 771.10'

S00°15'05"E 1148.46'

N00°15'05"W

EXIST. W. R/W LINE  
(P.B. 5, PG. 24)

E. LINE, SE 1/4, SEC. 16

N00°15'05"W

TEXAS AVENUE  
80'-WIDE R/W  
(P.B. 5, PG. 24)

N00°15'05"W

EXIST. R/W LINE

LOT 14

AMERICANA UNIT TWO  
P.B. 5, PG. 24

51.50'


40.00'  
R/W (P)

40.00'  
R/W (P)

57.50'

NOTE: BEARING STRUCTURE BASED ON THE EAST LINE OF THE SOUTHEAST QUARTER OF SECTION 16, TOWNSHIP 23 SOUTH, RANGE 29 EAST, ORANGE COUNTY, FLORIDA, BEING NORTH 00°15'05" WEST, ASSUMED.

THIS IS NOT A BOUNDARY SURVEY, NOR HAS FIELD WORK BEEN PERFORMED IN ACCORDANCE WITH 5J-17, FLORIDA ADMINISTRATIVE CODE FOR PREPARATION OF THIS SKETCH OF DESCRIPTION.

DESIGNED BY: INWOOD	DATE: 01/21/11	SECTION: 16	TEXAS AVENUE-ORANGE COUNTY, FLORIDA	
DRAWN BY: RRC	REV.:	TOWNSHIP: 23S	 131 WEST KALEY AVENUE ORLANDO, FLORIDA 32806 TELEPHONE: 321-354-9826	DRAWING SCALE: 1" = 60'
APPROVED BY:	REV.:	RANGE: 29E		SHEET 4 OF 5
	REV.:			C.I.P. # 5027

# SKETCH OF DESCRIPTION

SCHEDULE "A"

PARCEL NUMBER: 7024A

MATCH LINE "B"

N00°15'05"W  
771.10'

57.50'

N56°49'08"E  
25.24'

LOT 14

UNPLATTED

LAND DESCRIBED IN  
O.R.B. 4676, PG. 2693

N00°02'27"W  
53.60'

7024 A

51.50'

N54°18'03"W  
26.41'

40.00'  
R/W (P)

40.00'  
R/W (P)

1148.46'

N00°15'05"W  
EXIST. W. R/W LINE  
(P.B. 5, PG. 24)

E. LINE, SE 1/4, SEC. 16  
N00°15'05"W

TEXAS AVENUE

80'-WIDE R/W  
(P.B. 5, PG. 24)

N00°15'05"W

EXIST. R/W LINE

LOT 13

AMERICANA UNIT TWO

P.B. 5, PG. 24

12' O.U.C. U/G ESMT.  
(O.R.B. 4744, PG. 3535)  
APPROXIMATE LOCATION  
(TYPICAL)

N00°15'05"W  
310.11'

S00°15'05"E

W'LY BOUNDARY  
AMERICANA  
UNIT TWO  
(P.B. 5, PG. 24)

57.50'

TEMPORARY  
ESMT. LINE

S89°44'55"W  
6.00'

N. LINE, LOT 375  
(P.B. 22, PG. 50)

LOT 374

LOT 375

SOUTH POINTE UNIT 3

P.B. 22, PG. 50


SCALE: 1" = 60'

SEE SHEET 4 OF 5 FOR  
LEGEND & ABBREVIATIONS

SEE SHEETS 14, 15 & 16,  
TEXAS AVE. R/W MAP, ORANGE  
COUNTY C.I.P. 5027, DISTRICT 6

NOTE: BEARING STRUCTURE BASED ON THE EAST LINE OF  
THE SOUTHEAST QUARTER OF SECTION 16, TOWNSHIP 23  
SOUTH, RANGE 29 EAST, ORANGE COUNTY, FLORIDA,  
BEING NORTH 00°15'05" WEST, ASSUMED.

THIS IS NOT A BOUNDARY SURVEY, NOR HAS FIELD WORK  
BEEN PERFORMED IN ACCORDANCE WITH 5J-17, FLORIDA  
ADMINISTRATIVE CODE FOR PREPARATION OF THIS SKETCH  
OF DESCRIPTION.

DESIGNED BY: INWOOD	DATE: 01/21/11	SECTION: 16	TEXAS AVENUE-ORANGE COUNTY, FLORIDA	
DRAWN BY: RRC	REV.:	TOWNSHIP: 23S	 <b>Dewberry</b> 131 WEST KALEY AVENUE ORLANDO, FLORIDA 32806 TELEPHONE: 321-354-9826	DRAWING SCALE: 1" = 60'
APPROVED BY:	REV.:	RANGE: 29E		SHEET 5 OF 5
	REV.:			C.I.P. 5027

## **SCHEDULE "B"**

### **5027 TEXAS AVENUE PARCEL 7024A**

#### **TEMPORARY CONSTRUCTION EASEMENT**

Parcel 7024A is being acquired as a temporary, non-exclusive easement with full authority to enter upon the lands described in attached Schedule "A" for the purpose of constructing, tying in and harmonizing the driveway with the adjacent roadway, tying in and harmonizing the existing grade with the adjacent roadway, and constructing facilities that will be located within the adjacent right-of-way. At all times during construction the GRANTEE will maintain access to the GRANTOR'S remaining lands.

After the construction on the Parcel is completed the GRANTEE shall restore the Parcel to a condition as good as or better than the one existing before being disturbed by the GRANTEE.

This easement shall expire upon the completion of the construction on the project adjacent to the lands described in attached Schedule "A" or after seven (7) years, whichever occurs first.



# LEGAL DESCRIPTION

SCHEDULE "A"

PARCEL NUMBER: 7024B

A PORTION OF A PARCEL OF LAND IN THE SOUTHEAST QUARTER OF SECTION 16, TOWNSHIP 23 SOUTH, RANGE 29 EAST, DESCRIBED IN OFFICIAL RECORDS BOOK 4676, PAGE 2693, OF THE PUBLIC RECORDS OF ORANGE COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT A RAILROAD SPIKE, WITH AN X-CUT AND NO OTHER IDENTIFICATION, MARKING THE NORTHEAST CORNER OF THE SOUTHEAST QUARTER OF SECTION 16, TOWNSHIP 23 SOUTH, RANGE 29 EAST, ORANGE COUNTY, FLORIDA; THENCE RUN SOUTH  $00^{\circ}15'05''$  EAST, ALONG THE EAST LINE OF SAID SOUTHEAST QUARTER OF SECTION 16, A DISTANCE OF 76.00 FEET TO A POINT ON A LINE PROJECTED EASTERLY FROM THE EXISTING SOUTH RIGHT OF WAY LINE OF AMERICANA BOULEVARD AS DEPICTED ON THE PLAT OF AMERICANA UNIT TWO, RECORDED IN PLAT BOOK 5, PAGE 24, OF THE PUBLIC RECORDS OF ORANGE COUNTY, FLORIDA; THENCE, DEPARTING SAID EAST LINE OF THE SOUTHEAST QUARTER OF SECTION 16, RUN SOUTH  $89^{\circ}36'36''$  WEST, ALONG SAID PROJECTED LINE, A DISTANCE OF 40.00 FEET TO A 4-INCH SQUARE CONCRETE MONUMENT, WITH NO IDENTIFICATION, MARKING THE POINT OF INTERSECTION OF SAID EXISTING SOUTH RIGHT OF WAY LINE OF AMERICANA BOULEVARD AND THE EXISTING WEST RIGHT OF WAY LINE OF TEXAS AVENUE, AS DEPICTED ON SAID PLAT OF AMERICANA UNIT TWO; THENCE CONTINUE SOUTH  $89^{\circ}36'36''$  WEST, ALONG SAID EXISTING SOUTH RIGHT OF WAY LINE OF AMERICANA BOULEVARD, A DISTANCE OF 415.40 FEET TO THE POINT OF BEGINNING; THENCE, DEPARTING SOUTH RIGHT OF WAY LINE OF AMERICANA BOULEVARD, RUN THE FOLLOWING EIGHTEEN (18) COURSES AND DISTANCES: SOUTH  $82^{\circ}05'38''$  EAST, A DISTANCE OF 43.29 FEET; THENCE, NORTH  $89^{\circ}35'33''$  EAST, A DISTANCE OF 18.74 FEET; THENCE, NORTH  $89^{\circ}41'14''$  EAST, A DISTANCE OF 56.94 FEET; THENCE, NORTH  $89^{\circ}30'43''$  EAST, A DISTANCE OF 58.33 FEET; THENCE, NORTH  $89^{\circ}30'54''$  EAST, A DISTANCE OF 45.00 FEET; THENCE, NORTH  $89^{\circ}28'06''$  EAST, A DISTANCE OF 47.16 FEET; THENCE, NORTH  $89^{\circ}29'19''$  EAST, A DISTANCE OF 29.17 FEET; THENCE, NORTH  $89^{\circ}35'23''$  EAST, A DISTANCE OF 59.02 FEET; THENCE, SOUTH  $79^{\circ}04'31''$  EAST, A DISTANCE OF 37.19 FEET; THENCE, SOUTH  $21^{\circ}18'37''$  EAST, A DISTANCE OF 0.74 FEET; THENCE, SOUTH  $89^{\circ}35'23''$  WEST, A DISTANCE OF 95.74 FEET; THENCE, SOUTH  $89^{\circ}29'19''$  WEST, A DISTANCE OF 29.16 FEET; THENCE, SOUTH  $89^{\circ}28'06''$  WEST, A DISTANCE OF 47.16 FEET; THENCE, SOUTH  $89^{\circ}30'54''$  WEST, A DISTANCE OF 45.01 FEET;

(CONTINUED ON SHEET 2 OF 4)

NOTE: BEARING STRUCTURE BASED ON THE EAST LINE OF THE SOUTHEAST QUARTER OF SECTION 16, TOWNSHIP 23 SOUTH, RANGE 29 EAST, ORANGE COUNTY, FLORIDA, BEING NORTH  $00^{\circ}15'05''$  WEST, ASSUMED.

THIS IS NOT A BOUNDARY SURVEY, NOR HAS FIELD WORK BEEN PERFORMED IN ACCORDANCE WITH 5J-17, FLORIDA ADMINISTRATIVE CODE FOR PREPARATION OF THIS SKETCH OF DESCRIPTION.

WRITTEN BY: RRC	DATE: 11/01/10	SECTION: 16	TEXAS AVENUE - ORANGE COUNTY, FLORIDA	
DRAWN BY: RRC	REV.:	TOWNSHIP: 23S	Bowyer-Singleton & Assoc., Inc. 520 SOUTH MAGNOLIA AVENUE ORLANDO, FLORIDA 32801 TELEPHONE: 407-843-5120	DRAWING SCALE: N/A
APPROVED BY:	REV.:	RANGE: 29E		SHEET 1 OF 4
	REV.:			C.I.P. • 5027

# LEGAL DESCRIPTION

SCHEDULE "A"

PARCEL NUMBER: 7024B

(CONTINUED FROM SHEET 1 OF 4)

THENCE, SOUTH 89°30'43" WEST, A DISTANCE OF 58.34 FEET; THENCE, SOUTH 89°41'14" WEST, A DISTANCE OF 56.95 FEET; THENCE, SOUTH 89°35'33" WEST, A DISTANCE OF 66.72 FEET; THENCE, NORTH 00°29'03" WEST, A DISTANCE OF 14.26 FEET TO A POINT ON THE AFORESAID EXISTING SOUTH RIGHT OF WAY LINE OF AMERICANA BOULEVARD; THENCE RUN NORTH 89°36'36" EAST, ALONG SAID EXISTING SOUTH RIGHT OF WAY LINE OF AMERICANA BOULEVARD, A DISTANCE OF 5.17 FEET TO THE POINT OF BEGINNING.

CONTAINING 3,224 SQUARE FEET OR 0.074 ACRES, MORE OR LESS

SKETCH OF DESCRIPTION LINE TABLE					
LINE	BEARING	DISTANCE	LINE	BEARING	DISTANCE
L1	N89°35'33"E	18.74'	L8	S89°35'23"W	95.74'
L2	N89°41'14"E	56.94'	L9	S89°29'19"W	29.16'
L3	N89°30'43"E	58.33'	L10	S89°28'06"W	47.16'
L4	N89°30'54"E	45.00'	L11	S89°30'54"W	45.01'
L5	N89°28'06"E	47.16'	L12	S89°30'43"W	58.34'
L6	N89°29'19"E	29.17'	L13	S89°41'14"W	56.95'
L7	N89°35'23"E	59.02'	L14	S89°35'33"W	66.72'

THIS IS NOT A BOUNDARY SURVEY, NOR HAS FIELD WORK BEEN PERFORMED IN ACCORDANCE WITH SJ-17, FLORIDA ADMINISTRATIVE CODE FOR PREPARATION OF THIS SKETCH OF DESCRIPTION.

*William E. Byrd* 1/24/11  
WILLIAM E. BYRD DATE  
FLORIDA PROFESSIONAL SURVEYOR AND MAPPER  
LICENSE NUMBER 5442  
520 SOUTH MAGNOLIA AVENUE  
ORLANDO, FLORIDA 32801


NOTE: BEARING STRUCTURE BASED ON THE EAST LINE OF THE SOUTHEAST QUARTER OF SECTION 16, TOWNSHIP 23 SOUTH, RANGE 29 EAST, ORANGE COUNTY, FLORIDA, BEING NORTH 00°15'05" WEST, ASSUMED.

NOT VALID WITHOUT SIGNATURE AND ORIGINAL RAISED SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER

CERTIFICATE OF AUTHORIZATION NUMBER LB 1221

WRITTEN BY: RRC	DATE: 11/01/10	SECTION: 16	TEXAS AVENUE-ORANGE COUNTY, FLORIDA	
DRAWN BY: RRC	REV.:	TOWNSHIP: 23S	Bowyer-Singleton & Assoc., Inc. 520 SOUTH MAGNOLIA AVENUE ORLANDO, FLORIDA 32801 TELEPHONE: 407-843-5120	DRAWING SCALE: N/A
APPROVED BY:	REV.:	RANGE: 29E		SHEET 2 OF 4
	REV.:			C.I.P. - 5027

SCHEDULE "A"  
PARCEL NUMBER: 7024B



NOTE: BEARING STRUCTURE BASED ON THE EAST LINE OF THE SOUTHEAST QUARTER OF SECTION 16, TOWNSHIP 23 SOUTH, RANGE 29 EAST, ORANGE COUNTY, FLORIDA, BEING NORTH 00°15'05" WEST, ASSUMED.


THIS IS NOT A BOUNDARY SURVEY, NOR HAS FIELD WORK BEEN PERFORMED IN ACCORDANCE WITH 5J-17, FLORIDA ADMINISTRATIVE CODE FOR PREPARATION OF THIS SKETCH OF DESCRIPTION.

DESIGNED BY: INWOOD	DATE: 11/01/10	SECTION: 16	TEXAS AVENUE-ORANGE COUNTY, FLORIDA	
DRAWN BY: RRC	REV.:	TOWNSHIP: 23S	Bowyer-Singleton & Assoc., Inc. 520 SOUTH MAGNOLIA AVENUE ORLANDO, FLORIDA 32801 TELEPHONE: 407-843-5120	DRAWING SCALE: 1" = 60'
APPROVED BY:	REV.:	RANGE: 29E		SHEET 3 OF 4
	REV.:			C.I.P. = 5027

# SKETCH OF DESCRIPTION

SCHEDULE "A"

PARCEL NUMBER: 7024B



## LEGEND & ABBREVIATIONS

AC. • ACRE(S)	P.C. • POINT OF CURVATURE
(C) • CALCULATED	P.T. • POINT OF TANGENCY
C.B. • CHORD BEARING	P.O.B. • POINT OF BEGINNING
C.D. • CHORD LENGTH	P.O.C. • POINT OF COMMENCEMENT
C.M. • CONCRETE MONUMENT	PG. • PAGE(S)
COR. • CORNER	R • RADIUS
(D) • DEED	R/W • RIGHT OF WAY
D.B. • DEED BOOK	RGE • RANGE
ESMT. • EASEMENT	R.R. • RAILROAD
EXIST. • EXISTING	RT. • RIGHT
FND. • FOUND	SEC. • SECTION
ID. • IDENTIFICATION	SO.FT. • SQUARE FEET
I.P. • IRON PIPE	STA. • STATION
I.R.C. • IRON ROD & CAP	TB • TANGENT BEARING
L • ARC LENGTH	TWP • TOWNSHIP
LT. • LEFT	U/G • UNDERGROUND
LB • CERTIFICATE OF AUTHORIZATION	N'LY • NORTHERLY
M.B. • MAP BOOK	S'LY • SOUTHERLY
N/A • NOT APPLICABLE	E'LY • EASTERLY
N.D. • NAIL & DISK	W'LY • WESTERLY
O.R.B. • OFFICIAL RECORDS BOOK	BL • BASE LINE
ORIG. • ORIGINAL	CL • CENTER LINE
(P) • PER PLAT	PL • PROPERTY LINE
P.B. • PLAT BOOK	Δ • DELTA (CENTRAL ANGLE)
	—• LINE BREAK

NOTE: BEARING STRUCTURE BASED ON THE EAST LINE OF THE SOUTHEAST QUARTER OF SECTION 16, TOWNSHIP 23 SOUTH, RANGE 29 EAST, ORANGE COUNTY, FLORIDA, BEING NORTH 00°15'05" WEST, ASSUMED.

THIS IS NOT A BOUNDARY SURVEY, NOR HAS FIELD WORK BEEN PERFORMED IN ACCORDANCE WITH 5J-17, FLORIDA ADMINISTRATIVE CODE FOR PREPARATION OF THIS SKETCH OF DESCRIPTION.

DESIGNED BY: INWOOD	DATE: 11/01/10	SECTION: 16	TEXAS AVENUE-ORANGE COUNTY, FLORIDA	
DRAWN BY: RRC	REV.:	TOWNSHIP: 23S	Bowyer-Singleton & Assoc., Inc. 520 SOUTH MAGNOLIA AVENUE ORLANDO, FLORIDA 32801 TELEPHONE: 407-843-5120	DRAWING SCALE: 1" = 60'
APPROVED BY:	REV.:	RANGE: 29E		SHEET 4 OF 4
	REV.:			C.I.P. • 5027

## **SCHEDULE "B"**

### **5027 TEXAS AVENUE PARCEL 7024B**

#### **TEMPORARY CONSTRUCTION EASEMENT**

Parcel 7024B is being acquired as a temporary, non-exclusive easement with full authority to enter upon the lands described in attached Schedule "A" for the purpose of tying in and harmonizing the existing grade with the adjacent roadway. At all times during construction the GRANTEE will maintain access to the GRANTOR'S remaining lands.

After the construction on the Parcel is completed the GRANTEE shall restore the Parcel to a condition as good as or better than the one existing before being disturbed by the GRANTEE.

This easement shall expire upon the completion of the construction on the project adjacent to the lands described in attached Schedule "A" or after seven (7) years, whichever occurs first.