

RESOLUTION
of the
ORANGE COUNTY BOARD OF COUNTY COMMISSIONERS
regarding
AMENDING RESOLUTION APPROVED MARCH 25, 2025
for
Parcels 1019/7019
Reams Road (Summerlake Park Boulevard to Taborfield Avenue)

WHEREAS, on March 25, 2025, the Board of County Commissioners adopted Resolution regarding parcel numbers 1019/7019 (“Resolution”);

WHEREAS, among other things, Resolution authorized and directed Orange County and all appropriate departments, officers and employees of Orange County to proceed to take the necessary actions to acquire parcel numbers 1019/7019 for roadway purposes by gift, purchase, eminent domain proceedings or otherwise;

WHEREAS, the Board of County Commissioners desires to amend Resolution to set forth this additional use.

BE IT RESOLVED BY THE BOARD OF COUNTY COMMISSIONERS OF ORANGE COUNTY:

Section 1. Amendment to Resolution. Resolution, as approved on March 25, 2025, is amended by correcting the legal and sketch for parcel number 7019 in Resolution. In all other respects, Resolution shall remain unchanged.

Section 2. Effective date. This Amendment to Resolution shall take effect on the date of its adoption.

ADOPTED THIS _____ DAY OF _____, 2025.

ORANGE COUNTY, FLORIDA

By: Board of County Commissioners

By: _____
Jerry L. Demings
Orange County Mayor

ATTEST: Phil Diamond, CPA, County Comptroller
As Clerk of the Board of County Commissioners

By: _____
Deputy Clerk

SCHEDULE "A"
LEGAL DESCRIPTION
REAMS ROAD
PARCEL NO. 7019

LEGAL DESCRIPTION

A PORTION OF SECTION 01, TOWNSHIP 24 SOUTH, RANGE 27 EAST, AND MORE ACCURATELY DESCRIBED IN OFFICIAL RECORDS BOOK 5709, PAGES 269 THROUGH 273, PUBLIC RECORDS OF ORANGE COUNTY, FLORIDA, AND MORE PARTICULARLY DESCRIBED AS FOLLOWS:



COMMENCE AT THE NORTHEAST CORNER OF SECTION 1, TOWNSHIP 24 SOUTH, RANGE 27 EAST, ORANGE COUNTY, FLORIDA, RUN SOUTH 89°49'23" WEST ALONG THE NORTH LINE OF SAID SECTION 1, A DISTANCE OF 277.86 FEET TO A POINT ON THE CENTERLINE OF CONSTRUCTION OF REAMS ROAD PER ORANGE COUNTY PUBLIC WORKS RIGHT OF WAY MAP CIP 5139, THENCE RUN ALONG SAID CENTERLINE, BEING A NON-TANGENT CURVE CONCAVE NORTHWESTERLY AND HAVING A RADIUS OF 1315.00 FEET, THENCE FROM A TANGENT BEARING OF SOUTH 37°36'00" WEST, RUN SOUTHERLY, A DISTANCE OF 252.92, ALONG THE ARC OF SAID CURVE AND SAID CENTERLINE, THROUGH A CENTRAL ANGLE OF 11°01'11" , A CHORD BEARING OF SOUTH 43°06'36" WEST, A CHORD DISTANCE OF 252.53 FEET, TO A POINT ON THE EXTENSION OF THE SOUTHWESTERLY LINE OF LANDS DESCRIBED IN OFFICIAL RECORDS BOOK 5709, PAGE 269, PUBLIC RECORDS OF ORANGE COUNTY, FLORIDA; THENCE RUN NORTH 47°14'38" WEST ALONG SAID EXTENSION, A DISTANCE OF 44.45 FEET TO A POINT ON THE NORTHWEST RIGHT OF WAY LINE OF REAMS ROAD; THENCE CONTINUE NORTH 47°14'38" WEST ALONG SAID SOUTHWESTERLY LINE, A DISTANCE OF 17.64 FEET TO THE POINT OF BEGINNING, THENCE CONTINUE NORTH 47°14'38" WEST ALONG SAID SOUTHWESTERLY LINE, A DISTANCE OF 26.51 FEET TO A POINT ON A NON-TANGENT CURVE CONCAVE SOUTHEASTERLY AND HAVING A RADIUS OF 1353.39 FEET; THENCE FROM A TANGENT BEARING OF NORTH 47°26'41" EAST, RUN NORTHEASTERLY A DISTANCE OF 4.41 FEET, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 0°11'12" , A CHORD BEARING OF NORTH 47°26'41" EAST, A CHORD DISTANCE OF 4.41 FEET; THENCE RUN SOUTH 41°09'48" EAST, A DISTANCE OF 26.46 FEET TO A POINT ON A NON-TANGENT CURVE CONCAVE NORTHWESTERLY AND HAVING A RADIUS OF 1253.25 FEET; THENCE FROM A TANGENT BEARING OF SOUTH 48°50'12" WEST, RUN SOUTHERLY, A DISTANCE OF 1.60 FEET, ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 00°04'24", A CHORD BEARING OF SOUTH 48°52'24" WEST, A CHORD DISTANCE OF 1.60 FEET, TO THE POINT OF BEGINNING.

SAID PARCEL CONTAINING 79 SQUARE FEET, MORE OR LESS.

NOTES:

1. THIS IS NOT A BOUNDARY SURVEY.
2. NO CORNERS WERE SET AS PART OF THIS SKETCH OF DESCRIPTION.
3. THIS SKETCH OF DESCRIPTION IS NOT VALID WITHOUT THE SIGNATURE AND THE ORIGINAL RAISED SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER.
4. BEARINGS SHOWN HEREON ARE BASED ON THE WEST LINE OF THE SOUTHWEST ¼ OF SECTION 35 TOWNSHIP 23 SOUTH, RANGE 27 EAST, BEING N00°08'26"E.

SHEET 1 OF 3
SEE SHEET 2 FOR SYMBOL & ABBREVIATION LEGEND
SEE SHEET 3 FOR SKETCH OF DESCRIPTION

CERTIFIED TO: 1. ORANGE COUNTY, FLORIDA 2. 3. 4.		SURVEYOR'S CERTIFICATION I HEREBY CERTIFY THAT THE SKETCH AND LEGAL DESCRIPTION REPRESENTED HEREON IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE, INFORMATION, AND BELIEF. IT HAS BEEN PREPARED IN ACCORDANCE WITH THE STANDARDS SET FORTH IN CHAPTER SJ-17 OF THE FLORIDA ADMINISTRATIVE CODE PURSUANT TO TO CHAPTERS 177 AND 472 OF THE FLORIDA STATUTES.  SHERRY L. MANOR, PSM - LS# 6961 THIS SKETCH AND LEGAL DESCRIPTION AND/OR REPORT IS NOT VALID WITHOUT THE SIGNATURE AND THE ORIGINAL RAISED SEAL OF THE ABOVE.		ORANGE COUNTY PUBLIC WORKS ENGINEERING DIVISION 4200 SOUTH JOHN YOUNG PARKWAY ORLANDO, FLORIDA 32839-9205 (407) 836-7929 L & S Diversified Professional Surveyors and Mappers 4776 NEW BROAD ST SUITE 100 ORLANDO, FL 32814 PHONE 407.681.3836 FAX 407.681.6541 WWW.LSSURVEYOR.COM INFO@LSSURVEYOR.COM PROFESSIONAL SURVEYOR & MAPPER BUSINESS LICENSE LB#7829																	
PROJECT NAME: REAMS ROAD PROJECT NO.: CIP 5139																					
<table border="1" style="width: 100%; border-collapse: collapse;"><tr><td>PROJECT No.</td><td>190244</td><td>DRAWN DATE</td><td>2022.07.22</td></tr><tr><td>SURVEY BY</td><td>N/A</td><td>REVIEWED BY</td><td>SM</td></tr><tr><td>SURVEY DATE</td><td>N/A</td><td>APPROVED BY</td><td>SM</td></tr><tr><td>DRAWN BY</td><td>DH</td><td>CLIENT FILE No.</td><td>N/A</td></tr></table>				PROJECT No.	190244	DRAWN DATE	2022.07.22	SURVEY BY	N/A	REVIEWED BY	SM	SURVEY DATE	N/A	APPROVED BY	SM	DRAWN BY	DH	CLIENT FILE No.	N/A		
PROJECT No.	190244			DRAWN DATE	2022.07.22																
SURVEY BY	N/A			REVIEWED BY	SM																
SURVEY DATE	N/A	APPROVED BY	SM																		
DRAWN BY	DH	CLIENT FILE No.	N/A																		
<table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th>No.</th><th>DATE</th><th>BY</th><th>DESCRIPTION</th></tr></thead><tbody><tr><td>1</td><td>04/20/2022</td><td>CBvG</td><td>REV. PER OC COMMENTS</td></tr><tr><td>2</td><td>03/01/2023</td><td>BS</td><td>REV. PER L&S QA / QC</td></tr><tr><td>3</td><td>09/29/2023</td><td>LC</td><td>REV. PER OC COMMENTS</td></tr><tr><td>4</td><td>04/07/2025</td><td>LC</td><td>UPDATED SKETCH & LEGAL DESCRIPTION</td></tr></tbody></table>		No.	DATE	BY	DESCRIPTION	1	04/20/2022	CBvG	REV. PER OC COMMENTS	2	03/01/2023	BS	REV. PER L&S QA / QC	3	09/29/2023	LC	REV. PER OC COMMENTS	4	04/07/2025	LC	UPDATED SKETCH & LEGAL DESCRIPTION
No.	DATE	BY	DESCRIPTION																		
1	04/20/2022	CBvG	REV. PER OC COMMENTS																		
2	03/01/2023	BS	REV. PER L&S QA / QC																		
3	09/29/2023	LC	REV. PER OC COMMENTS																		
4	04/07/2025	LC	UPDATED SKETCH & LEGAL DESCRIPTION																		

SCHEDULE "A" **SYMBOL & ABBREVIATION LEGEND**

REAMS ROAD
PARCEL NO. 7019

N = NORTH
S = SOUTH
E = EAST
W = WEST
A.D.E. = ACCESS & DRAINAGE
EASEMENT
CL = CENTERLINE
C1 = CURVE NUMBER
(C) = CALCULATED
CB = CHORD BEARING
CCR = CERTIFIED CORNER RECORD
CH = CHORD LENGTH
CM = CONCRETE MONUMENT
Δ = DELTA ANGLE
(D) = DEEDED
DOC# = DOCUMENT NUMBER

ID. = IDENTIFICATION
IRC = IRON ROD & CAP
L = ARC LENGTH
L1 = LINE NUMBER
LB = LICENSED BUSINESS
LT. = LEFT
O.R.B. = OFFICIAL RECORDS BOOK
P.B. = PLAT BOOK
P.C. = POINT OF CURVATURE
P.O.C. = POINT ON CURVE
PG(S) = PAGE(S)
P.I. = POINT OF INTERSECTION
PL = PROPERTY LINE
P.O.T. = POINT ON TANGENT
PRM = PERMANENT REFERENCE
MONUMENT

PROP. = PROPOSED
P.T. = POINT OF TANGENCY
R = RADIUS
RT. = RIGHT
R/W = RIGHT OF WAY
STA. = STATION
T = TANGENT
T.C.E. = TEMPORARY CONSTRUCTION
EASEMENT
U.D.A.E. = UTILITY, DRAINAGE &
ACCESS EASEMENT
U.E. = UTILITY EASEMENT
(XXXX) = PARCEL NUMBER

SHEET 2 OF 3
SEE SHEET 1 FOR LEGAL DESCRIPTION
SEE SHEET 3 FOR SKETCH OF DESCRIPTION

CERTIFIED TO:

1. ORANGE COUNTY, FLORIDA
2.
3.
4.

PROJECT NAME: REAMS ROAD
PROJECT NO.: CIP 5139

PROJECT No.	190244	DRAWN DATE	2022.07.22
SURVEY BY	N/A	REVIEWED BY	SM
SURVEY DATE	N/A	APPROVED BY	SM
DRAWN BY	DH	CLIENT FILE No.	N/A

No.	DATE	BY	DESCRIPTION
1	04/20/2022	CBvG	REV. PER OC COMMENTS
2	03/01/2023	BS	REV. PER L&S QA / QC
3	09/29/2023	LC	REV. PER OC COMMENTS
4	04/07/2025	LC	UPDATED SKETCH & LEGAL DESCRIPTION

SURVEYOR'S CERTIFICATION

I HEREBY CERTIFY THAT THE SKETCH AND LEGAL DESCRIPTION REPRESENTED HEREON IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE, INFORMATION, AND BELIEF. IT HAS BEEN PREPARED IN ACCORDANCE WITH THE STANDARDS SET FORTH IN CHAPTER SJ-17 OF THE FLORIDA ADMINISTRATIVE CODE PURSUANT TO TO CHAPTERS 177 AND 472 OF THE FLORIDA STATUTES.

SHERRY L. MANOR, PSM - LS# 6961

THIS SKETCH AND LEGAL DESCRIPTION AND/OR REPORT IS NOT VALID WITHOUT THE SIGNATURE AND THE ORIGINAL RAISED SEAL OF THE ABOVE.



ORANGE COUNTY PUBLIC WORKS
ENGINEERING DIVISION
4200 SOUTH JOHN YOUNG PARKWAY
ORLANDO, FLORIDA 32839-9205
(407) 836-7929



L & S
Diversified

Professional Surveyors and Mappers


4776 NEW BROAD ST | SUITE 100 | ORLANDO, FL | 32814
PHONE 407.681.3836 | FAX 407.681.6541
WWW.LSSURVEYOR.COM | INFO@LSSURVEYOR.COM

PROFESSIONAL SURVEYOR & MAPPER BUSINESS LICENSE | LB#7829

SM 7/21/2025

SKETCH OF DESCRIPTION

REAMS ROAD
PARCEL NO. 7019



SHEET 3 OF 3
SEE SHEET 2 FOR SYMBOL & ABBREVIATION LEGEND
SEE SHEET 1 FOR LEGAL DESCRIPTION

CERTIFIED TO:

1. ORANGE COUNTY, FLORIDA
- 2.
- 3.
- 4.

PROJECT NAME: REAMS ROAD
PROJECT NO.: CIP 5139


PROJECT No.	190244	DRAWN DATE	2022.07.22
SURVEY BY	N/A	REVIEWED BY	SM
SURVEY DATE	N/A	APPROVED BY	SM
DRAWN BY	DH	CLIENT FILE No.	N/A

No.	DATE	BY	DESCRIPTION
1	04/20/2022	CBvG	REV. PER OC COMMENTS
2	03/01/2023	BS	REV. PER L&S QA / QC
3	09/29/2023	LC	REV. PER OC COMMENTS

4 04/07/2025 LC UPDATED SKETCH & LEGAL DESCRIPTION



ORANGE COUNTY PUBLIC WORKS
ENGINEERING DIVISION
4200 SOUTH JOHN YOUNG PARKWAY
ORLANDO, FLORIDA 32839-9205
(407) 836-7929



L & S
Diversified

Professional Surveyors and Mappers

4776 NEW BROAD ST | SUITE 100 | ORLANDO, FL | 32814
PHONE 407.681.3836 | FAX 407.681.6541
WWW.LSSURVEYOR.COM | INFO@LSSURVEYOR.COM

PROFESSIONAL SURVEYOR & MAPPER BUSINESS LICENSE | LB#7829

John 7/31/2025

APPROVED
BY ORANGE COUNTY BOARD
OF COUNTY COMMISSIONERS
MAR 25 2025

RESOLUTION

WHEREAS, during Fiscal Year 2017/2018-2021-2022, the Board approved the project known as Reams Road to widening of existing roadway to four lanes, closed stormwater management system, curb and gutter, signalization, raised medians, a five-foot sidewalk on one side and a 14 feet wide multipurpose path/trail on the other as outlined in the staff report attached as Exhibit "A"; and

WHEREAS, in connection with the construction, repair and maintenance of the Reams Road project by Orange County, a charter county and political subdivision of the State of Florida, it is necessary that said County have the required areas for roadway purposes and it is necessary and in the public interest that there be acquired the required fee simple and temporary construction easement interests in certain lands for proper construction and maintenance of the above road in the County's Road System; and

WHEREAS, efforts to purchase said lands from the owner of said lands have been unsuccessful to date.


NOW THEREFORE, BE IT RESOLVED by Orange County, a charter county and political subdivision of the State of Florida, by and through the Board of County Commissioners of said County, that the acquisition of the required fee simple and temporary construction easement interests in the required lands necessary for roadway purposes has been found to be and is hereby found to be necessary, practical, and to the best interest of Orange County, Florida, and the people of said County, and the same is for a County purpose; and be it further

RESOLVED that for the purposes aforesaid, it is necessary, practical, and to the best interest of the public and Orange County and of the people of said County that the fee simple and temporary construction easement interests for roadway purposes be acquired in the name of said County by gift, purchase, eminent domain proceedings, or otherwise over and upon all those certain pieces parcels, or tracts of land, situate, lying and being in Orange County, Florida, as described in the attached Schedule "A" and Schedule "B"; and be it further

RESOLVED that the temporary construction easement designated as parcel number 7019 shall commence on the date that Orange County takes title to said temporary construction easement and terminate seven (7) years after that date, or upon the completion of the construction on the project adjacent to the lands described in the attached Schedule "A", whichever occurs first; and be it further

RESOLVED that the property descriptions under parcel numbers 1019 and 7019 are ratified and confirmed and found necessary for this project to the extent of the estate or interest set forth as a part of the parcel descriptions, the above referenced descriptions being attached hereto as Schedule "A" and Schedule "B", and made a part by reference hereof, that Orange County, the Board of County Commissioners of said County, the Deputy Clerk of said Board of County Commissioners, the attorneys of said Board of County Commissioners and County, and all appropriate departments, officers and employees of said County be, and they are hereby authorized and directed to proceed to take necessary steps to institute and prosecute such necessary actions and proceedings as may be proper for the acquisition of the required fee simple and temporary construction easement interests in said lands by gift, purchase, eminent domain proceedings or otherwise, and to prepare, sign, execute, serve, publish, and file, in the name of the County by its commissioners, all eminent domain papers, affidavits and pleadings, and said attorneys are authorized to have prepared, at said County's expense, such abstract of title search as may be necessary in connection therewith.

ADOPTED THIS _____.



MAR 25 2025

ORANGE COUNTY, FLORIDA
By: Board of County Commissioners

ATTEST: Phil Demings
County Comptroller
as Clerk of the Board
of County Commissioners

BY: *[Signature]*
for Jerry L. Demings
Orange County Mayor

BY: *Jennifer Larn-Klimetz*
for Deputy Clerk
Jennifer Larn-Klimetz
Printed Name

DATE: 25 March 2025

STAFF REPORT

January 8, 2024

Reams Road

**From south of Summerlake Park Boulevard. to Taborfield Avenue
CIP 5139**

Project History

1. In April 2017, Orange County began the Roadway Conceptual Analysis (RCA) for the Reams Road Project. The Reams Road project extends from south of Summerlake Park Boulevard to Taborfield Avenue. The Reams Road Roadway Conceptual Analysis Report documents the need for improvement, existing conditions, design criteria, traffic analysis, corridor analysis, alternative alignment analysis, and preliminary design analysis.
2. The first Public Meeting for the Reams Road RCA was held on October 5, 2017. This meeting was an Introductory/ Alternative Information Public Meeting to inform the community about the roadway project. The meeting included a formal presentation by Orange County followed by an informal question and answer period. Alternative improvements concepts were also presented to the public for their review and comment.
3. The Second Public Meeting for the Reams Road RCA was held on December 13, 2017 to discuss the Preliminary Preferred Alternative.
4. The Board of County Commissioners (BCC) Public Hearing was held on April 24, 2018. County staff made a brief presentation. The presentation outline was as follows: project location, project need, public involvement, project elements, estimated project costs, project schedule, and action requested. The BCC approved proceeding with the final design, right-of-way acquisition, and construction of the project.

PROJECT CONSIDERATIONS

Among the important elements in determining the need for the roadway improvements are: Existing conditions, long range planning, safety considerations, environmental considerations, evaluation of alternative alignments, engineering recommendations and project cost.

Existing Conditions

Reams Road, within the project limits, is a two-lane undivided roadway. The Lakeside Village Specific Area Plan, adopted May 20, 1997 by Orange County, identifies Reams Road as a major urban collector from Summerlake Park Boulevard/Ficquette Road at the west end of the study limits to west of Jayme Drive, as minor collector from west of Jayme Drive to Via Trieste Drive, and as a neighborhood circulator from Via Trieste Drive to Taborfield Avenue. Reams Road has a posted speed limit of 45 miles per hour (mph).

STAFF REPORT

January 8, 2024

Reams Road

South of Summerlake Park Blvd. and Taborfield Avenue

CIP 5139

Sidewalk improvements have been made along Reams Road as developments have been constructed. However, extended distances along Reams Road do not have pedestrian features. The existing right-of-way along Reams Road varies throughout the project corridor. When originally constructed, the existing right-of-way was typically 60 feet in width. As new development has occurred along the corridor, additional right-of-way has been acquired.

Floridian Place is the only signalized intersection within the study limits. The existing transportation network within the study corridor is comprised mainly of the current roadway system. LYNX Transit routes 56 and 302 service the area south of Reams Road along Center Drive with stops at Disney University and the Magic Kingdom Bus Station. These routes access the stops from the south and do not utilize Reams Road. The LYNX Vision 2030 Plan does not include any future routes in the vicinity of Reams Road.

Street lighting is limited along Reams Road. Thirteen Utility Agency/Owners (UAO) have been identified within the project area through a Sunshine 811 Design Ticket and utility coordination efforts. The Reams Road project area is located in the Reedy Creek drainage basin within the jurisdiction of the South Florida Water Management District (SFWMD). The entire project area is a tributary of the Reedy Creek Improvement District (RCID) L-407 and L-107 Canals. Stormwater runoff from the existing roadway is collected in roadside swales and then discharged into adjacent wetlands and drainage systems.

Long Range Planning

The widening of Reams Road, from Summerlake Park Boulevard to CR 535 (Winter Garden Vineland Road), is included in the MetroPlan Orlando 2040 Long Range Transportation Plan (Blueprint 2040) as an Orange County Unfunded Need. The plan has the project listed in two segments, from Summerlake Park Boulevard to Center Drive, and from Center Drive to CR 535 (Winter Garden Vineland Road). Reams Road from Summerlake Park Boulevard to Taborfield Avenue is included in the FY 2017/18-2021-22 Orlando Urban Area Transportation Improvement Program as a locally funded highway project by Orange County.

The Orange County Comprehensive Plan, Capital Improvements Element, includes improvements to Reams Road, from Summerlake Park Boulevard to Taborfield as part of the 10-year schedule of capital improvements.

Reams Road is included as a four-lane roadway in Map 1C: Transportation Element Future Conditions Number of Lanes 2030. The project is consistent with the Orange County Comprehensive Plan, the MetroPlan Orlando 2040 LRTP Unfunded Needs Plan, and the MetroPlan Orlando FY 2017/18-2021-22 Orlando Urban Area Transportation Improvement Program.

STAFF REPORT

January 8, 2024

Reams Road

South of Summerlake Park Blvd. and Taborfield Avenue

CIP 5139

Safety Consideration

The purpose and need for the project is based on several factors. These are to provide traffic capacity, to meet social/economic demands, to be consistent with transportation plans, and to enhance safety. Portions of Reams Road within the project limits are currently operating at an unacceptable Level of Service (LOS) F. By the design year 2045, all of Reams Road, within the project limits, will operate at an unacceptable LOS F. Roadway improvement are needed to provide an acceptable level of service.

The widening of Reams Road should provide for both traffic and pedestrian safety. The following are some of the improvements associated with Reams Road: widening of existing roadway to four lanes, closed stormwater management system, curb and gutter, signalization, raised medians, a five-foot sidewalk on one side and a 14 feet wide multi-purpose path/trail on the other. New traffic signals will be installed at Torcello Isle Drive, Floridian Place, Center Drive, Newmarket Drive and Taborfield Avenue. The raised medians will also provide adequate separation for the two directions of traffic. The installation of sidewalk and the multi-purpose path/trail lanes will provide designated areas for pedestrians and bicyclists. Dedicated turn lanes reduce the potential for rear end collisions. Sidewalks, pedestrian crosswalks, pedestrian signals and streetlights increase the safety of the intersection for vehicles and pedestrians.

Environmental Considerations

The environmental considerations include land use, cultural features and community centers, threatened and endangered species, impacts to wetlands, and contaminated sites.

Detailed studies and evaluations were conducted to determine the potential for adverse environmental impacts that may result from the proposed project. Baseline data, evaluation procedures, and analysis of results are contained in the project files and in the following reports:

- Cultural Resource Assessment Survey
- Contamination Screening Evaluation Report (CSER)
- Ecological Summary Report

The project is anticipated to impact approximately 6.8 acres of wetlands (roadway and ponds). Federal, state, and local government agencies with regulatory authority over wetland and/or other surface waters generally require mitigation to offset unavoidable impacts as a condition of the permit. Mitigation requirements are based on a compilation

STAFF REPORT

January 8, 2024

Reams Road

South of Summerlake Park Blvd. and Taborfield Avenue

CIP 5139

of wetland parameters including quality, type, function, and size. Impacts to wetlands and/or other surface waters will be avoided and minimized to the maximum extent possible while maintaining safe and sound engineering and construction practices. Primarily, avoidance and minimization efforts are related to the proposed stormwater management pond locations.

A mitigation plan that adequately offsets adverse impacts will be developed and implemented during the design phase. Adverse wetland impacts that may result from the construction of this project will be mitigated, satisfying the requirements of Part IV, Chapter 373, F.S. and 33 U.S.C.S.1344. Compensatory mitigation for this project will be completed through the use of mitigation banks and/or any other mitigation options that satisfy federal and state requirements.

Based on the analysis conducted on the RCA, there are no cultural resources listed, determined eligible, or appear to be potentially eligible for listing in the NRHP. As such, historic resources will not be a critical issue.

Evaluation of Alternative Alignments

Three roadway alignment alternatives were considered. The alternatives were developed to address several different concerns including: traffic capacity needs of the study area, pedestrian and bicyclists needs, access management and minimization of impacts to residents, planned development, businesses and the environment. The proposed alignment for the north portion of Segment G was determined through the Fishback Planned Development (PD). Segments H-1 and H-2 generally follow the existing Ficquette Road alignment. The alignment of the south portion of Segment G and Segment H-1 occurs with the alignment proposed in the Signature Lakes PD. Each segment of the road was evaluated for its best alignment. The recommended alignment was a combination of the alignments for each segment.

Engineering Recommendations

The recommended alignment is generally centered on the existing right-of-way. Near Summerlake Boulevard, the alignment shifts southwest to realign the Summerlake Boulevard /Reams Road and Ficquette Road intersection. The alignment recommendation was based on the evaluation of project costs, right-of-way requirements, conceptual drainage analysis, socio-economic impact analysis and environmental impact analysis. The recommended typical section for this project is as follows:

- Four lanes (two, each direction)
- Raised landscaped median
- Sidewalks
- 10-14 feet multi-purpose path/trail

STAFF REPORT**January 8, 2024****Reams Road****South of Summerlake Park Blvd. and Taborfield Avenue****CIP 5139**

- Curb and gutter stormwater drainage system with retention ponds
- 120 feet-wide minimum proposed right-of-way
- Landscaping
- Roadway Lighting

Costs

The estimated project costs are as follows:

Engineering design cost	\$ 4,000,000
Right-of-way cost	\$ 15,000,000
<u>Construction cost</u>	<u>\$ 80,200,000</u>
Total project cost	\$ 99,200,000

Conclusion

In accordance with the Reams Road Roadway Conceptual Analysis (RCA), the Reams Road project from to Summerlake Park Boulevard to Taborfield Avenue should be designed and constructed as a four lane urban, divided facility. This project is needed to increase the traffic operation capacity of the existing two-lane roadway. Also, the improvements are required in order to accommodate the increased transportation demands resulting from current and future growth in the area.

SCHEDULE "A" LEGAL DESCRIPTION

REAMS ROAD
PARCEL NO. 1019

A PORTION OF SECTION 01, TOWNSHIP 24 SOUTH, RANGE 27 EAST, AND BEING A PORTION OF ORANGE COUNTY, FLORIDA, MORE PARTICULARLY DESCRIBED IN OFFICIAL RECORDS BOOK 5709, PAGE(S) 0269 THROUGH 0273, PUBLIC RECORDS OF ORANGE COUNTY, FLORIDA, AND MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE NORTHEAST CORNER OF SECTION 1, TOWNSHIP 24 SOUTH, RANGE 27 EAST, ORANGE COUNTY, FLORIDA, RUN SOUTH 89°49'23" WEST, A DISTANCE OF 277.86 FEET ALONG THE NORTH LINE OF SAID SECTION 1, TO A POINT ON THE CENTERLINE OF CONSTRUCTION OF REAMS ROAD PER ORANGE COUNTY PUBLIC WORKS RIGHT OF WAY MAP OCFL# 5139, THENCE RUN ALONG SAID CENTERLINE, BEING A NON-TANGENT CURVE CONCAVE NORTHWESTERLY AND HAVING A RADIUS OF 1315.00 FEET, THENCE RUN SOUTHERLY, A DISTANCE OF 252.92, ALONG THE ARC OF SAID CURVE AND SAID CENTERLINE, THROUGH A CENTRAL ANGLE OF 11°01'11", A CHORD BEARING OF SOUTH 43°06'36" WEST, A CHORD DISTANCE OF 252.53 FEET, TO A POINT ON THE EXTENSION OF THE SOUTHWESTERLY LINE OF LANDS DESCRIBED IN OFFICIAL RECORDS BOOK 5709, PAGE 269 OF THE OFFICIAL RECORDS OF ORANGE COUNTY, FLORIDA; THENCE NORTH 47°14'38" WEST ALONG SAID EXTENSION, A DISTANCE OF 44.45 FEET TO A POINT ON THE NORTHWEST RIGHT OF WAY LINE OF REAMS ROAD, SAID POINT BEING THE POINT OF BEGINNING; THENCE CONTINUE NORTH 47°14'38" WEST ALONG SAID SOUTHWESTERLY LINE, A DISTANCE OF 17.64 FEET TO A POINT, SAID POINT BEING ON A NON-TANGENT CURVE CONCAVE NORTHWESTERLY AND HAVING A RADIUS OF 1253.25 FEET; THENCE RUN NORTHERLY, A DISTANCE OF 144.20 FEET, ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 06°35'33", A CHORD BEARING OF NORTH 45°36'49" EAST, A CHORD DISTANCE OF 144.12 FEET, TO A POINT ON THE NORTH LINE OF SAID LANDS DESCRIBED; THENCE NORTH 88°43'35" EAST ALONG SAID NORTH LINE OF LANDS DESCRIBED, A DISTANCE OF 19.89 FEET TO A POINT ON SAID NORTHWEST RIGHT OF WAY LINE, SAID POINT ALSO BEING A POINT ON A NON-TANGENT CURVE CONCAVE NORTHWESTERLY AND HAVING A RADIUS OF 1397.39 FEET; THENCE FROM A TANGENT BEARING OF SOUTH 40°54'48" WEST, RUN SOUTHERLY, A DISTANCE OF 157.89 FEET, ALONG THE ARC OF SAID CURVE AND SAID NORTHWEST RIGHT OF WAY LINE, THROUGH A CENTRAL ANGLE OF 06°28'26", A CHORD BEARING OF SOUTH 44°09'01" WEST, A CHORD DISTANCE OF 157.81 FEET TO THE POINT OF BEGINNING.

SAID PARCEL CONTAINING 2,406 SQUARE FEET, MORE OR LESS

NOTES:

1. THIS IS NOT A BOUNDARY SURVEY.
2. NO CORNERS WERE SET AS PART OF THIS SKETCH OF DESCRIPTION.
3. THIS SKETCH OF DESCRIPTION IS NOT VALID WITHOUT THE SIGNATURE AND THE ORIGINAL RAISED SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER.
4. BEARINGS SHOWN HEREON ARE BASED ON THE NORTH LINE OF THE NORTHEAST 1/4 OF SECTION 34 TOWNSHIP 23 SOUTH, RANGE 27 EAST, BEING N89°55'33"E.

SYMBOLS AND ABBREVIATION LEGEND:

N	=	NORTH	DOC#	=	DOCUMENT NUMBER	PRM	=	PERMANENT REFERENCE
S	=	SOUTH	ID.	=	IDENTIFICATION	MONUMENT		
E	=	EAST	L	=	ARC LENGTH	PROP.	=	PROPOSED
W	=	WEST	L1	=	LINE NUMBER	P.T.	=	POINT OF TANGENCY
CL	=	CENTERLINE	LB	=	LICENSED BUSINESS	R	=	RADIUS
C1	=	CURVE NUMBER	LT.	=	LEFT	RT.	=	RIGHT
(C)	=	CALCULATED	O.R.B.	=	OFFICIAL RECORDS BOOK	R/W	=	RIGHT OF WAY
CB	=	CHORD BEARING	P.B.	=	PLAT BOOK	STA.	=	STATION
CCR	=	CERTIFIED CORNER RECORD	P.C.	=	POINT OF CURVATURE	T	=	TANGENT
CH	=	CHORD LENGTH	P.O.C.	=	POINT ON CURVE	TCE	=	TEMPORARY CONSTRUCTION
CM	=	CONCRETE MONUMENT	PG(S)	=	PAGE(S)	EASEMENT		
□	=	6"X6" CONCRETE MONUMENT	P.I.	=	POINT OF INTERSECTION	(XXXX)	=	PARCEL NUMBER
Δ	=	DELTA ANGLE	P.L.	=	PROPERTY LINE			
(D)	=	DEEDED	P.O.T.	=	POINT ON TANGENT			

SHEET 1 OF 2
SEE SHEET 2
FOR SKETCH

CERTIFIED TO:

1. ORANGE COUNTY, FLORIDA
- 2.
- 3.
- 4.

PROJECT NAME: REAMS ROAD
PROJECT NO.: CIP 5139

PROJECT No.	190244	DRAWN DATE	2022.07.22
SURVEY BY	N/A	REVIEWED BY	SM
SURVEY DATE	N/A	APPROVED BY	SM
DRAWN BY	DH	CLIENT FILE No.	N/A

No.	DATE	BY	DESCRIPTION
1	04/20/2022	CBvG	REV. PER OC COMMENTS
2	02/15/2023	BS	REV. PER L&S QA/QC
3	09/29/2023	LC	REV. PER OC COMMENTS

SURVEYOR'S CERTIFICATION

I HEREBY CERTIFY THAT THE SKETCH AND LEGAL DESCRIPTION REPRESENTED HEREON IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE, INFORMATION, AND BELIEF. IT HAS BEEN PREPARED IN ACCORDANCE WITH THE STANDARDS SET FORTH IN CHAPTER SJ-17 OF THE FLORIDA ADMINISTRATIVE CODE PURSUANT TO TO CHAPTERS 177 AND 472 OF THE FLORIDA STATUTES.

OCT 02 2023

Sm

SHERRY L. MANOR, PSM - LS# 6961

THIS SKETCH AND LEGAL DESCRIPTION AND/OR REPORT IS NOT VALID WITHOUT THE SIGNATURE AND THE ORIGINAL RAISED SEAL OF THE ABOVE



ORANGE COUNTY PUBLIC WORKS
ENGINEERING DIVISION
4200 SOUTH JOHN YOUNG PARKWAY
ORLANDO, FLORIDA 32839-9205
(407) 836-7929



L & S
Diversified


489 STATE ROAD 436 | SUITE 117 | CASSELBERRY, FL | 32707
PHONE 407.681.3836 | FAX 407.681.6541
WWW.LSSURVEYOR.COM | INFO@LSSURVEYOR.COM


PROFESSIONAL SURVEYOR & MAPPER BUSINESS LICENSE | LB#7829

T.P. 11/7/24

SKETCH OF DESCRIPTION

REAMS ROAD
PARCEL NO. 1019



CERTIFIED TO:		 ORANGE COUNTY PUBLIC WORKS ENGINEERING DIVISION 4200 SOUTH JOHN YOUNG PARKWAY ORLANDO, FLORIDA 32839-9205 (407) 836-7929	 L & S Diversified  489 STATE ROAD 436 SUITE 117 CASSELBERRY, FL 32707 PHONE 407.681.3836 FAX 407.681.6541 WWW.LSSURVEYOR.COM INFO@LSSURVEYOR.COM PROFESSIONAL SURVEYOR & MAPPER BUSINESS LICENSE LB#7829
1. ORANGE COUNTY, FLORIDA			
2.			
3.			
PROJECT NAME: REAMS ROAD PROJECT NO.: CIP 5139			
PROJECT No.	190244	DRAWN DATE	2022.07.22
SURVEY BY	N/A	REVIEWED BY	SM
SURVEY DATE	N/A	APPROVED BY	SM
DRAWN BY	DH	CLIENT FILE No.	N/A
No.	DATE	BY	DESCRIPTION
1	04/20/2022	CBVG	REV. PER OC COMMENTS
2	02/15/2023	BS	REV. PER L&S QA/QC
3	09/29/2023	LC	REV. PER OC COMMENTS

T.P. 11/7/24

SCHEDULE "B"

5139 REAMS RD PARCEL 1019

FEE SIMPLE

Parcel 1019: the interest being acquired is fee simple.

SCHEDULE "A" LEGAL DESCRIPTION

REAMS ROAD
PARCEL NO. 7019

A portion of Section 01, Township 24 South, Range 27 East, and more accurately described in Official Records Book 5709, Pages 269 through 273, Public Records of Orange County, Florida, and more particularly described as follows:

COMMENCE at the Northeast corner of Section 1, Township 24 South, Range 27 East, Orange County, Florida, run South 89°49'23" West along the North line of said Section 1, a distance of 277.86 feet to a point on the centerline of construction of Reams Road per Orange County Public Works Right of way map CIP 5139, thence run along said centerline, being a non-tangent curve concave Northwesterly and having a radius of 1315.00 feet, thence from a tangent bearing of South 37°36'00" West, run Southerly, a distance of 252.92, along the arc of said curve and said centerline, through a central angle of 11°01'11" , a chord bearing of South 43°06'36" West, a chord distance of 252.53 feet, to a point on the extension of the Southwesterly line of lands described in Official Records Book 5709, Page 269, Public Records of Orange County, Florida; thence run North 47°14'38" West along said extension, a distance of 44.45 feet to a point on the Northwest Right of way line of Reams Road; thence continue North 47°14'38" West along said Southwesterly line, a distance of 17.64 feet to the POINT OF BEGINNING, thence continue North 47°14'38" West along said Southwesterly line, a distance of 26.51 feet to a point; thence run North 47°26'41" East, a distance of 4.41 feet to a point; thence run South 41°09'48" East, a distance of 26.46 feet to a point on a non-tangent curve concave Northwesterly and having a radius of 1253.25 feet; thence from a tangent bearing of South 48°50'12" West, run Southerly, a distance of 1.60 feet, along the arc of said curve, through a central angle of 00°04'24", a chord bearing of South 48°52'24" West, a chord distance of 1.60 feet, to the POINT OF BEGINNING.

Said parcel containing 79 square feet, more or less.


NOTES:

1. THIS IS NOT A BOUNDARY SURVEY.
2. NO CORNERS WERE SET AS PART OF THIS SKETCH OF DESCRIPTION.
3. THIS SKETCH OF DESCRIPTION IS NOT VALID WITHOUT THE SIGNATURE AND THE ORIGINAL RAISED SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER.
4. BEARINGS SHOWN HEREON ARE BASED ON THE WEST LINE OF THE SOUTHWEST ¼ OF SECTION 35 TOWNSHIP 23 SOUTH, RANGE 27 EAST, BEING N00°08'26"E.

SYMBOLS AND ABBREVIATION LEGEND:

N = NORTH	ID. = IDENTIFICATION	PROP. = PROPOSED
S = SOUTH	IRC = IRON ROD & CAP	P.T. = POINT OF TANGENCY
E = EAST	L = ARC LENGTH	R = RADIUS
W = WEST	L1 = LINE NUMBER	RT. = RIGHT
A.D.E. = ACCESS & DRAINAGE EASEMENT	LB = LICENSED BUSINESS	R/W = RIGHT OF WAY
CL = CENTERLINE	LT. = LEFT	STA. = STATION
C1 = CURVE NUMBER	O.R.B. = OFFICIAL RECORDS BOOK	T = TANGENT
(C) = CALCULATED	P.B. = PLAT BOOK	T.C.E. = TEMPORARY CONSTRUCTION EASEMENT
CB = CHORD BEARING	P.C. = POINT OF CURVATURE	U.D.A.E. = UTILITY, DRAINAGE & ACCESS EASEMENT
CCR = CERTIFIED CORNER RECORD	P.O.C. = POINT ON CURVE	U.E. = UTILITY EASEMENT
CH = CHORD LENGTH	PG(S) = PAGE(S)	(XXX) = PARCEL NUMBER
CM = CONCRETE MONUMENT	P.I. = POINT OF INTERSECTION	
Δ = DELTA ANGLE	PL = PROPERTY LINE	
(D) = DEEDED	P.O.T. = POINT ON TANGENT	
DOC# = DOCUMENT NUMBER	PRM = PERMANENT REFERENCE MONUMENT	

SHEET 1 OF 2
SEE SHEET 2
FOR SKETCH

CERTIFIED TO:		SURVEYOR'S CERTIFICATION		ORANGE COUNTY PUBLIC WORKS ENGINEERING DIVISION 4200 SOUTH JOHN YOUNG PARKWAY ORLANDO, FLORIDA 32839-9205 (407) 836-7929	
1. ORANGE COUNTY, FLORIDA		I HEREBY CERTIFY THAT THE SKETCH AND LEGAL DESCRIPTION REPRESENTED HEREON IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE, INFORMATION, AND BELIEF. IT HAS BEEN PREPARED IN ACCORDANCE WITH THE STANDARDS SET FORTH IN CHAPTER 51-17 OF THE FLORIDA ADMINISTRATIVE CODE PURSUANT TO TO CHAPTERS 177 AND 472 OF THE FLORIDA STATUTES.		 	
2.					
3.				L & S Diversified 489 STATE ROAD 436 SUITE 117 CASSELBERRY, FL 32707 PHONE 407.681.3836 FAX 407.681.6541 WWW.LSSURVEYOR.COM INFO@LSSURVEYOR.COM PROFESSIONAL SURVEYOR & MAPPER BUSINESS LICENSE LB#7829	
4.					
PROJECT NAME: REAMS ROAD PROJECT NO.: CIP 5139		OCT 02 2023  SHERRY L. MANIOR, PSM - LS# 6961 THIS SKETCH AND LEGAL DESCRIPTION AND/OR REPORT IS NOT VALID WITHOUT THE SIGNATURE AND THE ORIGINAL RAISED SEAL OF THE ABOVE.			
PROJECT No. 190244 DRAWN DATE 2022.07.22					
SURVEY BY N/A REVIEWED BY SM					
SURVEY DATE N/A APPROVED BY SM					
DRAWN BY DH CLIENT FILE No. N/A					
No.	DATE	BY	DESCRIPTION		
1	04/20/2022	CBVG	REV. PER OC COMMENTS		
2	03/01/2023	BS	REV. PER L&S QA / QC		
3	09/29/2023	LC	REV. PER OC COMMENTS		

T.P. 11/26/23

SKETCH OF DESCRIPTION

REAMS ROAD
PARCEL NO. 7019

NORTH LINE OF SECTION 1,
TOWNSHIP 24 SOUTH,
RANGE 27 EAST

FORMER REAMS ROAD
(CURRENTLY NOT IN USE)
60.00' PUBLIC RIGHT OF WAY
PLAT BOOK 3, PGS. 85-87

NORTH LINE OF
ORB 5709, PG 269

TOWNSHIP 23
TOWNSHIP 24

S89°49'23"W 277.86'
TB=S37°36'00"W
STA. 512+77.89

01-24-27-0000-00-011
NOT PLATTED

SOUTHWESTERLY LINE OF
ORB 5709, PG 269

EXISTING R/W LINE
PER ORB 4692, PG
3665

**POINT OF
COMMENCEMENT**
NORTHEAST CORNER OF
SECTION 1
FOUND 6"x6" CONCRETE
MONUMENT
NO IDENTIFICATION
CCR#099002

N47°26'41"E
4.41'(C)

STA.510+20.00
88.21' LT.

7019

S41°09'48"E
26.46'(C)

STA.510+15.27
88.10' LT.

N47°14'38"W 26.51'(C)

STA.510+20.00
61.75' LT.
TB=S48°50'12"W

POINT OF BEGINNING
STA.510+18.32
61.75' LT.

R=1253.25'(C)
L=1.60'(C)

Δ=0°04'24"(C)
CH=1.60'(C)


CB=S48°52'24"W(C)
T=S48°50'12"W(C)

N47°14'38"W 17.64'

N47°14'38"W
44.45'

R=1315.00'(C)
L=252.92'(C)
Δ=11°01'11"(C)
CH=252.53'(C)
CB=S43°06'36"W(C)
T=S37°36'00"W(C)

CURVE CL6(OVERALL)
P.I. STA. 515+26.53
Δ=59°26'33"(LT.)
R=1315.00'
T=750.71'
L=1364.27'
P.C. STA. 507+75.83
P.T. STA. 521+40.09



SHEET 2 OF 2
SEE SHEET 1
FOR LEGAL DESCRIPTION
SKETCH IS NOT A SURVEY

CERTIFIED TO:

1. ORANGE COUNTY, FLORIDA
- 2.
- 3.
- 4.

PROJECT NAME: REAMS ROAD
PROJECT NO.: CIP 5139


PROJECT No.	190244	DRAWN DATE	2022.07.22
SURVEY BY	N/A	REVIEWED BY	SM
SURVEY DATE	N/A	APPROVED BY	SM
DRAWN BY	DH	CLIENT FILE No.	N/A

No.	DATE	BY	DESCRIPTION
1	04/20/2022	CBvG	REV. PER OC COMMENTS
2	03/01/2023	BS	REV. PER L&S QA / QC
3	09/29/2023	LC	REV. PER OC COMMENTS



ORANGE COUNTY PUBLIC WORKS
ENGINEERING DIVISION
4200 SOUTH JOHN YOUNG PARKWAY
ORLANDO, FLORIDA 32839-9205
(407) 836-7929

0 40 80
Feet



L & S
Diversified

489 STATE ROAD 436 | SUITE 117 | CASSELBERRY, FL | 32707
PHONE 407.681.3836 | FAX 407.681.6541
WWW.LSSURVEYOR.COM | INFO@LSSURVEYOR.COM

PROFESSIONAL SURVEYOR & MAPPER BUSINESS LICENSE | LB#7829

T.P. 11/26/23

SCHEDULE "B"

5139 REAMS RD PARCEL 7019

TEMPORARY CONSTRUCTION EASEMENT

Parcel 7019 is being acquired as a temporary, non-exclusive easement with full authority to enter upon the lands described in attached Schedule "A" ("Easement Area") for the purpose of removal of adjacent bike trail. At all times during construction the GRANTEE will maintain access to the GRANTOR'S remaining lands.

After the construction on the Parcel is completed the GRANTEE shall restore the Parcel to a same or similar condition as the one existing before being disturbed by the GRANTEE.

This easement shall expire upon the completion of the construction on the project adjacent to the Easement Area or after SEVEN (7) years, whichever occurs first.