

Orange County Government

Orange County
Administration Center
201 S Rosalind Ave.
Orlando, FL 32802-1393

Legislation Text

File #: 25-827, Version: 1

Interoffice Memorandum

DATE: May 21, 2025

TO: Mayor Jerry L. Demings and County Commissioners

THROUGH: Mindy T. Cummings, Manager

FROM: Tara Petersen, Program Manager

CONTACT: Mindy T. Cummings, Manager

PHONE: 407-836-7090

DIVISION: Real Estate Management Division

ACTION REQUESTED:

Approval and execution of Resolution of the Orange County Board of County Commissioners regarding Amending Resolution approved March 25, 2025 for Parcel 1057 Reams Road (Summerlake Park Boulevard to Taborfield Avenue), and authorization to initiate condemnation proceedings for Reams Road (Summerlake Park Blvd to Taborfield Avenue) Parcel 1057. District 1. (Real Estate Management Division)

PROJECT: Reams Road (Summerlake Park Blvd to Taborfield Avenue) Parcel 1057

PURPOSE: Acquisition of one fee simple parcel required for roadway improvements.

ITEM: Amending Resolution Parcel 1057

BUDGET: N/A

REVENUE: N/A

FUNDS: N/A

APPROVALS:

Real Estate Management Division

County Attorney's Office

File #: 25-827, Version: 1

REMARKS: This is an amended legal description for one of the parcels submitted in the first submittal.

RESOLUTION

of the

ORANGE COUNTY BOARD OF COUNTY COMMISSIONERS regarding

AMENDING RESOLUTION APPROVED MARCH 25, 2025

for

Parcel 1057

Reams Road (Summerlake Park Boulevard to Taborfield Avenue)

WHEREAS, on March 25, 2025, the Board of County Commissioners adopted Resolution regarding parcel number 1057 ("Resolution");

WHEREAS, among other things, Resolution authorized and directed Orange County and all appropriate departments, officers and employees of Orange County to proceed to take the necessary actions to acquire parcel number 1057 for roadway purposes by gift, purchase, eminent domain proceedings or otherwise;

WHEREAS, the Board of County Commissioners desires to amend Resolution to set forth this additional use.

BE IT RESOLVED BY THE BOARD OF COUNTY COMMISSIONERS OF ORANGE COUNTY:

Section 1. Amendment to Resolution. Resolution, as approved on March 11, 2025, is amended by correcting the legal and sketch in Resolution. The corrected legal and sketch is attached hereto as Exhibit A. In all other respects, Resolution shall remain unchanged.

Section 2. Effective date. This Amendment to Resolution shall take effect on the date of its adoption.

ADOPTED THIS DAY OF	JUN 1 7 2025	, 2025.
---------------------	--------------	---------

ORANGE COUNTY, FLORIDA By: Board of County Commissioners

Jerry L. Demings Orange County Mayor

ATTEST: Phil Diamond, CPA, County Comptroller As Clerk of the Board of County Commissioners

2

SCHEDULE "A" LEGAL DESCRIPTION

REAMS ROAD PARCEL NO. 1057

A portion of Section 2, Township 24 South, Range 27 East, also being a portion of Tract B, Reams Road Development, as recorded in Plat Book 88, Pages 51 and 52, Public Records of Orange County, Florida and more particularly described as follows:

COMMENCE at the Northeast corner of the Northeast 1/4 of Section 2, Township 24 South, Range 27 East, Orange County Florida; thence run South 00°06'53" East along the East line of the Northeast 1/4 of said Section 2, a distance of 1342.31 feet to the Northerly most corner of Tract B, Reams Road Development, as recorded in Plat Book 88, Pages 51 and 52; thence continue South 00°06'53" East along said East line, a distance of 573.69 feet to the POINT OF BEGINNING; thence continue South 00°06'53" East, a distance of 20.24 feet to a point on the North Right of Way line of Reams Road as recorded in Official Records Book 10899, Page 4276, Public Records of Orange County, Florida; thence run North 88"14'45" West along said North Right of Way line, a distance of 205.67 feet, to a point on a curve concave Northeasterly and having a radius of 902.00 feet; thence run Northwesterly, a distance of 439.29 feet, along the arc of said curve and said Existing North Right of Way line, through a central angle of 27"54"15", a chord bearing of North 74"17"38" West, and a chord distance of 434.96 feet to the intersection of the East line of Tract A drainage easement; thence departing said Existing North Right of Way line run North 8"08"12" East along said East line of Tract A, a distance of 11.86 feet; thence South 65"14"32" East, a distance of 108.75 feet; thence run South 73"43"39" East, a distance of 92.30 feet; to a point on a curve concave Northeasterly, and having a radius of 876.29 feet; thence run Southeasterly, a distance of 233.46 feet, along the arc of said curve, through a central angle of 15"15"53", and a chord bearing of South 80"37"56" East, and a chord distance of 232.77 feet; thence run South 88"15"31" East, a distance of 205.65 feet to the POINT OF BEGINNING.

Said Parcel containing 12,065 square feet, more or less.

NOTES:

- 1. THIS IS NOT A BOUNDARY SURVEY.
- 2. NO CORNERS WERE SET AS PART OF THIS SKETCH OF DESCRIPTION.
- THIS SKETCH OF DESCRIPTION IS NOT VALID WITHOUT THE SIGNATURE AND THE ORIGINAL RAISED SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER.
- BEARINGS SHOWN HEREON ARE BASED ON THE NORTH LINE OF THE NORTHEAST 1/4 OF SECTION 34 TOWNSHIP 23 SOUTH, RANGE 27 EAST, BEING N89*55'33"E.

SYMBOLS AND ABBREVIATION LEGEND:

N	=	NORTH	DOC#=	DOCUMENT NUMBER	P.O.T.=	POINT ON TANGENT
S	=	SOUTH	ID. =	IDENTIFICATION	PRM =	PERMANENT REFERENCE
Ε	=	EAST	_ =	ARC LENGTH		MONUMENT
W	=	WEST	L1 =	LINE NUMBER	PROP. =	PROPOSED
Œ	=	CENTERLINE	LB =	LICENSED BUSINESS	P.T. =	POINT OF TANGENCY
C1	=	CURVE NUMBER	LT. =	LEFT	R =	RADIUS
(C)	F200	CALCULATED	O.R.B.=	OFFICIAL RECORDS BOOK	RT. =	RIGHT
СВ	-	CHORD BEARING	P.B. =	PLAT BOOK	R/W =	RIGHT OF WAY
CCR	=	CERTIFIED CORNER RECORD	P.C. =	POINT OF CURVATURE	STA. =	STATION
CH	=	CHORD LENGTH	P.O.C.=	POINT ON CURVE	T =	TANGENT
CM	=	CONCRETE MONUMENT	PG(S)=	PAGE(S)	TCE =	TEMPORARY CONSTRUCTION
Δ	=	DELTA ANGLE	P.I. =	POINT OF INTERSECTION		EASEMENT
(D)	==	DEEDED	P =	PROPERTY LINE	(XXXX) =	PARCEL NUMBER SHEET 1 OF 2
, ,			-			SEE SHEET 2
						SKETCH OF
						DESCRIPTION

CERTIFIED TO:	
1. ORANGE COUNTY, FLORIDA	
2.	
3.	
4	

PROJECT NAME: REAMS ROAD PROJECT NO.: CIP 5139

PROJECT N	ю.	190244	DRAWN DATE	2022.07.22
SURVEY BY		N/A	REVIEWED BY	SM
SURVEY DA	ATE	N/A	APPROVED BY	SM
DRAWN BY		CBvG	CLIENT FILE No.	N/A
No.	DATE	BY	DESCRIPTIO	N
1	04/20/2022	CBvG	REV. PER OC	COMMENTS
2	02/17/2023	BS	REV. PER L&:	SQA/QC

REV. PER OC COMMENTS

03/10/2025 85

SURVEYOR'S CERTIFICATION

HEREBY CERTIFY THAT THE SKETCH AND LEGAL DESCRIPTION REPRESENTED HEREON IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE, INFORMATION, AND BELIEF. IT WAS BEEN PREPARED IN ACCORDANCE WITH THE STANDARDS SET FORTH IN CHAPTER SI-17 OF THE FLORIDA ADMINISTRATIVE CODE, PURSUANT TO TO CHAPTERS 177 AND 472 OF THE FLORIDA STATUES.



SHERRY L. MANOR, PSM - LS# 6961
THIS SIETCH AND LEGAL DESCRIPTION AND/OR REPORT IS NOT VALID
THOUT THE SIGNATURE AND THE ORIGINAL RAISES SEAL OF THE ABOVE.



ORANGE COUNTY PUBLIC WORKS ENGINEERING DIVISION 4200 SOUTH JOHN YOUNG PARKWAY ORLANDO, FLORIDA 32839-9205







Professional Surveyors and Mappers

489 STATE ROAD 436 | SUITE 117 | CASSELBERRY, FL | 32707 PHONE 407.681.3836 | FAX 407.681.6541 WWW.LSSURVEYOR.COM | INFO@LSSURVEYOR.COM

PROFESSIONAL SURVEYOR & MAPPER BUSINESS LICENSE | LB#7829







RESOLUTION

WHEREAS, during Fiscal Year 2017/2018-2021-2022, the Board approved the project known as Reams Road to widening of existing roadway to four lanes, closed stormwater management system, curb and gutter, signalization, raised medians, a five-foot sidewalk on one side and a 14 feet wide multipurpose path/trail on the other as outlined in the staff report attached as Exhibit "A"; and

WHEREAS, in connection with the construction, repair and maintenance of the Reams Road project by Orange County, a charter county and political subdivision of the State of Florida, it is necessary that said County have the required area for roadway purposes and it is necessary and in the public interest that there be acquired the required fee simple interest in certain land for proper construction and maintenance of the above road in the County's Road System; and

WHEREAS, efforts to purchase said land from the owner of said land have been unsuccessful to date.

NOW THEREFORE, BE IT RESOLVED by Orange County, a charter county and political subdivision of the State of Florida, by and through the Board of County Commissioners of said County, that the acquisition of the required fee simple interest in the required land necessary for roadway purposes has been found to be and is hereby found to be necessary, practical, and to the best interest of Orange County, Florida, and the people of said County, and the same is for a County purpose; and be it further

RESOLVED that for the purposes aforesaid, it is necessary, practical, and to the best interest of the public and Orange County and of the people of said County that the fee simple interest for roadway purposes be acquired in the name of said County by gift, purchase, eminent domain proceedings, or otherwise over and upon all that certain piece parcel, or tract of land, situate, lying and being in Orange County, Florida, as described in the attached Schedule "A" and Schedule "B"; and be it further

RESOLVED that the property description under parcel number 1057 is ratified and confirmed and found necessary for this project to the extent of the estate or interest set forth as a part of the parcel description, the above referenced description being attached hereto as Schedule "A" and Schedule "B", and made a part by reference hereof, that Orange County, the Board of County Commissioners of said County, the Deputy Clerk of said Board of County Commissioners, the attorneys of said Board of County Commissioners and County, and all appropriate departments, officers and employees of said County be, and they are hereby authorized and directed to proceed to take necessary steps to institute and prosecute such necessary actions and proceedings as may be proper for the acquisition of the required fee simple interest in said land by gift, purchase, eminent domain proceedings or otherwise, and to prepare, sign, execute, serve, publish, and file, in the name of the County by its commissioners, all eminent domain papers, affidavits and pleadings,

and said attorneys are authorized to have prepared, at said County's expense, such abstract of title search as may be necessary in connection therewith.

 STAFF REPORT
Reams Road
From south of Summerlake Park Boulevard. to Taborfield Avenue
CTP 5139

Project History

In April 2017, Orange County began the Roadway Conceptual Analysis (RCA)
for the Reams Road Project. The Reams Road project extends from south of
Summerlake Park Boulevard to Taborfield Avenue. The Reams Road Roadway
Conceptual Analysis Report documents the need for improvement, existing
conditions, design criteria, traffic analysis, corridor analysis, alternative alignment
analysis, and preliminary design analysis.

January 8, 2024

- 2. The first Public Meeting for the Reams Road RCA was held on October 5, 2017. This meeting was an Introductory/ Alternative Information Public Meeting to inform the community about the roadway project. The meeting included a formal presentation by Orange County followed by an informal question and answer period. Alternative improvements concepts were also presented to the public for their review and comment.
- 3. The Second Public Meeting for the Reams Road RCA was held on December 13, 2017 to discuss the Preliminary Preferred Alternative.
- 4. The Board of County Commissioners (BCC) Public Hearing was held on April 24, 2018. County staff made a brief presentation. The presentation outline was as follows: project location, project need, public involvement, project elements, estimated project costs, project schedule, and action requested. The BCC approved proceeding with the final design, right-of-way acquisition, and construction of the project.

PROJECT CONSIDERATIONS

Among the important elements in determining the need for the roadway improvements are: Existing conditions, long range planning, safety considerations, environmental considerations, evaluation of alternative alignments, engineering recommendations and project cost.

Existing Conditions

Reams Road, within the project limits, is a two-lane undivided roadway. The Lakeside Village Specific Area Plan, adopted May 20, 1997 by Orange County, identifies Reams Road as a major urban collector from Summerlake Park Boulevard/Ficquette Road at the west end of the study limits to west of Jayme Drive, as minor collector from west of Jayme Drive to Via Trieste Drive, and as a neighborhood circulator from Via Trieste Drive to Taborfield Avenue. Reams Road has a posted speed limit of 45 miles per hour (mph).

Sidewalk improvements have been made along Reams Road as developments have been constructed. However, extended distances along Reams Road do not have pedestrian features. The existing right-of-way along Reams Road varies throughout the project corridor. When originally constructed, the existing right-of-way was typically 60 feet in width. As new development has occurred along the corridor, additional right-of-way has been acquired.

Floridian Place is the only signalized intersection within the study limits. The existing transportation network within the study corridor is comprised mainly of the current roadway system. LYNX Transit routes 56 and 302 service the area south of Reams Road along Center Drive with stops at Disney University and the Magic Kingdom Bus Station. These routes access the stops from the south and do not utilize Reams Road. The LYNX Vision 2030 Plan does not include any future routes in the vicinity of Reams Road.

Street lighting is limited along Reams Road. Thirteen Utility Agency/Owners (UAO) have been identified within the project area through a Sunshine 811 Design Ticket and utility coordination efforts. The Reams Road project area is located in the Reedy Creek drainage basin within the jurisdiction of the South Florida Water Management District (SFWMD). The entire project area is a tributary of the Reedy Creek Improvement District (RCID) L-407 and L-107 Canals. Stormwater runoff from the existing roadway is collected in roadside swales and then discharged into adjacent wetlands and drainage systems.

Long Range Planning

The widening of Reams Road, from Summerlake Park Boulevard to CR 535 (Winter Garden Vineland Road), is included in the MetroPlan Orlando 2040 Long Range Transportation Plan (Blueprint 2040) as an Orange County Unfunded Need. The plan has the project listed in two segments, from Summerlake Park Boulevard to Center Drive, and from Center Drive to CR 535 (Winter Garden Vineland Road). Reams Road from Summerlake Park Boulevard to Taborfield Avenue is included in the FY 2017/18-2021-22 Orlando Urban Area Transportation Improvement Program as a locally funded highway project by Orange County.

The Orange County Comprehensive Plan, Capital Improvements Element, includes improvements to Reams Road, from Summerlake Park Boulevard to Taborfield as part of the 10-year schedule of capital improvements.

Reams Road is included as a four-lane roadway in Map 1C: Transportation Element Future Conditions Number of Lanes 2030. The project is consistent with the Orange County Comprehensive Plan, the MetroPlan Orlando 2040 LRTP Unfunded Needs Plan, and the MetroPlan Orlando FY 2017/18-2021-22 Orlando Urban Area Transportation Improvement Program.

Safety Consideration

The purpose and need for the project is based on several factors. These are to provide traffic capacity, to meet social/economic demands, to be consistent with transportation plans, and to enhance safety. Portions of Reams Road within the project limits are currently operating at an unacceptable Level of Service (LOS) F. By the design year 2045, all of Reams Road, within the project limits, will operate at an unacceptable LOS F. Roadway improvement are needed to provide an acceptable level of service.

The widening of Reams Road should provide for both traffic and pedestrian safety. The following are some of the improvements associated with Reams Road: widening of existing roadway to four lanes, closed stormwater management system, curb and gutter, signalization, raised medians, a five-foot sidewalk on one side and a 14 feet wide multipurpose path/trail on the other. New traffic signals will be installed at Torcello Isle Drive, Floridian Place, Center Drive, Newmarket Drive and Taborfield Avenue. The raised medians will also provide adequate separation for the two directions of traffic. The installation of sidewalk and the multi-purpose path/trail lanes will provide designated areas for pedestrians and bicyclists. Dedicated turn lanes reduce the potential for rear end collisions. Sidewalks, pedestrian crosswalks, pedestrian signals and streetlights increase the safety of the intersection for vehicles and pedestrians.

Environmental Considerations

The environmental considerations include land use, cultural features and community centers, threatened and endangered species, impacts to wetlands, and contaminated sites.

Detailed studies and evaluations were conducted to determine the potential for adverse environmental impacts that may result from the proposed project. Baseline data, evaluation procedures, and analysis of results are contained in the project files and in the following reports:

- Cultural Resource Assessment Survey
- Contamination Screening Evaluation Report (CSER)
- Ecological Summary Report

The project is anticipated to impact approximately 6.8 acres of wetlands (roadway and ponds). Federal, state, and local government agencies with regulatory authority over wetland and/or other surface waters generally require mitigation to offset unavoidable impacts as a condition of the permit. Mitigation requirements are based on a compilation

of wetland parameters including quality, type, function, and size. Impacts to wetlands and/or other surface waters will be avoided and minimized to the maximum extent possible while maintaining safe and sound engineering and construction practices. Primarily, avoidance and minimization efforts are related to the proposed stormwater management pond locations.

A mitigation plan that adequately offsets adverse impacts will be developed and implemented during the design phase. Adverse wetland impacts that may result from the construction of this project will be mitigated, satisfying the requirements of Part IV. Chapter 373, F.S. and 33 U.S.C.S.1344. Compensatory mitigation for this project will be completed through the use of mitigation banks and/or any other mitigation options that satisfy federal and state requirements.

Based on the analysis conducted on the RCA, there are no cultural resources listed, determined eligible, or appear to be potentially eligible for listing in the NRHP. As such, historic resources will not be a critical issue.

Evaluation of Alternative Alignments

Three roadway alignment alternatives were considered. The alternatives were developed to address several different concerns including: traffic capacity needs of the study area, pedestrian and bicyclists needs, access management and minimization of impacts to residents, planned development, businesses and the environment. The proposed alignment for the north portion of Segment G was determined through the Fishback Planned Development (PD). Segments H-1 and H-2 generally follow the existing Ficquette Road alignment. The alignment of the south portion of Segment G and Segment H-1 occurs with the alignment proposed in the Signature Lakes PD. Each segment of the road was evaluated for its best alignment. The recommended alignment was a combination of the alignments for each segment.

Engineering Recommendations

The recommended alignment is generally centered on the existing right-of-way. Near Summerlake Boulevard, the alignment shifts southwest to realign the Summerlake Boulevard /Reams Road and Ficquette Road intersection. The alignment recommendation was based on the evaluation of project costs, right-of-way requirements, conceptual drainage analysis, socio-economic impact analysis and environmental impact analysis. The recommended typical section for this project is as follows:

- Four lanes (two, each direction)
- · Raised landscaped median
- Sidewalks
- 10-14 feet multi-purpose path/trail

- Curb and gutter stormwater drainage system with retention ponds
- 120 feet-wide minimum proposed right-of-way
- Landscaping
- · Roadway Lighting

Costs

The estimated project costs are as follows:

Engineering design cost	\$ 4,000,000
Right-of-way cost	\$ 15,000,000
Construction cost	\$ 80,200,000
Total project cost	\$ 99,200,000

Conclusion

In accordance with the Reams Road Roadway Conceptual Analysis (RCA), the Reams Road project from to Summerlake Park Boulevard to Taborfield Avenue should be designed and constructed as a four lane urban, divided facility. This project is needed to increase the traffic operation capacity of the existing two-lane roadway. Also, the improvements are required in order to accommodate the increased transportation demands resulting from current and future growth in the area.

SCHEDULE "A" LEGAL DESCRIPTION

REAMS ROAD PARCEL NO. 1057

A portion of Section 2, Township 24 South, Range 27 East, also being a portion of Tract A and Tract B. Reams Road Development, as recorded in Plat Book 88, Pages 51 and 52, Public Records of Orange County, Florida and more particularly described as follows:

COMMENCE at the Northeast corner of the Northeast 1/4 of Section 2, Township 24 South, Range 27 East, Orange County Florida; thence run South 00°06'53" East along the East line of the Northeast 1/4 of said Section 2, a distance of 1342.31 feet to the Northerly most corner of Tract C. Reams Road Development, as recorded in Plat Book 88, Pages 51 and 52; thence continue South 00°06'53" East along said East line, a distance of 573.69 feet to the POINT OF BEGINNING; thence continue South 00"06"53" East, a distance of 20.24 feet to a point on the North Right of Way line of Reams Road as recorded in Official Records Book 10899, Page 4276, Public Records of Orange County, Florida; thence run North 8814'45" West, a distance of 205.67 feet, to a point on a curve concave Northeasterly and having a radius of 902.00 feet; thence run Northwesterly, a distance of 632.13 feet, along the arc of said curve and said Existing North Right of Way line, through a central angle of 4009'13", a chord bearing of North 6810'09" West, and a chord distance of 619.28 feet; thence departing said Existing North Right of Way line run North 46'30'24" East, a distance of 20.86 feet to a point on a curve concave Northeasterly, and having a radius of 876.93 feet; thence run Southeasterly, a distance of 38.55 feet, along the arc of said curve, through a central angle of 02°31'08", and a chord bearing of South 49"7'50" East, and a chord distance of 38.55 feet; thence South 0273'12" East, a distance of 17.30 feet; to a point on a curve concave Northeasterly, and having a radius of 889.93 feet; thence run Southeasterly, a distance of 101.61 feet, along the arc of said curve, through a central angle of 06°32'31", and a chord bearing of South 54°34'05" East, and a chord distance of 101.55 feet; thence run South 65°14'32" East, a distance of 141.83 feet; thence run South 73'43'39" East, a distance of 92.30 feet; to a point on a curve concave Northeasterly, and having a radius of 876.29 feet; thence run Southeasterly, a distance of 233.46 feet, along the arc of said curve, through a central angle of 15'15'53", and a chord bearing of South 80'37'56" East, and a chord distance of 232.77 feet; thence run South 88'15'31" East, a distance of 205.65 feet to the POINT OF BEGINNING.

Said Parcel containing 14,156 square feet, more or less.

NOTES:

- THIS IS NOT A BOUNDARY SURVEY. 1.
- NO CORNERS WERE SET AS PART OF THIS SKETCH OF DESCRIPTION.
- THIS SKETCH OF DESCRIPTION IS NOT VALID WITHOUT THE SIGNATURE AND THE ORIGINAL RAISED SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER.
- 4. BEARINGS SHOWN HEREON ARE BASED ON THE NORTH LINE OF THE NORTHEAST 1/4 OF SECTION 34 FOWNSHIP 23 SOUTH, RANGE 27 EAST, BEING N89'55'33"E.

SYMBOLS AND ABBREVIATION LEGEND:

N	=	NORTH	DOC#=	DOCUMENT NUMBER	P.O.T.=	POINT ON TANGENT
S	=	SOUTH	ID. =	IDENTIFICATION	PRM =	PERMANENT REFERENCE
Ε	=	EAST	L =	ARC LENGTH		MONUMENT
W	=	WEST	L1 =	LINE NUMBER	PROP. =	PROPOSED
Œ	=	CENTERLINE	LB =	LICENSED BUSINESS	P.T. =	POINT OF TANGENCY
Č1	=	CURVE NUMBER	LT. =	LEFT	R =	RADIUS
(C)	125	CALCULATED	O.R.B.=	OFFICIAL RECORDS BOOK	RT. =	RIGHT
CB (C)	=	CHORD BEARING	P.B. =	PLAT BOOK	R/W =	RIGHT OF WAY
CCR	=	CERTIFIED CORNER RECORD	P.C. =	POINT OF CURVATURE	STA. =	STATION
CH	=	CHORD LENGTH	P.O.C.=	POINT ON CURVE	T =	TANGENT
CM	_	CONCRETE MONUMENT	PG(S)=	PAGE(S)	TCE =	TEMPORARY CONSTRUCTION
Δ	=	DELTA ANGLE	P.I. =	POINT OF INTERSECTION		EASEMENT
(D)	=	DEEDED	P =	PROPERTY LINE	(XXXX) =	PARCEL NUMBER SHEET 1 OF 2
(0)		522545	_			SEE SHEET 2
						SKETCH OF
						DESCRIPTION

CERTIFIED TO: L. ORANGE COUNTY, FLORIDA PROJECT NAME: REAMS ROAD PROJECT NO.: CIP 5139 190244 DRAWN DATE 2072.07.22 PROJECT NO. N/A REVIEWED BY SM SURVEY DATE N/A APPROVED BY SM N/A

COVE CLIENT FILE NO.

04/20/2022 CBvG

BS

02/17/2023

DESCRIPTION

REV. PER OC COMMENTS

REV. PER LAS QA / QC

DRAWN BY

SURVEYOR'S CERTIFICATION
HEREBY CERTIFICATION
HEREB -DEC 1 0 2024 STITE OF FLCRICA SHERRY LIMANOR, PSM - LSH 6961


SURVEYOR'S CERTIFICATION

ORANGE COUNTY PUBLIC WORKS ENGINEERING DIVISION 4200 SOUTH JOHN YOUNG PARKWAY ORLANDO, FLORIDA 32839-9205 (407) 836-7929

S Diversified

489 STATE ROAD 436 | SUITE 117 | CASSELBERRY, FL | 32707 PHONE 407.681.3836 | FAX 407.681.634 | WWW.LSSURVEYOR.COM | INFO@LSSURVEYOR.COM

PROFESSIONAL SURVEYOR & MAPPER BUSINESS LICENSE I LB#7#29



SCHEDULE "B"

5139 REAMS RD PARCEL 1057

FEE SIMPLE

Parcel 1057: the interest being acquired is fee simple.