



Interoffice Memorandum

August 20, 2020

TO: Mayor Jerry L. Demings
and Board of County Commissioners

FROM: Joseph C. Kunkel, P.E., Director, Public Works Department

CONTACT PERSON: Humberto L. Castellero, P.E., PTOE, Manager
Traffic Engineering Division

PHONE NUMBER: (407) 836-7891

SUBJ: **Installation of "No Parking" signs in Carabelee Circle**

The Orange County Sheriff's Office Parking Enforcement Division notified the Traffic Engineering Division regarding their concerns related to the ability of emergency vehicles to access homes when vehicles are parked on both sides of Carabelee Circle.

The Fire Rescue Department has confirmed that allowing parking on both sides of the street impedes emergency apparatuses from accessing certain portions of the subdivision, thereby creating a public safety hazard. Florida Fire Prevention Code, Section 18.2.3.4.1.1, requires that fire department access roads shall have an unobstructed width of no less than 20 feet. In addition, the Florida Fire Prevention Code, Section 18.2.4.1.1, states that the required width of a fire department access road shall not be obstructed in any manner, including the parking of vehicles.

The Fire Marshal recommends that the Board approve the installation of "No Parking" signs for both sides of the street between 11256 to 11312 Carabelee Circle and both sides of the street between 11348 to 11330 Carabelee Circle.

Action Requested: **Approval of "No Parking" signs installation for both sides of the street from 11256 to 11312 Carabelee Circle and both sides of the street from 11348 to 11330 Carabelee Circle. District 4.**

JCK/HLC/FCY/dar

Attachments


Carabelee Circle Consent Agenda District Map



**“No Parking” Signs
District 4: Commissioner Maribel Gomez Cordero**



Carabelee Circle Consent Agenda Location Map



Carabelee Circle



Carabelee Circle



