

1-1-1-2011 - 1022

. National second and a

8

November 28, 2016

TO:	Katie Smith, Manager Comptroller Clerk's Office		
THROUGH:	Cheryl Gillespie, Agenda Development Supervisor Agenda Development		
FROM:	Lori Cunniff, CEP, CHMM, Deputy Director Community, Environmental and Development Services Department		
STAFF PERSON: PHONE #:	Elizabeth R. Johnson, Environmental Programs Administrator Environmental Protection Division 407-836-1511		
SUBJECT:	Request for Public Hearing on December 20, 2016, at 2:00 p.m. for a Shoreline Alteration/Dredge and Fill Permit Application located at 1800 Wekiwa Circle in Wekiwa Springs State Park, Apopka, Florida; Parcel ID No. 36-20-28-9120-01-000		
Applicant:	Trustees of the Internal Improvement Trust (TIITF)		
Type of Hearing:	Shoreline Alteration/Dredge and Fill Permit Application to replace two portions of a failing seawall.		
Hearing required by Florida Statute # or C	Chapter 15, Article VI. Pumping and Dredging Control; Section 15-218(d).		
Advertising requirem	Publish once in a newspaper of general circulation in Orange County at least seven (7) days prior to public hearing.		
Advertising timefram	hes: At least (7) seven days prior to public hearing.		
Abutters to be notifie	The applicant and the property owners within 500 feet of the project area will be notified at least seven (7) days prior to public hearing by the Environmental Protection Division (\underline{FPD}).		
Lake Advisory Board to be notified:	Not Applicable LEGISLATIVE FILE # $17-009$		
Municipality or other Public Agency to be notified:	St. Johns River Water Management District – vnations@sjrwmd.com 2 pM		

November 28, 2016 Request for Public Hearing – Shoreline Alteration/Dredge and Fill Permit Application for Trustees of the Internal Improvement Trust Page 2 of 2

Estimated time required For public hearing:	2 minutes.
Hearing Controversial:	No.
District #:	2

Materials being submitted as backup for public hearing request:

- 1. Location Map
- 2. Site Plan

Special Instructions to Clerk:

1. Once the Board of County Commissioners makes a decision on the Shoreline Alteration/Dredge and Fill Permit Application, please submit the decision letter to Michelle Gonzalez of EPD. EPD will issue the decision to the applicant.

Advertising Language:

2. Trustees of the Internal Improvement Trust Fund (TIITF), Parcel ID: 36-20-28-9120-01-000, Request to replace two sections of a failing seawall in the Wekiwa Springs State Park within the spring run to the Wekiwa River, pursuant to Chapter 15, Article VI. District 2. Legal description on file at EPD.

SR/NT/ERJ/LC: mg

Attachments

c: Chris Testerman, Assistant County Administrator Jon V. Weiss, P.E., Director, Community, Environmental and Development Services Joel D. Prinsell, Deputy County Attorney

Shoreline Alteration/Dredge and Fill Application




Shoreline Alteration/Dredge and Fill Permit Application


District #2

Applicant: Trustees of the Internal Improvement Trust Fund (State of Florida) Parcel ID: 36-20-28-9129-01-100

Project Site

Property Location





Wekiwa Springs State Park – Spring Bulkhead Repair

"Proposed Children's Swim Area" & "Proposed Bulkhead Repair"