

Interoffice Memorandum

October 18, 2019

TO:

Mayor Jerry L. Demings

and Board of County Commissioners

FROM:

Diana M. Almodovar, P.E., Interim Director, Public Works Department,

**CONTACT PERSON:** 

Christine N. Lofye, P. E., Manager

**Traffic Engineering Division** 

**PHONE NUMBER:** 

(407) 836-7891

SUBJ:

Installation of Traffic Control Devices and "No Parking" signs in

Lakeshore Preserve Phase 4

Our staff recommends that the following traffic control devices be installed in Lakeshore Preserve Phase 4:

Giant Foxtail Court at Shorebird Lane

Summerlake Groves Street at Shorebird Lane Summerlake Groves Street at Seidel Road

The Fire Marshal recommends that the following "No Parking" signs be installed in Lakeshore Preserve Phase 4:

Install "NO PARKING" signs on:

Shorebird Lane Giant Foxtail Court

Summerlake Groves Street

Action Requested: Approval of Traffic Control Devices and "No Parking" signs installation in Lakeshore Preserve Phase 4. District 1.

DMA/CNL/AHW

Attachments

# LAKESHORE PRESERVE PHASE 4

A PORTION OF SECTION 5, TOWNSHIP 24 SOUTH, ORANGE 27 EAST ORANGE COUNTY, FLORIDA DISTRICT # 1

STOP	/STREET			INITIALS
<u>(1)</u>	(FtE)	on Giant Foxtail Court (INSTALLED) at Shorebird Lane (INSTALLED)	00 00	
<u>(2)</u>	(FtS)	on Summerlake Groves Street (INSTALLED) at Shorebird Lane (INSTALLED)	00 00	
<u>(3)</u>	(FtN)	on Summerlake Groves Street (9 INCH) at Seidel Road (9 INCH)	00 00	
SPEE	D LIMIT 25 MPH			
<u>(4)</u>	(FtN)	on Summerlake Groves Street at Seidel Road		
END (	OF ROAD TREATM	ENT		
<u>(5)</u>	(FtW)	on Giant Foxtail Court at Shorebird Lane		
<u>(6)</u>	(FtE)	on Shorebird Lane at Giant Foxtail Court		

# **NO PARKING with arrows**

on Shorebird Lane from the cul-de-sac extending east and south to Summerlake Groves Street on the north, east and west sides and in the curves as indicated on the attached parking plan map

on Giant Foxtail Court from Shorebird Lane extending east to the end of the road on the north and south sides and in the curves as indicated on the attached parking plan map

on Summerlake Groves Street at Shorebird Lane in the curve as indicated on the attached parking plan map

10/18/2019 ahw

## LAKESHORE PRESERVE PHASE 4

A PORTION OF SECTION 5. TOWNSHIP 24 SOUTH, RANGE 27 EAST ORANGE COUNTY, FLORIDA

## Legal Description

A screet of land lights within Section 5. Township 24 South, Ronce 27 East, Organic County, Fleride, being more particularly described as follows

Percel A
Begin at the North-resit conver of the South-resit quarter (1/4) of sold Section S: Percel BODTOS'SE'W elong the East line of the South-resit quarter (1/4) of sold Section S for \$2.4.58 feet to a point on the boundary of the pite of "Labelanine Preserve Press 1" on recorded in Pite Section S7, Pages 48 (through 35 intolution, of the Pages Line Property Press 1" on recorded in Pite Section S7, Pages 48 (through 35 intolution, of the Pages Line Press 1, Pages 48 (through 35 intolution, of the Pages 48 (through 35 intolution) and Pages 48 (through 35 int

## Together With

Foreign B

Commitment of storemetal "Point A", thence SD0YXX'35" or storing the East line of the Southwest quorter (1/4) of seld Section 3 and olong the boundary of offereaded piol of 1 classification for the Southwest Preserve Phose 1" for 113.47 feet to the Point of Beganding, thence describing the boundary of said piol, curriers and the North right-for-way line of Section (1/22-23, Teach of point to a point on the North right-for-way line of Section (1/22-24). The Point of Point (1/22-24) for 1/22-24 feet to point on the North right-for-way line of Section (1/22-24). The Point of Point (1/22-24) feet to the point of north said surve having a costate searching said of the North right-for-way line of Section (1/22-24). The Point of Point (1/22-24) feet to the point of course conserves Southwesterity; thence Northwestery, thence Northwestery storing the course of section (1/22-24). The Point of Point of reverses anywhere of a current conceave Southwestery; thence Northwestery, storing the cere of seld current having a robust of reverse converses Southwestery; thence Northwestery, storing the cere of seld current having a robust of 200,00 feet, the point of reverse converses Southwestery; thence Northwestery storing the cere of seld current having a robust of 200,00 feet, the point of reverse converses Southwestery; thereon the Northwestery storing the cere of seld current having a robust of 200,00 feet, the point of reverses converses southwestery; thereon the Northwestery storing the cere of seld current having a robust of 200,00 feet, the point of reverses anywhere of cere cere of seld current having a robust of 200,00 feet, the point of 200,00 feet, t

Containing 5.963 cores (304,184 square feet), more or less.

## Percel C

Postal C Commence on excessed Traint 81; said point being a point on a curve conceive Northwesterly, thence from a longert bearing of \$5894870378 run doing the information of the infor

Containing 0.595 scree (38,970 square feet), more or less.

In aggregate containing 25.477 (1,108.757 square feet), more or eas

- 1 Bearings shown hersen are beased on the East line of the Southeast 1/4 of Beatlen 6-24-27 being on commend bearing of 200105'36"W and as shown on the plot of "Labelson Preserve Pres
- 2. All let likes are realist, unless otherwise noted non-realist (N.R.)
- 1. As plettes utility essements shall also be essements for the construction, installation, midhtanence and operation of cable bleviolan services; provided, however, no such exercises in middleston, methtanence and agreement of cable bleviolan periods about interfere with the feetilise one or evidence; tolerwhore, gas or other public utility. In the own of cable bleviolan company demographs the selfities of a public utility, it when the early respectable for the dramages, this section shall not apply to those private expenses; granted to or classified by a particular electric, telephone, gas or other public utility. Such construction, historialism, monitoriance and operation shall comply with the Maclane Selectria Enterty Code are adopted by the Particle Models. Service Commission.
- 4. The Named High Water Une (NIME), for Peather Lake, alevation 98.49" NAVO 88, was located in the field by Allon one Company and beard on Grazge County Enghan Department's vertical delaws. Peather Lake has been determined not to be somerable and the State of Florida does not claim any exempting of the bands beared. Peather Lake. A powerff may be required from the Department or by Federal, State or Local Applicate prior to evaluation on you activities on this subject property. Other explosioning power place calculated on the subject property. Other explosioning power place calculated on the subject property.
- 5. The private draftings easements (P.D.E.) shown hereis are hereby dedicated to the LAKESHORE PRESERVE COMMUNITY MOMEORIBERS ASSOCIATION, BIC (the "Associated description of control of the private of the private
- 6. Trucks CE-11, and CS-12 (Geen Space Tracks) shall be sweet by the Assessment and maintained eccenting to the Declaration.
- 7. Treats P-28, P-6 and P-7 (Pers Treats) shall be owned by the Assectation and manufactured according to the Declaration.
- 8. Treats W-9, W-7 and W-8 (Conservation) shall be cannot by the Association with development rights dedicated to Drange County, Florids. No construction, clearing, enough or elteration is permitted without the prior approval of Drange County and/or all other applicable privalicational agencies.
- 9. The property is subject to a Stanley Conservation and Access Essensent as recorded in Official Records Book 10764, Page 2087 of the public records of Orange County, Florida.
- 10. , Treet P-28 is subject to a Blanket Druinage Essement.


Index of Steels

Sheet 1 - Dedication, Notes, Layend and Legal Description

Sheet 2 - Key Map

Sheets 3-5 - Detail Sheets

# **ESE CONSULTANTS**



SHEET 1 OF 5

- CENTERLINE
- R RADIUS & CENTRAL ANGLE
- L ARC LENGTH CH = CHORD LENGTH
- TR-TANGENT BEARING
- (N.R.) = NON-RACIA M.T. - NON-TANGENT
- P.C. POBLE OF CURVATURE
- T. . POINT OF TANGENCY
- E.P. RADBIS POINT P.C.C. . POINT OF COMPOUND CURVATURE
- Pt. PONT OF WERECTON
- P.O.C. POINT OF COMMENCEMENT P.O.B. POINT OF BEGINNING
- C.E. CONSERVA BON EASEMENT
- D.E. = DRA NAGE EASEMENT P.D.E. = PRIVATE DRAMAGE EASEMENT
- UT UTUITY FAMEMENT
- D.U.E. DRAMAGE EASEMENT AND UTILITY EASEMENT
- STIMO = SOUTH FLORIDA WATER MANAGEMENT DISTRICT NOTIC = NORMAL HIGH WATER LINE
- R/W RIGHT-OF-WAY
- APF AGEOUATE PUBLIC FACILITY CCO -- CERREET COMMEN MECCORD
- NEWO MATIONAL GEODETIC VERTICAL DATUM OF 1829 NAVO - HORTH AMERICAN WERTICAL DATUM OF 1888
- PB PLAT BOOK DRR. - OFFICIAL RECORDS BOOK
- DOC # = OFFICIAL RECORD DOCUMENT NUMBER OF THE PUBLIC RECORDS OF DRANGE COUNTY, FLORIDA
- HETH MAR AND DISK STAMPED "ESE UN 7908"
- O SET MAN AND DISC
- STAMPED "ESE LB 7508" D a FOLIND 4"x4" CONCRETE NONLIMENT
- WITH MAIL AND DISK STAMPED "PRIN LO 8723"
- . . CHANGE N DIRECTION, NO CORNER SET

## PLAT BOOK

# PAGE

CANCENDED PRESTRY PHASE 4

ONOW ALL NEW BY THESE DEDOCATION

ONOW ALL NEW BY THESE DEDOCATION

ON THE PROPERTY PROPERTY PARTY PROPERTY PARTY PAR

TRACT APF-1 (APF PARK), is hareby dedicated in fax simple to Orange County without any restriction interserver. County conversing of this Tract and Improvements hereon vaste upon approval of this Prot by the Beard of County Commo County. Recertifies of this Piet ship of color or compound to the County and no 4rcher -naturement whell be necessary to vast fine simple title in the County or differentiation.

TOLL FL IN LIGHTED PARTNERSHIP a Florida Politad portnership

By TOLL SOUTHEAST UP COMPANY, MC Signature of Withdea

Printed Nome of Mines

Signature of Minese

(CORPORATE SEAL)



STATE OF FLORIDA

Printed Norse of Witness

HEREBY CERTIFY, that on this day, before me personally or TOLL SOUTHEAST LP appeared.
COMPANY, INC., a Floriou corporation on Consess Pertner of TOLL FL 19 LARTED PARTNERSHIP, a Floridu limited pertnership TOLL PL. 38 LIGHTED PARTHADESHIP, or Frendos Involved perchanerally who is a 'personant's tracem to mis or (") produced as identification, and disinfals not state on earth. The individual and officer desembled in earth who executed the ferregard conveyance and acknowledged the desecution thereof to be hire free act and devel as such onfilter themsents skyl surface.

WINESS	my	hand	and	offlutul	9100	this	day
.,	,	-10-10	90	79			

Signature of Hotory Public

Notery Public is and for the Sets of Florida

Deuniy Indhou

My Commission Emirar

and

The property harves represents a parties of the fonds located in Village F Mester PD/Heriten Blast Village F, Process 5–23, 5–24, 5–24 & S–27 (Saide East) Prelimbrary Subdivisor Plan (PF) Case § 13–11–233, as approved by the Orange County Board of County Cernifischionz en Agrid 22, 2014.

NOTICE: THES PLAT, AS RECORDED IN THE GRAPHIC FORM, IS THE OFFICIAL DEPICTION OF THE SURBOVINGED LANGS DESCRIBED HERBIN AND WILL IN NO DEPOCHAGE OF DIGHTAL FORM OF THE PLAT THERE WAS THE CHAPMEN OF DIGHTAL FORM OF THE PLAT THERE WAS THE ADDITIONAL RESTRICTIONS THAT ARE AND RECORDED OF THE PLAT THE PLAT THAT MAY BE FOUND IN THE PLATE RECORDED OF THIS COUNTY.

CONNE DIRECTOR	O,T
COMPRA DIRECTOR	

## QUALIFICATION STATEMENT OF SURVEYOR AND MAPPER

KNOW ALL MEN BY THESE PRESENTS, that I the undersigned, being a Boursey surveyor and mapper, do harsby cartify that a being a Sourmed surveyer and mapper, do harshy carlify that et of the lands as aftern in the foregoing languagement the survey of the lands as aftern in the foregoing languagement and pottles. This plot was prepared under my direction and apparation; that permissent reference minimization are been placed on shown thereon, and this plet complex with all the survey requirements of Chapter 177. Finishes Statutes; and that add lend is booted in Chapter 177. Finishes Statutes; and that

Neeh Catho Professional Survey and Mapper Florida Cartificate No. 8873

LSE Consultivals, Inc. 2956 Commerce Perk Drive Suite 100 Oriende, FL 32818 Cartificate No. 7506

# CERTIFICATE OF BEVIEW BY COUNTY SURVEYOR

CERTIFICATE OF APPROVAL BY

This slot has been reviewed for conformity with Chapter 177,

County Suranum Photos

## CERTEICATE OF APPROVAL BY


THIS IS TO CERTITY, that on\_\_\_\_\_\_\_\_the foregoing plot
was approved by the Board of County Commissioners of Oranga
County, Fields.


Attest: Clark of the Board


## CERTIFICATE OF COUNTY COMPTROLLER


I HEREBY CERTUPY, that the foregoing plot was recorded in the Groupe County Official Records on 64 DOC #


County Comptrolor in and for Orange County, Florida


















PARKING ZONE 4 SPACES

PARKING ZONE 10 SPACES



moltoped 28 feet; which will provide A spream per until 6 Supta domining per FDOF throughouts Chapter Stiff throstonis (O reposition)

6 Average Stery Tellor + 32 ongle from 2 20 - 3207466

6 Average Stery Tellor + 32 ongle from 2 20 - 3207466

- WELL

1 11000 5000 WHEN

1 USAN MARK WALLAND COUNTY BASK UP

\* PERSONAL PROPERTY AND ADDRESS.

particular proteoper CHANG OF 730x3000 es UTTO THE IN NALED PART

HORIZON WEST VILLAGE F SEIDEL EAST PHASE 4 CDR 15-02-058 PSP 13-11-293

ORANGE COUNTY, FL

PARKING DESIGNATION & SIGHT DISTANCE PLAN

C3.18



riigeen&enkunrei

