

Interoffice Memorandum

Date September 28, 2020

TO: Mayor Jerry L. Demings and Board of County Commissioners

FROM: Joseph C. Kunkel, P.E., Director, Public Works Department

CONTACT PERSON: Diana M. Almodovar, P.E., Deputy Director Public Works Department PHONE NUMBER: (407) 836-7972

SUBJ: October 13, 2020 – Public Hearing Proposed Amendments to Orange County Code Public Works Department Administration

Staff has identified Orange County Code updates needed to address the Public Works Department's administrative processes, including current application processes, regulatory needs, and direction from the Board of County Commissioners. These proposed amendments are to Chapters 16, 21, 30, and 34 of the Orange County Code.

The Planning and Zoning Commission/Local Planning Agency found proposed Code amendments to be consistent with the Orange County Comprehensive Plan at their February 20, 2020, meeting.

Staff developed the proposed Code amendments with extensive input from the County's Disability Advisory Board, Sustainability Advisory Board, Professional Resources Group, Public Works Advisory Board, which was sunset on February 25, 2020, and the Development Advisory Board (DAB). DAB received drafts of the proposed Code amendments and reviewed them over the course of three meetings. Staff also held a Developer's Forum meeting on July 8, 2019, and distributed drafts of proposed amendments to 15 community and professional associations for their review and feedback.

Staff will present an overview of all proposed amendments to various chapters of Orange County Code and discuss the public outreach process and corresponding revisions.

ACTION REQUESTED:

Adoption of amendments to Orange County Code, Chapters 16, 21, and 30. All Districts.

JCK/DMA/wjn

Attachments



February 20, 2020

TO: Mayor Jerry L. Demings -AND-Board of County Commissioners



Digitally signed by J. Gordon Spears DN: cn=J. Gordon Spears, email=J.Spears@gaiconsultants.com Date: 2020.08.07 12:57:14 -04'00'

- FROM: J. Gordon Spears, Chairperson, V Date: 20200 Planning and Zoning Commission/Local Planning Agency
- SUBJECT: Proposed Amendments to Orange County Code Pedestrian Safety/ADA and Public Works Department Administration

On February 20, 2020, the Planning and Zoning Commission (PZC)/Local Planning Agency (LPA) held a public hearing regarding proposed amendments to Chapters 9, 21, 34, and 38 of the Orange County Code to enhance pedestrian safety and ADA accessibility in site development and within the County's transportation network, as well as to reflect related updates to the Florida Department of Transportation's standards ("Florida Greenbook") used by local governments.

Also on February 20, 2020, the PZC/LPA held a public hearing regarding proposed amendments to Orange County Code needed to address Public Works Department administration, including current application processes, regulatory needs, and direction from the Board of County Commissioners. These proposed amendments are to Chapters 16, 21, 30, and 34 of the Orange County Code and are presented in a separate ordinance.

The PZC/LPA found proposed amendments to Orange County Code consistent with the Orange County Comprehensive Plan and recommended adoption of both ordinances.

C: Planning and Zoning Commission/Local Planning Agency Members Jon V. Weiss, P.E., Director, Community, Environmental and Development Services Department Joseph Kunkel, P.E., Director, Public Works Department Pedro Medina, P.E., Manager, Development Engineering Division Alissa Barber Torres, PhD, AICP, CLTD, Chief Planner, Transportation Planning Division

ORANGE COUNTY PLANNING AND ZONING COMMISSION (PZC) / LOCAL PLANNING AGENCY (LPA) Meeting of February 20, 2020

The Orange County Planning and Zoning Commission (PZC) / Local Planning Agency (LPA) met at 9:00 a.m. on February 20, 2020, in the Orange County Commission Chambers, 201 South Rosalind Avenue, Orlando, Florida 32801.

PRESENT:

SENI:	James Dunn Dist	rict 1
	Diane Velazquez Dist	rict 2
	Eddie Fernandez (Vice Chairperson) Dist	rict 3
	Carlos Nazario Dist	rict 4
	Gordon Spears (Chairperson) Dist	rict 5
	JaJa Wade Dist	rict 6
	Mohammed Abdallah At L	arge
	Evelyn Cardenas At L	arge

ABSENT: None

ALSO PRESENT:

Orange County Staff: Eric Raasch, Planning Administrator; Jason Sorensen, Chief Planner; Nicolas Thalmueller, Planner; Nate Wicke, Planner; Whitney Evers, Assistant County Attorney; Irina Pashinina, Planner and Terri-Lyn Pontius, Administrative Assistant.

......

Chairman Spears called the meeting to order. Following the Pledge of Allegiance, the

following agenda items were called:

APPROVAL OF MINUTES

A motion was made by Commissioner Velazquez to continue the January 16, 2020 minutes. The motion was seconded by Commissioner Dunn and was then approved unanimously on an 8-0 vote.

OLD BUSINESS

No old business was discussed.

NEW BUSINESS

No new business was discussed.

CONVENTIONAL REZONING PUBLIC HEARINGS:

1. Kathy Hattaway RZ-19-11-055 District 5

Applicant:	Kathy Hattaway
Consideration:	To amend the Lake Pickett Cluster Plan to allow non-lakefront lot sizes to be a minimum one-third acre within Phases 2,3,5, and 6.
Location:	Generally located on the west side of TV Tower Road, north of Lake Pickett Road, and southwest of North Fort Christmas Road.
Tract Size:	292.79 gross acre (overall rezoning) 253.26 net developable acres (overall zoning) 278.55 gross acers (parcels within phases 2, 3, 5 and 6)
<u>Speakers:</u>	Kathy Hattaway (Applicant) Kelly Semrad (Opposed) Tom Narut (Opposed) Frank Vassell (Opposed) Dennis Nikles (Opposed) Chris Hill (Neutral) Teika DiFate (Opposed) Dan Balash (Opposed)

Action: Make a finding of consistency with the Comprehensive Plan and recommend APPROVAL of the R-CE-C (Country Estate Cluster District) zoning, subject to the following restrictions: 1. Development shall conform to the Lake Pickett Cluster Plan dated Received "December 2, 2019", 2. Excluding natural waterbodies the minimum residential lot size shall be 21,780 square feet (1/2 acre), or 43,560 square feet (1 acre), when adjacent to Lake Pickett in Phrases 1 and 4, 3. Excluding natural waterbodies, the minimum residential lot size shall be 14,520 square feet (1/3 acre) when adjacent to Lake Pickett in phases 1 and 4 4. Residential development shall be limited to a maximum of 253 single family lots and 5. The location of adjacent telecommunication towers shall be addressed at Preliminary Subdivision Plan Review (PSP). 6. The developer shall obtain water service from Orange County. 7. In the event the Developer includes any 1/3 acre lots, then: a. The Developer shall include a minimum 25" contiguous native vegetative landscaping buffer along the north and east boundary of the revised area (Phases 2,3,5 and 6) to allow for a wildlife corridor; and, b. The Development shall include a minimum 100 foot lot buffer along the eastern boundary of the revised area (Phases 2, 3, 5, and 6), which buffer may also serve as the wildlife corridor buffer referenced above for the eastern boundary. Motion /Second: Gordon Spears / Eddie Fernandez

AYE (voice vote):	Gordon Spears, Eddie Fernandez, Mohammed Abdallah, JaJa Wade, Evelyn Cardenas, Carlos Nazario, and Jimmy Dunn
NAY (voice vote):	Diane Velazquez
Absent:	none

2. Ravin Persaud RZ-20-01-079 District 3

Applicant: Ravin Persaud

Action: Make a motion to continue RZ-20-01-079 to the March 19, 2020 Planning and Zoning Hearing

- Motion / Second: Eddie Fernandez / Jimmy Dunn
- <u>AYE (voice vote)</u>: Eddie Fernandez, Jimmy Dunn, JaJa Wade, Mohammed Abdallah, Gordon Spears, Diane Velazquez, Carlos Nazario, and Evelyn Cardenas

NAY (voice vote) None

Absent: None

3. Dustin Rockfeller RZ-20-02-001 District 2

- <u>Consideration</u>: A request to rezone 0.21 gross acres from R-CE-2 (Rural Residential District) to R-1A (Single-Family Dwelling District) for the purpose of constructing one (1) single-family dwelling unit.
- Location: 3605 Cillia Street, or generally north of Willow Street and approximately 435 feet west of Day Care Center Road.
- Tract Size: 0.21 gross acres

Speakers: Janell Lorenzo (Applicant)

Action:	Make a finding of consistency with the Comprehensive Plan
	and recommend APPROVAL of the requested R-1A (Single- Family Dwelling District) zoning.

- Motion / Second: Diane Velazquez / Carlos Nazario
- <u>AYE (voice vote)</u>: Diane Velazquez, Carlos Nazario, Gordon Spears, Jimmy Dunn, JaJa Wade, Evelyn Cardenas, Eddie Fernandez and Mohammed Abdallah

NAY (voice vote): None

Absent None

4. Mohamed A. Abdou RZ-20-02-002 District 6

Applicant:	Mohamed A. Abdou
Consideration:	A request to rezone 0.23 gross acres from R-2 (Residential District) to NR (Neighborhood Residential District) for a duplex (two (2) attached residential dwelling units.)
Location:	1333 13 th Street, or generally located north of 19 th Street, and approximately 425 feet west of S. Orange Blossom Trail.
Tract Size:	0.23 gross acres
Speakers:	Mohamed A. Abdou (Applicant)
Action:	Make a finding of consistency with the Comprehensive Plan, and recommend APPROVAL of the requested NR (Neighborhood Residential District) zoning, subject to the following variance:
	 A variance from Orange County Code Section 38-1501 to allow for a minimum lot width of 75 feet in lieu of the required 80 foot lot width in the Neighborhood Residential District.
Motion / Second:	JaJa Wade / Diane Velazquez

PLANNING AND ZONING COMMISSION / LOCAL PLANNING AGENCY Meeting of February 20, 2020

5

<u>AYE (voice vote):</u> JaJa Wade, Diane Velazquez, Gordon Spears, Mohammed Abdallah, Jimmy Dunn, Eddie Fernandez, Carlos Nazario and Evelyn Cardenas

NAY (voice vote): None

Absent: None

5. Mohamed A. Abdou RZ-20-02-003 District 6

- Applicant: Mohamed A. Abdou
- <u>Consideration</u>: A request to rezone 0.15 gross acres from R-2 (Residential District) to NC (Neighborhood Center District) for single-family residential dwelling unit.
- Location: 19th Street, or generally located north of 19th Street, approximately 300 feet east of Orange Blossom Trail
- Tract Size: 0.15 gross acres

Speakers: Mohamed A. Abdou (Applicant)

- Action: Make a finding of consistency with the Comprehensive Plan and recommend APPROVAL of the requested NC (Neighborhood Center District) zoning.
- Motion / Second: JaJa Wade / Carlos Nazario
- <u>AYE (voice vote)</u>: JaJa Wade, Carlos Nazario, Diane Velazquez, Mohammed Abdallah, Evelyn Cardenas, Jimmy Dunn, Gordon Spears, and Eddie Fernandez
- NAY (voice vote): None

Absent None

6. Edward Durruthy RZ-20-02-004 District 3

Applicant: Edward Durruthy

Action:	The applicant requested to continue the rezoning
	application to the March 19, 2020 Planning and Zoning
	Commission Public Hearing.

- Motion: Eddie Fernandez / Jimmy Dunn
- <u>AYE (voice vote):</u> Eddie Fernandez, Jimmy Dunn, Diane Velazquez, JaJa Wade, Gordon Spears, Evelyn Cardenas, Mohammed Abdallah, and Carlos Nazario

NAY (voice vote): None

Absent: None

7. George E. Foote, Jr. RZ-20-02-082 District 6

Applicant:	George E. Foote, Jr.
Consideration:	A request to rezone 0.16 gross acres from C-1 (Retail Commercial District) to C-1 (Retail Commercial District) for auto sales parking.
Location:	132 S. Normandale Avenue, generally located west of S Normandale Avenue, approximately 120 feet north of Old Winter Garden Road
Tract Size:	0.16 gross acres
Speakers:	George E. Foote, Jr. (Applicant)
Action:	Make a finding of inconsistency with the Comprehensive Plan and recommend DENIAL of the requested C-1 (Retail Commercial District) zoning that would amend a previously approved C-1 zoning restriction.
Motion / Second:	JaJa Wade / Mohammed Abdallah
AYE (voice vote):	JaJa Wade, Mohammed Abdallah, Evelyn Cardenas, Carlos Nazario, Gordon Spears, and Diane Velazquez

NAY (voice vote): Jimmy Dunn and Eddie Fernandez

Absent: None

8. Pierre Dorgeat RZ-20-02-083 District 6

Applicant: Pierre Dorgeat

<u>Consideration</u>: A request to rezone 0.10 gross acres from C-1 (Retail Commercial District) to C-2 (General Commercial District) in order to allow for a car dealership.

Location: 5903 Old Winter Garden Road, or generally at the northwest intersection of Old Winter Garden Road and S. Hudson Street.

Tract Size: 0.10 gross acres

Speakers: Pierre Dorgeat (Applicant)

- Action: Make a finding of inconsistency with the Comprehensive Plan, and recommend **DENIAL** of the requested C-2 (General Commercial District) zoning, including the following variances:
 - A variance from Orange County Code Section 38-1501 to allow for a minimum lot width of 35 feet, in lieu of the required 100-foot lot width in the C-2 zoning district; and
 - 2. A variance from Orange County Code Section 38-1501 to allow for a minimum lot area of 4,187.74 square feet, in lieu of the required 8,000 square foot lot area in the C-2 zoning district.

Motion / Second: JaJa Wade / Diane Velazquez

<u>AYE (voice vote)</u>: JaJa Wade. Diane Velazquez, Gordon Spears, Jimmy Dunn, Evelyn Cardenas, Eddie Fernandez, and Carlos Nazario

NAY (voice vote): None

Absent: Mohammed Abdallah

9. Mitchell Glasser, Housing Division ARZ-20-02-013 District 2

Applicant: Mitchell Glasser, Housing Division

- <u>Consideration</u>: To rezone 1.14 gross acres from A-2 (Farmland Rural District) to R-1A (Single-Family Dwelling District) to create three (3) single family lots (pending lot-split approval).
- Location: 7290 Holly Street, or generally south of Holly Street, approximately 475 feet west of George Martin Road
- Tract Size: 1.14 gross acres
- Speakers: Orange County (Applicant)
- Action: Make a finding of consistency with the Comprehensive Plan, and recommend APPROVAL of the requested R-1A (Single-Family Dwelling District) zoning.
- Motion/ Second: Diane Velazquez / Carlos Nazario
- <u>AYE (voice vote)</u>: Diane Velazquez, Carlos Nazario, Eddie Fernandez, Jimmy Dunn, Evelyn Cardenas, JaJa Wade, and Gordon Spears

NAY (voice vote): None

Absent: Mohammed Abdallah

10. Mitchell Glasser Orange County Housing Division ARZ-20-02-010 District 2

Applicant: Mitchell Glasser, Orange County Housing Division

<u>Consideration</u>: To rezone 0.13 gross acres from R-3 (Multiple Family Dwelling District) to R-2 (Single Family Dwelling District) for single family residential (one dwelling on each lot).

- Location: 1529 Clarcona Road, or generally northeast of the Hunt Street and Clarcona Road intersection.
- Tract Size: 0.13 gross acres

Speakers: Orange County (Applicant)

Action: Make a finding of consistency with the Comprehensive Plan and recommend APPROVAL of the requested R-2 (Single Family Dwelling District) zoning, subject to the following restriction: 1. Development shall be limited to one (1) single-family dwelling unit. Diane Velazquez / Jimmy Dunn Motion / Second: Diane Velaquez, Jimmy Dunn, Gordon Spears, JaJa Wade, AYE (voice vote): Evelyn Cardenas, and Carlos Nazario NAY (voice vote): None Mohammed Abdallah and Eddie Fernandez Absent:

11. Mitchell Glasser Orange County Housing Division ARZ-20-02-011 District 2

- Applicant: Mitchell Glasser, Orange County Housing Division
- <u>Consideration</u>: To rezone 0.16 gross acres from R-3 (Multiple Family Dwelling District) to R-2 (Residential District) to the purpose of single-family residential (one dwelling unit).
- Location: 16 W. Ella J Gilmore Street, or generally south of W. Ella J Gilmore Street, approximately 285 feet west of S. Central Avenue.
- Tract Size: 0.16 gross acres
- Speaker: Orange County (Applicant)
- Action: Make a finding of consistency with the Comprehensive Plan and recommend APPROVAL of the requested R-2 (Residential District) zoning subject to the following restriction:
 - 1. Development shall be limited to one (1) single-family dwelling unit.

Motion / Second:	Diane Velazquez / Jimmy Dunn
AYE (voice vote):	Diane Velazquez, Jimmy Dunn, JaJa Wade, Gordon Spears, Evelyn Cardenas, and Carlos Nazario
NAY (voice vote):	None
Absent:	Eddie Fernandez and Mohammed Abdallah

12. Mitchell Glasser, Orange County Housing Division, ARZ- 20-02-014

Applicant: Mitchell Glasser, Orange County Housing Division

<u>Consideration</u>: To rezone 1.19 gross acres from R-3 (Multiple Family Dwelling District) to R-2 (Residential District) in order to propose three (3) units pending approval of a lot split into three (3) lots.

Location: 1367 S. Central Avenue, or generally east of S. Central Avenue, approximately 315 feet north of E. 18th Street.

Tract Size: 1.19 gross acres

Speakers: Orange County (Applicant)

Action: Make a finding of consistency with the Comprehensive Plan and recommend APPROVAL of the R-2 (ResidentialDistrict) zoning, subject to the following restriction:

1. Development shall be no less than three (3) single-family dwelling units.

Motion / Second: Diane Velazquez / Carlos Nazario

<u>AYE (voice vote):</u> Diane Velazquez, Carlos Nazario, JaJa Wade, Gordon Spears, Jimmy Dunn, Mohammed Abdallah, Evelyn Cardenas, and Eddie Fernandez

NAY (voice vote): None

Absent: None

13 Mitchell Glasser, Orange County Housing Division ARZ-20-02-006 District 2

PLANNING AND ZONING COMMISSION / LOCAL PLANNING AGENCY Meeting of February 20, 2020

11

Applicant:	Mitchell Glasser, Orange County Housing Division
Consideration:	To rezone 0.07 and 0.05 gross acres from R-3 (Multiple-Family Dwelling District) to R-2 (Residential District) for the purpose of constructing one (1) single-family dwelling unit.
Location:	126 E. 12 th Street and 132 E. 12 th Street, generally southeast of the Old Apopka Road and E. 12 th Street intersection.
Tract Size:	0.07 and 0.05 gross acres
Speakers:	Orange County (Applicant)
Action:	Make a finding of consistency with the Comprehensive Plan and recommend APPROVAL of the requested R-2 (Residential District) zoning, subject to the following restriction:
	 Parcels 15-21-28-1364-00-300 and 15-21-28-1364-00-290 shall be aggregated into one (1) lot prior to the issuance of any building permit.
Motion / Second:	Diane Velazquez / Jimmy Dunn
AYE (voice vote):	Diane Velazquez, Carlos Nazario, Jimmy Dunn, JaJa Wade, Evelyn Cardenas, Gordon Spears, Mohammed Abdallah, and Eddie Fernandez
NAY (voice vote):	None
Absent:	None

14. Mitchell Glasser, Orange County Housing Division ARZ- 20-02-008 District 2

Applicant: Mitchell Glasser, Orange County Housing Division

<u>Consideration</u>: A request to rezone 0.10 gross acres from R-3 (Multiple-Family Dwelling District) to R-2 (Residential District) for the purpose of constructing one (1) single-family dwelling unit.

- Location: 123 Short Street, or generally north of Short Street, approximately 215 feet east of Clarcona Road
- Tract Size: 0.10 gross acres
- Applicant: Orange County (Applicant)
- Action: Make a finding of consistency with the Comprehensive Plan, and recommend APPROVAL of the R-2 (Residential District) subject to the following restriction:
 - 1. Development shall be limited to one (1) single-family dwelling unit.
- Motion / Second: Diane Velazquez / JaJa Wade
- <u>AYE (voice vote):</u> Diane Velazquez, JaJa Wade, Gordon Spears, Jimmy Dunn, Mohammed Abdallah, Evelyn Cardenas, Carlos Nazario, and Eddie Fernandez

NAY (voice vote): None

Absent: None

13. Mitchell Glasser Orange County Housing Division ARZ-20-02-009 District 2

Applicant: Mitchell Glasser, Orange County Housing Division

<u>Consideration:</u> A request to rezone 0.13 gross acres from R-3 (Multiple Family Dwelling District) to R-2 (Residential District) for the purpose of constructing one (1) single-family dwelling unit.

Location: 167 E. 15th Street, or generally north of E. 15th Street, approximately 75 feet west of Old Apopka Road

Tract Size: 0.13 gross acres

Applicant: Orange County (Applicant)

Action: Make a finding of consistency with the Comprehensive Plan and recommend **APPROVAL** of the requested R-2 (Residential District) subject to the following restriction:

- 1. Development shall be limited to one (1) single-family dwelling unit.
- Motion / Second: Diane Velazquez / Jimmy Dunn
- <u>AYE (voice vote):</u> Diane Velazquez, Jimmy Dunn, JaJa Wade, Carlos Nazario, Gordon Spears, Evelyn Cardenas, Mohammed Abdallah and Eddie Fernandez

NAY (voice vote): None

Absent: None

14. Mitchell Glasser Orange County Housing Division ARZ-20-02-012 District 3

Applicant:	Mitchell Glasser,	Orange County Housing Division	
------------	-------------------	--------------------------------	--

<u>Consideration:</u> A request to rezone 0.23 gross acres from R-3 (Multiple-Family Dwelling District) to R-2 (Residential District) in order to construct one (1) single-family dwelling unit.

Location: 203 E. Fillmore Avenue, or generally northeast of the E. Fillmore Avenue and Dumont Street intersection.

Tract Size: 0.23 gross acres

Applicant: Orange County (Applicant)

Action: Make a finding of consistency with the Comprehensive Plan and recommend **APPROVAL** of the requested R-2 (Residential District) zoning.

Motion / Second: Eddie Fernandez / Diane Velazquez

<u>AYE (voice vote):</u> Eddie Fernandez, Diane Velazquez, Jimmy Dunn, JaJa Wade, Carlos Nazario, Gordon Spears, and Mohammed Abdallah

NAY (voice vote): None

Absent: Evelyn Cardenas

15. Mitchell Glasser Orange County Housing Division ARZ-20-02-015 District 2

Applicant: Mitchell Glasser, Orange County Housing Division

- <u>Consideration:</u> A request to rezone 0.14 gross acres from R-1 (Single-Family Dwelling District) to R-1 (Single-Family Residential District) for a lot width variance to allow a 45-foot wide lot in lieu of a 50foot wide lot.
- Location: 251 N. Maine Avenue, or generally southeast of the Connecticut Avenue and N. Maine Avenue intersection.

Tract Size: 0.14 gross acres

Applicant: Orange County (Applicant)

- Action: Make a finding of consistency with the Comprehensive Plan and recommend APPROVAL of the requested R-1 (Single-Family Residential District) zoning, and the following variance:
 - 1. A variance to allow a 45-foot wide lot in lieu of a 50-foot wide lot.

Motion / Second: Diane Velazquez / Jimmy Dunn

<u>AYE (voice vote):</u> Diane Velazquez, Jimmy Dunn, JaJa Wade, Carlos Nazario, Gordon Spears, Evelyn Cardenas, Mohammed Abdallah and Eddie Fernandez

NAY (voice vote): None

Absent: None

16. Mitchell Glasser Orange County Housing Division ARZ-20-02-016 District 6

Applicant: Mitchell Glasser, Orange County Housing Division

<u>Consideration:</u> A request to rezone 0.15 gross acres from R-1A (Single-Family Residential District) to R-1 (Single-Family Residential District) for the purpose of constructing one (1) single-family dwelling unit.

PLANNING AND ZONING COMMISSION / LOCAL PLANNING AGENCY Meeting of February 20, 2020

15

- Location: 1416 40th Street, or generally south of 40th Street, 150 feet east of S. Rio Grande Avenue
- Tract Size: 0.15 gross acres
- Applicant: Orange County (Applicant)
- Action: Make a finding of consistency with the Comprehensive Plan and recommend APPROVAL of the requested R-1 (Single Family Residential District) zoning.
- Motion / Second: JaJa Wade / Diane Velazquez
- <u>AYE (voice vote):</u> JaJa Wade, Diane Velazquez, Jimmy Dunn, Carlos Nazario, Gordon Spears, Evelyn Cardenas, Mohammed Abdallah and Eddie Fernandez
- NAY (voice vote): None
- Absent: None

17. Mitchell Glasser Orange County Housing Division ARZ-20-02-017 District 6

Applicant: Mitchell Glasser, Orange County Housing Division

- <u>Consideration:</u> A request to rezone 0.15 gross acres for three (3) parcels from R-1A (Single-Family Residential District) to R-1 (Single-Family Residential District) in order to construct single-family residential dwelling units (one dwelling on each lot).
- Location: 1320 40th Street, 1336 40TH Street and 40th Street or generally south of 40th Street and east of S. Nashville Avenue.
- Tract Size: 0.15 gross acres
- Applicant: Orange County (Applicant)
- Action: Make a finding of consistency with the Comprehensive Plan and recommend APPROVAL of the requested R-1 (Single-Family Residential District) zoning.

Motion / Second: JaJa Wade / Eddie Fernandez

<u>AYE (voice vote):</u> JaJa Wade, Eddie Fernandez, Diane Velazquez, Jimmy Dunn, Carlos Nazario, Gordon Spears, Evelyn Cardenas, and Mohammed Abdallah

NAY (voice vote): None

Absent: None

18. Mitchell Glasser Orange County Housing Division ARZ-20-02-018 District 6

Applicant: Mitchell Glasser, Orange County Housing Division

<u>Consideration:</u> A request to rezone 0.15 gross acres from R-1A (Single-Family Residential District) to R-1 (Single-Family Residential District) for the purpose of constructing one (1) single-family dwelling unit.

Location: 1408 35th Street, or generally south of 35th Street, approximately 350 feet east of S. Rio Grande Avenue.

Tract Size: 0.15 gross acres

Applicant: Orange County (Applicant)

Action: Make a finding of consistency with the Comprehensive Plan and recommend APPROVAL of the requested R-1 (Single-Family Residential District) zoning.

Motion / Second: JaJa Wade / Jimmy Dunn

<u>AYE (voice vote):</u> JaJa Wade, Jimmy Dunn, Eddie Fernandez, Diane Velazquez, Carlos Nazario, Gordon Spears, Evelyn Cardenas, and Mohammed Abdallah

Public Hearings:

ADA Pedestrian Safety Ordinance

<u>Consideration:</u> AN ORDINANCE AFFECTING THE USE OF LAND IN ORANGE COUNTY, FLORIDA, RELATED TO DEVELOPMENT AND

PLANNING AND ZONING COMMISSION / LOCAL PLANNING AGENCY Meeting of February 20, 2020

17

PERFORMANCE STANDARDS THAT ADDRESS PEDESTRIAN SAFETY AND ACCESSIBILITY BY AMENDING THE FOLLOWING PARTS OF THE ORANGE COUNTY CODE: CHAPTER 9 ("BUILDING AND CONSTRUCTION REGULATIONS"), ARTICLE XIII ("ARCHITECTURAL STANDARDS AND GUIDELINES FOR COMMERCIAL BUILDINGS AND PROJECTS"); CHAPTER 21 ("HIGHWAYS, BRIDGES AND MISCELLANEOUS PUBLIC ("RIGHT-OF-WAY ARTICLE VI UTILIZATION PLACES"), REGULATIONS"); CHAPTER 30 ("PLANNING AND DEVELOPMENT"), ARTICLE VIII ("SITE DEVELOPMENT"); CHAPTER 34 ("SUBDIVISION REGULATIONS"), ARTICLE IV ("SPECIFICATIONS FOR PLANS AND PLATS"), ARTICLE V ("DESIGN STANDARDS"), ARTICLE VI ("REQUIRED IMPROVEMENTS"), ARTICLE VIII ("GATED AND COMMUNITIES"); AND CHAPTER 38 ("ZONING"), ARTICLE I ("IN GENERAL"), ARTICLE IV ("ZONING DISTRICTS ESTABLISHED; ZONING MAP"), ARTICLE VII ("COMMERCIAL DISTRICTS"), ARTICLE VIII, ("P-D PLANNED DEVELOPMENT DISTRICT"), ARTICLE XI, ("OFF-STREET PARKING AND LOADING REGULATIONS"), ARTICLE XVI ("U-V URBAN VILLAGE AND ARTICLE XVII ("NEIGHBORHOOD DISTRICT"). DISTRICTS"); AND PROVIDING AN EFFECTIVE DATE.

- Speakers: Alissa Torres, Transportation Planning David Bodiomy (In Favor)
- Action: Make a finding of consistency with the Orange County Comprehensive Plan and recommend adoption of the proposed amendments to Orange County Code for the ADA Pedestrian Safety Ordinance.
- Motion/ Second: Mohammed Abdallah / Jimmy Dunn

<u>AYE (voice vote)</u>: Mohammed Abdallah, Jimmy Dunn, Gordon Spears, Evelyn Cardenas, JaJa Wade, Diane Velazquez, Carlos Nazario, and Eddie Fernandez

NAY (voice vote): None

Absent: None

Public Works Administration Ordinance

PLANNING AND ZONING COMMISSION / LOCAL PLANNING AGENCY Meeting of February 20, 2020

18

Consideration:

Speakers:

Action:

Motion/ Second:

AYE (voice vote):

NAY (voice vote):

Absent:

Orange Ave Roadway Study

Consideration:

Speakers:	Blanche Hardy, Transportation Planning
Action:	
Motion / Second:	Mohammed Abdallah / JaJa Wade
AYE (voice vote):	Mohammed Abdallah, Jimmy Dunn, Evelyn Cardenas, JaJa Wade, Diane Velazquez, Carlos Nazario, and Eddie Fernandez
NAY (voice vote):	Gordon Spears
Absent:	

MEETING ADJOURNED

With no further business, Commissioner Spears made a motion to adjourn. The motion was seconded by Commissioner Dunn and passed with an 8-0 vote. The meeting adjourned at approximately 1:46 pm. Digitally signed by J. Gordon Spears Div: cm-J. Gordon Spears, Britally-JSpears@gaiconsultants.com Date: 2020.05.29 14:26:38 -04'00'

Gordon Spears, Chairperson

Terri Iyn Pontius Terri-Lyn Pontius, Recording Secretary

ORDINANCE NO. 2020-

AN ORDINANCE AFFECTING THE USE OF LAND IN ORANGE COUNTY, FLORIDA, RELATED TO CERTAIN COUNTY ADMINISTRATIVE PROVISIONS BY AMENDING THE FOLLOWING PARTS OF THE ORANGE COUNTY CODE: CHAPTER 16 ("EXCAVATION AND FILL"), ARTICLE I ("IN GENERAL"); CHAPTER 21 BRIDGES ("HIGHWAYS, AND MISCELLANEOUS PUBLIC PLACES"), ARTICLE I ("IN GENERAL") AND ARTICLE III ("VACATING ROADS, RIGHTS OF WAY AND EASEMENTS"); CHAPTER 30 ("PLANNING AND DEVELOPMENT"), ARTICLE XIII ("EMINENT DOMAIN WAIVERS, EXCEPTIONS, AND VARIANCES"); AND 34 ("SUBDIVISION **REGULATIONS"),** CHAPTER ARTICLE I ("IN GENERAL"); AND PROVIDING AN EFFECTIVE DATE.

BE IT ORDAINED BY THE BOARD OF COUNTY COMMISSIONERS OF

ORANGE COUNTY, FLORIDA:

Section 1. Amendments; In General. Chapters 16 ("Excavations and Fill"), 21 ("Highways, Bridges and Miscellaneous Public Places"), 30 ("Planning and Development"), and 34 ("Subdivision Regulations") of the Orange County Code are amended as set forth in Section 2 through Section 5 below, with additions being shown as <u>underlines</u> and deletions being shown as <u>struck-through</u>:

Section 2. Amendments to Chapter 16, Excavation and Fill.

A. Section 16-8(d) of the Orange County Code is hereby amended to read as follows:

Sec. 16-8. Technical requirements.

* * *

(d) Mass grading. A combined excavation/fill permit shall be required for mass grading operations where the volume of material moved exceeds four hundred ninety-nine (499) cubic yards and/or the disturbed area exceeds one (1.0) acre.

(1) No material is to be imported or exported.

(2) A tree removal permit, if required, shall be obtained prior to filing an application for an excavation/fill permit.

(3) An erosion <u>and sediment</u> control plan addressing both waterborne and windborne material shall be approved prior to issuance of a permit. <u>Erosion and sediment</u> <u>control plans must be consistent with the guidelines in the most</u> <u>current version of the State of Florida Erosion and Sediment</u> <u>Control Designer and Reviewer Manual or its successor.</u>

(4) Each phase of the operation (i.e., excavation, fill and restoration) shall comply with the applicable subsection of this chapter except that the planting of trees may be waived at the discretion of the <u>Ceounty Eengineer</u>. In addition, the overall plan shall be in conformance with the approved preliminary subdivision plan as to final topography of the project.

* * *

B. Section 16-22(a)(10) of the Orange County Code is hereby amended to read as follows:

Sec. 16-22. Permit procedures.

(a) The applicant shall submit a properly executed application form with all required supporting documents to the <u>Ceounty Eengineer</u>. Supporting documents for origination or renewal include, but are not necessarily limited to:

(10) Four (4) copies of an erosion, sediment, and turbidity control plan which is consistent with the guidelines in the most current version of the State of Florida Erosion and Sediment Control Designer and Reviewer Manual or its successor.

Section 3. Amendments to Chapter 21, Highways, Bridges and Miscellaneous

Public Places.

A. Section 21-5 of the Orange County Code is hereby amended to read as follows:

Sec. 21-5. Cutting or destroying shade trees.

(a) The removing, cutting, marring, defacing, or destroying of any shade-tree, either by direct personal action or by causing any other person to take such action, within any public road or public right-of-way, including roadway medians, is prohibited unless prior written permission to remove, cut, mar, deface, or destroy such tree has been granted by the division of public works Public Works Department.

(b) For purposes of this section, the term "shade tree" shall mean any tree within the following list:

Common Name	Scientific Name
Ash, Green	Fraxinus pennsylvanica
Blolly	Guapira discolor
Bottlebrush	Callistemon spp.
Camphor tree	Cinnamomum camphora
Cherry Laurel	Prunus caroliniana
Copperpod	Peltophorum pterocarpum
Elm, American	Ulmus americana
Elm, Chinese	Ulmus parvifolia
Golden Shower Tree	Koelreutaria elegans
Hickory, Pignut	Carya glabra

Hornbeam, American	Carpinus caroliniana
Indian Rosewood	Dalbergia sissoo
Jacaranda	Jacaranda mimosaefolia
Lancewood	Nectandra coriacea
Lynchee	Litchi chinensis
Macadamia Nut	Macadamia integrifolia
Magnolia, Southern	Magnolia grandiflora
Maple, Red	Acer rubrum
Oak, Bluejack	Quercus incana
Oak, Laurel	Quercus laurifolia
Oak, Live	Quercus virginiana
Oak, Myrtle	Quereus myrtifolia
Oak, Pin	Quereus palustris
Oak, Shumard Red	Quercus shumardii
Palm, Queen	Arccastrum romanzoffianum
Persimmon	Diospyros virginiana
Pine, Loblolly	Pinus taeda
Pine, Longleaf	Pinus palustris
Pine, Sand	Pinus clausa
Pine, Slash	Pinus elliottii

Red Bay	Persea borbonia
Redbud	Cereis canadensis
Silk-tree	Albizia julibrissin
Sugarberry	Celtis Laevigata
Sweetgum	Liquidambar styraciflua
Sycamore	Platanus occidentalis
Tabebuia,	Tabebuia
Golden	chrysotricha

(e) — The following acts are exempt from subsection (a):

(1) Where the removing, cutting, marring, defacing, or destroying of any shade tree is done by or on behalf of the division of public works Public Works Department; or

(2) Where normal trimming of a shade-tree is required to ensure the safe operation of a utility facility and such tree trimming is performed by the utility company in accordance with the provisions of its utility accommodations guide; or

(3) Where normal trimming of a shade-tree is done by or on behalf of a single-family residential property owner in front of his <u>or her</u> residence.

(dc) The division of public works Public Works Department may enforce this section by reporting the offender to the state attorney. Each offender shall be punished as provided in section 1-9.

B. Section 21-6 of the Orange County Code is hereby created to read as follows:

Sec. 21-6. Opened non-maintained roadways.

(a) Opened non-maintained roadways are roadways not accepted for County maintenance that are used on a daily basis to access two or more residential units, excluding condominiums, apartments, mobile home parks, commercial parcels, and private driveways serving a single parcel. These roadways may or may not be paved and may or may not have adequate right-of-way, crosssection, or roadside drainage that meet County standards.

(b) Due to health and safety concerns with emergency responder access, the County shall not issue permits with regard to opened non-maintained rights-of-way.

(c) Property owners abutting and accessing opened non-maintained roadways shall be solely responsible for maintaining these substandard roadways without County assistance.

(d) Existing opened non-maintained roadways must be improved by property owners to approved minimum dirt road standards to be accepted for future maintenance and paving by the County through requirements that may include, but shall not be limited to, the following:

(1) Petition submitted to the Board of County Commissioners with the signatures of 67 percent of property owners requesting initiation of roadway improvements and certifying that 100 percent of the required right-of-way, with a minimum width of forty (40) feet, is available for dedication at no cost to the County.

(2) Permitting, plan approval, and construction of roadway and appropriate drainage improvements in accordance with County standards and policies, including applicable crosssection on file with the Development Engineering Division. An approved Right of Way Utilization Permit shall be required prior to the start of any improvements.

(3) Upon determination by the County that the roadway meets County standards, the property owner or owners and the County will apply for a permit from the applicable Water Management District for paving.

(4) Funding of improvements through non-County sources, which may include establishment of a Municipal Service Benefit Unit (MSBU) or other funding mechanism approved by the Board of County Commissioners, may include planning, design, survey, permitting, related drainage improvements, preparation of deeds, recordation of deeds, construction plan preparation, construction, and contract administration. Any funding obtained through private-sector financing institutions shall include a ten-year period for repayment of roadway improvement costs. (5) Upon request of a property owner or owners, if the County deems it desirable and in the public interest, the County may elect, in its sole and absolute discretion, to administer and/or enter into a contract for any portion of the design, permitting, and/or construction of improvements funded by a property owner or owners.

(6) The foregoing is not intended to nor shall it impose any obligation on the County.

(e) Once the road is improved to County dirt road standards and accepted by the County, the County will assume maintenance of the roadway and responsibility for paving and will pave the roadway within one year.

(f) If all appropriate permits have been obtained, residential development along the opened non-maintained portion of roadways may occur, providing the property owner or owners sign a Non-Maintenance Agreement (a notarized document acknowledging the County is not responsible for the maintenance of the roadway) and a Notice of Future Assessment (a notarized document acknowledging the property owner is subject to future costs if the roadway is ever improved by the County) prior to the issuance of any building permit. Both documents shall be recorded in the official records of the County and shall run concurrent with the land.

(g) Development beyond the opened non-maintained limits shall be required to comply with Section 21-7 and the latest Policy for Unopened Unimproved Rights-of-Way.

(h) This section shall not apply to gated communities developed in accordance with Chapter 34, Article VIII, Orange County Code, which do not have public rights-of-way.

C. Section 21-7 of the Orange County Code is hereby created to read as follows:

Sec. 21-7. Unopened unimproved rights-of-way.

(a) Unopened unimproved rights-of-way are defined as any unopened, unimproved platted or dedicated access to any number of undeveloped lots or parcels as defined by the County. These rights-of-way may or may not have adequate width to meet County standards for roadway construction.

(b) Prior to development of a parcel or parcels accessing unopened unimproved rights-of-way, these rights-of-way shall be improved to County roadway standards as a paved roadway from the access point of each parcel or parcels being developed to the nearest paved roadway in accordance with Chapter 34 (Subdivision Regulations) and be accepted by the County for future maintenance. Requirements may include, but shall not be limited to, the following:

(1) Five signed and sealed sets of construction plans and two signed and sealed copies of engineer's estimates must be submitted to the Development Engineering Division for review and approval, along with payment of appropriate review fees. All plan documents submitted shall be prepared and certified by a registered professional engineer in the state of Florida.

(2) Continuous rights-of-way with a minimum width of fifty (50) feet for an urban section or sixty (60) feet for a rural section shall be available.

(3) Payment of all costs of rRoadway improvements, including planning, right-of-way, survey, design, and permitting, mitigation, and construction, shall be the responsibility of parcel owners or developersat no cost to the County.

(4) Design, permitting, and construction plan approval, and construction of improvements shall be in accordance with County standards and policies, including, but not limited to, issuance of a County Right-of-Way Utilization Permit before any roadway construction begins, periodic inspections of roadway improvements by the County, and construction in accordance with federal and state requirements.

(c) After all required improvements have been installed, the engineer of record shall submit certification to the County that all improvements have been constructed according to County-approved plans and specifications. Upon final inspection and acceptance by the County Engineer, the County will maintain the roadway. A letter of credit will be posted to warrant all workmanship and materials for a period of one year upon completion of the improvements and prior to County acceptance of the roadway.

(d) Parcel development reviews, permitting, and infrastructure construction may occur simultaneously with road improvements. No Certificates of Occupancy shall be issued until roadway improvements are accepted by the County.

(e) The execution of a Non-Maintenance Agreement (a notarized document acknowledging the County is not responsible for the maintenance of the roadway) and a Notice of Future Assessment (a notarized document acknowledging the parcel

owner is subject to future costs if the roadway is ever improved by the County) by parcel owners or developers shall not be accepted in lieu of the requirement to improve the roadway to County standards.

* * *

D. Section 21-61 of the Orange County Code is hereby amended to read as

follows:

Sec. 21-61. Petition requirements.

(a) All requests for vacating county roads, rights-ofway and easements shall be made by written petition. Any such petition shall be in a form or forms required by the board of county commissioners and may include, but shall not be limited to, the following:

(1) A <u>sketch of description with the legal</u> description of the property subject to the petition.

(2) The instrument that identifies the title or created public interest which the county and the public-holds in the property subject to the petition.

(3) Proof that the county did not pay more than a nominal amount for the road, right-of-way or easement sought to be vacated.

(4) A survey of the property subject to the

petition.

(54) A list of all abutting property owners.

(65) In the case of roads and rights-of-way, a certification by the petitioner that the vacating will not deprive other property owners of access to and from their property.

(76) Certificates from public utility companies that the vacating will neither interfere with the utility services being provided nor encroach unreasonably on any utility easements.

 $(\underline{87})$ A statement of reasons<u>narrative explaining</u> why the petition should be granted.

(b) A petition shall contain all information requested therein and shall be limited to a single road, right of way or easement, except that contiguous or adjoining roads or rights of way or easements may be included in a single petition. E. Section 21-62 of the Orange County Code is hereby amended to read

as follows:

Sec. 21-62. Fees for processing petitions.

The board of county commissioners may set by resolution such fees as are reasonable to cover the cost of administrative review and investigation, the cost of publishing and posting notices, the cost of recording and other reasonable administrative costs which the board of county commissioners incurs in processing such petitions.

F. Section 21-63 of the Orange County Code is hereby amended to read

as follows:

Sec. 21-63. Procedure and criteria for review of petitions-Generally.

(a) Each petition shall be reviewed by the public works director, and he <u>or she</u> shall submit his recommendations to the board of county commissioners. The board of county commissioners, upon review of the petition and the recommendations of the public works director, shall either adopt a resolution setting a public hearing for the petition, deny the petition, or return the petition to the public works director or other appropriate county staff for additional study.

(b) A preapplication conference with the Development Engineering Division shall be required before submittal of a petition to vacate.

(c) Per Transportation Policy T3.2.4 of the Comprehensive Plan, the County shall not vacate roads, rights-ofway and easements except under the following conditions:

(1) Vacation will not forestall reasonably foreseeable future bicycle/pedestrian use;

(2) Vacation will not forestall non-motorized access to adjacent land uses or transit stops;

(3) Vacation is necessary for the construction of a high-density, mixed-use project containing both residential and non-residential uses;

(4) There is no reasonably foreseeable need for any type of transportation corridor for the area in the future.

G. Section 21-196 of the Orange County Code is hereby amended to read

as follows:

Sec. 21-196. Application.

(a) A single application form approved by the e<u>C</u>ounty e<u>E</u>ngineer shall be used when applying for either a right-of-way utilization permit, an underground utility contracting work permit, or both. The applicant shall indicate in the space provided on the application the type or types of permit or permits being applied for. A copy of the permit application is shown in Appendixes A and B.

(b) Applications may be obtained at the <u>Orange County</u> website or at 4200 South John Young Parkwayeounty engineer's office at 4200 Whiteomb Avenue, Orlando, Florida, 3280932839. Applications should also be submitted to this office. A minimum of fourteen (14) days is normally necessary for processing and approval of permit application. The applicant must take this into consideration in planning proposed construction/installation or other work in the right-of-way.

(c) Information provided by the applicant in completing the application form shall be typewritten or printed in ink. The top three (3) copies of the application must be legible and all requested information must be provided. Instructions for completing the application are printed on the reverse side of the application.

(1) A sketch shall accompany the application. The sketch, not necessarily to scale, similar to Appendix C, shall reflect a plan view of the proposed utility installation. This should be a strip drawing folded to size not to exceed eight and one half (8½) inches by fourteen (14) inches.

(2) It shall show the offset from the centerline of the right of way or road to the proposed utility installation, the road right of way width and pavement width, the distance from edge of pavement to the utility, sidewalks, and the location of all other utilities within the area of work.

(3) One (1) or more typical cross sections as required to adequately reflect the location of the utility shall also be shown.

(4) — The minimum vertical clearance above or below the parkway or pavement shall be shown.

(5) Additional information such as the location in relation to the nearest road intersection, bridges, railroad crossings and other physical features shall be indicated on the sketch and identified.

(6) It is desirable that a simple key map showing the location of this proposed facility be included either on the sketch itself, or as a separate sketch to assist all concerned with the general location of the installation, and should indicate the applicable section, township and range.

(7)— The applicant shall submit a Maintenance of Traffic (MOT) management plan for temporary traffic control of the work activity that must be reviewed and approved by Orange County Traffic Engineering Division.

(d) Upon approval of the application and payment of the fee, one (1) copy of the approved permit application, with attachments, will be returned to the applicant.

(e) If for any reason the project is canceled or not approved, a refund of fees paid in excess of the base fee will be refunded or credited to the applicant's account.

(fc) Permits for work within dedicated public right-ofway, in conjunction with a project that requires a preconstruction meeting to be held, pursuant to the provisions of the county subdivision regulations, will not be issued until the required preconstruction meeting has been conducted—and required fees paid.

Section 4. Amendments to Chapter 30, Planning and Development. Section 30-282

of the Orange County Code is hereby amended to read as follows:

Sec. 30-282. Drainage plan requirements; all categories of development.

(a) Drainage map. The project engineer shall include in the construction plans a master drainage map showing all existing and proposed features. The map is to be prepared on a twenty-fourinch by thirty-six-inch sheet on a scale not to exceed one (1) inch equals two hundred (200) feet. The following shall be included on the drainage map:

(1) Drainage bounds, including all off-site areas draining to the proposed site.

(2) Sufficient topographical information with elevations to verify the location of all ridges, streams, etc., (one-foot contour intervals).

(3) High water data on existing structures upstream and downstream from the site.

(4) Notes indicating sources of highway data.

(5) Notes pertaining to existing standing water, area of heavy seepage, or springs.

(6) Existing drainage features (ditches, roadways, pond, etc.). Existing drainage features are to be shown a minimum of one thousand (1,000) feet downstream of the proposed development, unless the ultimate outfall system is a lesser distance.

(7) Drainage features, including, but not limited to, location of inlets, swales, ponding area, and flow arrowsete.

(8) Delineation of drainage sub-areas.

(9) General type of soils (obtain from the most recent edition of the USDA soil survey of the county).

(10) <u>FEMA Fflood hazard classification</u>.

(11) Description of current ground cover and/or

(12) Identification of retention/detention areas and ingress/egress areas thereto.

land use.

(13) NHWE designation for all surface water bodies.

(14) Seasonal high water elevations for wetlands as determined by a qualified ecologist/biologist.

(15) All storm sewer pipes and sizes.

(b) Subsoil investigation. A subsoil report shall be prepared by a geotechnical engineer experienced in the preparation of this type of report. The contents of the subsoil report will be in accordance with section 30-280(d). A minimum of two (2) borings will be taken per retention/detention area.

(c) Stormwater calculations. Stormwater calculations for retention/detention areas, including design high water elevations for the 25-year frequency, 24-hour duration and 100-year frequency/24-hour duration twenty five year and one hundred year storm events shall include the following:

- (1) Cross sections of retention/detention facilities.
- (2) Typical swale, ditch or canal sections.

- (3) Drainage, rights-of-way.
- (4) Typical fencing detail.

(5) Note on the design plans that an erosion and <u>sediment</u> control plan will be submitted to the eCounty eEngineer for approval prior to the preconstruction conference. Erosion and <u>sediment control plans must be consistent with the guidelines in the most current version of the State of Florida Erosion and Sediment Control Designer and Reviewer Manual or its successor.</u>

(d) Routing calculations including the following:

(1) Identify the locations of all storage areas and hydraulic structures on the basin map.

(2) A schematic drawing (i.e., nodal diagram) showing the interconnection of the hydrologic/hydraulic network.

(3) Stage vs. storage/area/time calculations with references and methodology.

(4) Hydrologic parameters required to calculate the hydrograph such as drainage area, time of concentration, runoff coefficient and runoff curve number.

(5) Peak stage, peak outflow, and peak velocity results for the simulated design storm event including all computer printouts of input and output.

(6) Additional information that the County Engineer deems necessary.

Section 5. Amendments to Chapter 34, Subdivision Regulations.

A. Section 34-4 of the Orange County Code is hereby amended to read as follows:

Sec. 34-4. Purpose.

This chapter was enacted by the board of county commissioners for the following purposes:

(1) To establish minimum standards of subdivision design.

(2) To ensure an adequate and efficient supply of utilities and services.

(3) To provide for safe and convenient vehicular, <u>bicycle</u>, and pedestrian traffic circulation.

(4) To promote the <u>public</u> health, safety and general welfare.

(5) To minimize flooding and promote water management.

(6) To coordinate land development in accordance with the comprehensive policy plan (CCP) Comprehensive Plan policies and other adopted rules and regulations.

(7) To help protect the natural and scenic resources of the county.

(8) To serve as one (1) of the several instruments of land use control authorized by the state legislature for the county.

(9) To ensure the adequate availability of affordable housing in Orange County through the utilization of the expedited permitting process, the housing incentive plan and any existing or adopted policies that encourage the provision of affordable housing units.

(10) To facilitate Low-Impact Development (LID) practices and preserve existing trees to the extent practicable to further promote sustainability in Orange County.

B. Section 34-132 of the Orange County Code is hereby amended to read as follows:

Sec. 34-132. Subdivision construction plans.

(a) If a conservation area mitigation plan impact permit is required, it must be approved prior to approval of subdivision construction plans.

(b) All construction plans, engineering calculations and supporting documents submitted to the <u>Ceounty Eengineer</u> for review and approval shall bear the date, seal and signature of the engineer responsible for the development.

(c) A minimum of five (5)-six (6) hard copies and one (1) digital copy of the subdivision construction plans and specifications for paving, drainage, utility systems and other improvements shall be submitted and approved prior to the commencement of construction. The plans shall include:

(1) Plan and profile of all <u>proposed</u> streets, <u>including existing grade</u>, storm sewers, <u>water mains</u>, <u>reclaimed</u> <u>water mains</u>, <u>sanitary sewers</u>, off-site utility mains, <u>seasonal-high</u> <u>groundwater elevations</u>, and outfall ditches. <u>Construction plans</u> <u>must show on plan view all road alignment geometry</u>, <u>including</u> <u>curve data</u>, lot dimensions and cul-de-sac dimensions.

(2) Grading plan which includes original contours at one-foot intervals, finish floor elevation, final elevation at each corner and type grading for each lot shall be shown. Also, the typical building envelope shall be shown. The minimum floor elevation shall be one and one-half (1.5) feet above the centerline of the street or as approved by the e<u>G</u>ounty e<u>E</u>ngineer. Pollution abatement swales shall be provided upland of streams and canals and the normal high water elevation on all lakes. For lots on central sewer system only, grading of lots need not be accomplished prior to issuance of an approval for maintenance by the county. For lots on OSDS, see s<u>S</u>ection 34-204(a).

(3) Water distribution facilities, including offsite main extensions, if applicable.

(4) Sanitary sewerage facilities, including collection systems, pump stations, force mains and off-site main extensions, if applicable.

(5) Reclaimed water distribution facilities, including off-site main extensions, if applicable.

(6) Stormwater management plan. A stormwater management plan, including calculations in the form of one (1) hard copy and one (1) digital copy, shall be submitted to the County and shall comply with article VII of this chapter.

(7) Soil profiles, prepared under the supervision of a geotechnical engineer, including, but not limited to, the following minimum requirements:

a. Soil borings at a maximum interval of five hundred (500) feet along street centerlines. The minimum depth of boring shall be five (5) feet below profile grade or two (2) feet below the storm sewer or sanitary sewer, whichever is greater. Not less than two (2) borings shall be taken per street.

- b. Soils classification.
- c. Gradation.

d. Determination of water table elevation (twenty-four-hour test) and estimated wet season water table.

(8) Screen walls as outlined in <u>sSection 34-209</u>.

(9) Sidewalks/bikeways, if applicable, as outlined in <u>sSection</u> 34-171.

(10) Signing and pavement marking plans with details of installation consistent with Traffic Engineering Division specifications

(11) Copy of approved MOT management plan for temporary traffic control to be submitted consistent with Section 21-236.

C. Section 34-152 of the Orange County Code is hereby amended to read as follows:

Sec. 34-152. Lots and blocks.

(a) Lot size. The minimum lot size in a subdivision shall be determined based on the potable water source and wastewater system provided in the subdivision as stated in sSections 34-206 and 34-207, respectively, provided that lot dimensions and size shall not be less than the minimum established in eChapter 38 of the Orange County Code (zoning).

(b) Corner lots. Corner lots shall be at least ten (10) feet greater in width than the minimum established in chapter 38 of the Orange County Code (zoning). Where the minimum width established in chapter 38 exceeds ninety-five (95) feet, no additional width shall be required.

(c) Access. Each lot and tract interior to the subdivision shall have a minimum access width of twenty (20) feet to a dedicated public paved street, except in gated communities covered by article VIII of this chapter, and access to the public sidewalk network along major roadways. The subdivision shall be so designed that remnants and landlocked areas within the subdivision are not created, except access may not be required to parcels identified as conservation areas. All lots shall have access from an internal subdivision street. Access rights to external roads from individual lots shall be dedicated to Orange County. Lots shall not be approved with access on an unpaved right-of-way or with access by any type of easement.

(d) <u>All access cuts or driveways shall meet all</u> requirements of Section 30-248.

(de) Flag type lots. Flag lots shall be designed to minimize safety problems. No more than two (2) flag lots should be located adjacent to each other. The minimum lot width for the

narrow extension of the lot to the right-of-way shall be twenty (20) feet.

(ef) Lot lines. Side lot lines shall be, as nearly as practical, at right angles to straight street lines and radial to curved street lines. In subdivisions which overlap municipal or county boundaries, lot lines shall follow the boundary lines.

(fg) Conservation areas, as defined by the conservation ordinance, chapter 15 of the Orange County Code.

* * *

D. Section 34-171 of the Orange County Code is hereby amended to read as follows:

Sec. 34-171. Roadway design standards.

All streets to be established in a subdivision shall be designed in accordance with the latest editions of the Orange County Road Construction Specifications and the Florida Department of Transportation Manual of Uniform Minimum Standards for Design, Construction and Maintenance for Streets and Highways (Green BookFlorida Greenbook) and the following minimum standards:

(1) *Right-of-way width*. The minimum right-of-way width shall be as listed below, or of sufficient width to provide for adequate ultimate drainage facilities, utilities, and sidewalks, whichever is greater:

Rural	Urban		
(feet)	(feet)		
60	50		

Additional right-of-way may be required to accommodate design cross sections.

(2) Pavement width. The minimum pavement widths shall be determined by the average daily traffic (ADT), measured in vehicles per day (vpd), projected for the roadway and shall be in accordance with the following:

Average Daily Traffic (vpd)	Pavement Width (in feet)	
Residential:		
	18	
<u>0</u> 301 <u>0</u> 800	20 22	
801—1500		
1501—3500	2 4 <u>22</u> *	
3501—10,000	<u>22/</u> 24 <u>**</u>	
Commercial/Industrial:	28	
Over 10,000	4 <u>844</u> †	

* With dedicated access and left turn lane

**Eleven-foot lanes may be allowable at the discretion of the County Engineer.

† With dedicated access and left turn lane and median

Minimum pavement width for one-way roadway, not including onstreet parking, shall be seventeentwenty (1720) feet. For all local streets with on-street parking on one side and mountable curb, the minimum driveable pavement width shall be twenty-four (24) feet, plus one and one-half (1.5) feet on each side, for a total of twentyseven (27) feet of pavement. For all local streets with on-street parking on two sides and mountable curb, the minimum driveable pavement width shall be thirty-one (31) feet, plus one and one-half (1.5) feet on each side, for a total of thirty-four (34) feet of pavement. If not using mountable curb, the pavement width shall be twenty-seven (27) feet for one side of parking and thirty-four (34) feet for both sides of parking.

Minimum median width shall be fifteen and one-half (15.5) feet back of curb to back of curbconsistent with Florida Greenbook standards.

Note: Pavement widths shall be measured exclusive of curbs. All roads shall be designed with either Type "A," "B" or "C"-in accordance with Florida Greenbook standards for curbs. Median eurb shall be designed along all medians. All median eurbs shall meet FDOT standards.

(3) Vertical alignment. The vertical alignment of streets in a subdivision shall be <u>in accordance with Florida Greenbook</u> <u>standards and subject to the following:</u>

a. Vertical curves shall be required where the algebraic difference in intersecting grades equals or exceeds the following values:

Average Daily Traffic (vpd)	Algebraic Difference (percentage)		
0-3,500	1.20		
Over 3,500	1.00		

Design Speed (mph)	20	25	<u>30</u>	35	<u>40</u>	<u>45</u>	<u>50</u>	55
Maximum Change in Grade in Percent	<u>1.2</u>	<u>1.10</u>	1.00	0.90	0.80	0.70	0.60	0.50

b. All vertical curves shall be of sufficient length to provide a safe stopping sight distance compatible to the design speed of the roadway. Minimum length of all vertical curves shall be one hundred (100) feet or three times the design speed of the highway, whichever is greater.

c. The minimum grade for subdivision streets with curb and gutter shall be twenty-four hundredths (0.24) percent.

d. Minimum cross slopes and/or superelevation rates of .0208 feet/foot (one-quarter-inch/foot) shall be utilized for the design of all roadways.

(4) *Horizontal alignment*. The horizontal alignments of streets in a subdivision shall be <u>in accordance with Florida</u> <u>Greenbook standards.subject to the following:</u>

a. The minimum radius of inside edge of pavement at right angle curves internal to subdivisions will be thirty five (35) feet.

b. A two-hundred seventy-five (275) foot minimum radius shall be used on all streets with an ADT of three thousand five hundred (3,500) vpd or greater, unless superelevation of the roadway is incorporated in the design.

(5) Pavement requirements. The requirements for pavements of streets in a subdivision shall be subject to the

following unless a specific pavement design has been approved by the <u>Ceounty Eengineer</u>:

a. Subgrade. The subgrade shall be constructed in accordance with Orange County Road Construction Specifications and shall be compacted to ninety-five (95) percent of the maximum density as determined by AASHTO T-180 test method. In addition, the top six (6) inches shall be stabilized to a minimum Florida Bearing Value of 50 under curb areas and under limerock base.

b. Base course. The base course shall be constructed in accordance with the Orange County Road Construction Specifications. Subject to the recommendation of the <u>Ceounty Eengineer</u>, base course materials may be either limerock or soil-cement with a minimum thickness as follows:

Type of Development	ADT (vpd)	Base Thickness
Residential	<1500	6"
	1500—3,500	8″
	>3,500	10″
Commercial/Industrial	<1,500	8″
	>1,500	10"

[REST OF PAGE INTENTIONALLY BLANK]

c. Surface course for flexible pavements. Asphaltic concrete surface courses shall comply with the county road specifications, latest edition, and shall meet the following minimum average thickness requirements:

Type of Development	ADT (vpd)	Thickness
Residential	<1,500	1"
	1,500—3,500	11/2"
	>3,500	21⁄2″
Commercial/ Industrial	<1,500	11/2"
	>1,500	21/2"

d. For any entrance intersection improvement, the pavement section shall match the pavement section for the existing roadway.

(6) *Return radii*. The return radii for intersections in a subdivision shall be as follows:

- a. Point of measurement:
 - 1. Urban sections: Face of curb or flow line.
 - 2. Rural sections: Edge of pavement.
- b. Minimum requirements:

Type of Development	ADT (vpd)	Min. Radius* (feet)
1. Residential:	<3,500	25
	>3,500	35
2. Commercial and Industrial:		50
3, Commercial:		35/50

* Minimum radius of returns shall be based on AASHTO requirements for the type vehicle predominant to the industry considered. The County Traffic Engineer may require larger radii, depending on location and use of the proposed development.

* * *

E. Section 34-175 of the Orange County Code is hereby amended to read as follows:

Sec. 34-175. Intersection design.

Streets shall be laid out to intersect as nearly as possible at right angles. Multiple intersections involving the juncture of more than two (2) streets shall be prohibited. <u>SVertical and/or horizontal sight distances from any intersection, driveway, or alley shall be in accordance with the Florida Department of Transportation Manual of Uniform Minimum Standards for Design, Construction and Maintenance for Streets and Highways (<u>Green BookFlorida</u> <u>Greenbook</u>).</u>

F. Section 34-229 of the Orange County Code is hereby amended to read as follows:

Sec. 34-229. - Drainage design requirements.

(a) Drainage map. The project engineer shall include in the subdivision construction plans a master drainage map showing all existing and proposed features. The map is to be prepared on a 24-inch by 36-inch sheet on a scale not to exceed one (1) inch equals two hundred (200) feet. Listed below are the features that are to be included on the drainage map.

(1) Drainage bounds, including all off-site areas draining to the proposed subdivision.

(2) Sufficient topographical information with elevations to verify the location of all ridges, streams, etc. (one-foot contour intervals).

(3) High water data on existing structures upstream and downstream of the subdivision.

(4) Notes indicating sources of high water data.

(5) Notes pertaining to existing standing water, area of heavy seepage, or springs.

(6) Existing drainage features (ditches, roadways, ponds, etc.) are to be shown a minimum of one thousand (1,000) feet downstream of the proposed development unless the ultimate outfall system is a lesser distance.

(7) Subdivision layout with horizontal and vertical controls.

(8) Drainage features, including, but not limited to, location of inlets, swales, ponding areas, and flow arrows.

(9) Delineation of drainage subareas.

(10) Identification of retention/detention areas and ingress/egress areas thereto.

(11) General types of soils (obtain from soil survey of the county).

(12) Flood hazard classification.

(13) Description of current ground cover and/or land use.

NHWE designation for all surface water

bodies.

(14)

(15) All storm sewer pipes and sizes.

(b) Subsoil investigation. A subsoil report shall be prepared by a geotechnical engineer. The contents of the subsoil report will be in accordance with sSection 34-132(c)(6) and sSection 34-250. A minimum of two (2) borings will be taken per retention/detention area.

(c) Stormwater calculations. Stormwater calculations for retention/detention areas, including design high water elevations for the 25-year frequency, 24-hour duration and 100-year frequency/24-hour duration storm events shall include the following, in addition to the requirements of \underline{sS} ection 34-250:

(1) Storm sewer tabulations including, but not limited to, the following:

- a. Locations and types of structures.
- b. Types and lengths of line.
- c. Drainage subarea tributary to each structure.
- d. Runoff coefficient per subarea.
- e. Time of concentration to structure.
- f. Hydraulic gradient for the ten-year storm.
- g. Estimated receiving water (tailwater) elevation with sources of information, if available.
- h. Diameters of pipe.
- i. Outlet and other pipe velocities.

(2) Drainage plans including, but not limited to,

the following:

- a. Cross section of retention/detention facilities.
- b. Typical swale, ditch or canal sections.
- c. Drainage rights-of-way.
- d. Typical fencing detail.
- Note on the design plans that an e. erosion and sediment control plan will be approved by the eCounty eEngineer prior to the preconstruction conference. Erosion and sediment control plans must be consistent with the guidelines in the most current version of the State of Sediment Florida Erosion and Control Designer and Reviewer Manual, or successor.

(d) Routing calculations including the following:

(1) Identify the locations of all storage areas and hydraulic structures on the basin map.

(2) A schematic drawing (i.e., nodal diagram) showing the interconnection of the hydrologic/hydraulic network.

(3) Stage vs. storage/area/time calculations with references and methodology.

(4) Hydrologic parameters required to calculate the hydrograph such as drainage area, time of concentration, runoff coefficient and runoff curve number.

(5) Peak stage, peak outflow, and peak velocity results for the simulated design storm event including all computer printouts of input and output.

(6) Additional information that the eCounty eEngineer deems necessary.

[REST OF PAGE INTENTIONALLY BLANK]

Section 6. Effective date. This ordinance shall become effective pursuant to general law.

ADOPTED THIS ____ DAY OF _____, 2020.

ORANGE COUNTY, FLORIDA

By: Board of County Commissioners

By:

Jerry L. Demings, Orange County Mayor

ATTEST: Phil Diamond, CPA, County Comptroller As Clerk of the Board of County Commissioners

By: _

Deputy Clerk

s:\sstone\ordinances\administrative code amendments\submitted\9-18-20 pw administrative provisions ordinance (final).doc